



**BNL-77287-2006-IR**

**Recent References:  
January 1, 2005 to March 31, 2005**

David F. Winchell  
National Nuclear Data Center, Brookhaven National Laboratory

November 2006

**Energy Sciences & Technology Department  
National Nuclear Data Center**

**Brookhaven National Laboratory**

P.O. Box 5000  
Upton, NY 11973-5000

[www.bnl.gov](http://www.bnl.gov)

Notice: This manuscript has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-98CH10886 with the U.S. Department of Energy. The publisher by accepting the manuscript for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this manuscript, or allow others to do so, for United States Government purposes.

## **DISCLAIMER**

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

# Recent References: January 1, 2005 to March 31, 2005

David F. Winchell  
National Nuclear Data Center, Brookhaven National Laboratory

This document lists experimental references added to Nuclear Science References (NSR) during the period January 1, 2005 to March 31, 2005. The first section lists keynumbers and keywords sorted by mass and nuclide. The second section lists all references, ordered by keynumber.

For more information, and access to the most recent NSR updates, please visit the NSR web site at <http://www.nndc.bnl.gov/nsr/>.

## Contents

<b>Keynumbers and Keywords</b>	<b>2</b>
<b>References</b>	<b>108</b>

## Keynumbers and Keywords

### A=1

$^1\text{n}$	2004G056	NUCLEAR REACTIONS $^3\text{H}(\alpha, \text{d}\alpha)$ , $E=67.2$ MeV; measured $E_{\text{d}}$ , $E_{\alpha}$ , $\text{d}\alpha$ -coin, $\sigma(\theta)$ . $^6\text{Li}$ deduced levels, widths. JOUR UKPJA 49 16
	2004NI18	NUCLEAR REACTIONS $^3\text{He}(\gamma, 2\text{p})$ , $E=0.35\text{--}1.55$ GeV; measured $E_{\text{p}}$ , pp-coin, $\sigma$ , $\sigma(E, \theta)$ ; deduced reaction mechanism features. Tagged photons. JOUR PRVCA 70 064003
	2004ZH42	NUCLEAR REACTIONS $^3\text{He}(\text{polarized e, e})$ , $E=1.2$ GeV; $^3\text{He}(\text{polarized e, e}'\text{X})$ , $E=5.7$ GeV; measured asymmetries. $^1\text{n}$ deduced spin asymmetries, polarized structure functions. Polarized target. JOUR PRVCA 70 065207
	2005AB01	NUCLEAR REACTIONS $^1\text{H}(\text{p, p}\pi^+)$ , $(\text{p, } \pi^+)$ , $E=951$ MeV; measured missing mass spectra, $\sigma$ ; deduced D-state effects. JOUR PYLBB 610 31
	2005AH01	NUCLEAR REACTIONS $^1\text{H}(\gamma, \pi^+\gamma)$ , $E=537\text{--}817$ MeV; measured $E_{\gamma}$ , $E_{\text{n}}$ , (pion) $\text{n}\gamma$ -coin, $\sigma(\theta)$ ; deduced pion polarizabilities. Tagged photon beam, comparison with model predictions. JOUR ZAANE 23 113
	2005DI03	NUCLEAR REACTIONS $^1,2\text{H}(\text{polarized e}^+, \text{e}^+\text{X})$ , $E=27.6$ GeV; $^1\text{H}(\text{polarized e}^+, \text{e}^+\pi^+)$ , $E=27.6$ GeV; measured $\sigma$ , polarization observables. $^1\text{n}$ , $^1\text{H}$ deduced spin structure features. Polarized targets. JOUR ZAANE 24 s01 23
	2005GL03	NUCLEAR REACTIONS $^2\text{H}(\text{polarized e, e}'\text{n})$ , $E=660, 855, 883$ MeV; measured asymmetry, polarization transfer. $^1\text{n}$ deduced electric form factor. JOUR ZAANE 24 101
	2005PEZZ	NUCLEAR REACTIONS $^2\text{H}(\text{p, } 2\text{p})$ , $E=6$ MeV; measured $E_{\text{p}}$ , pp-coin. $^1\text{H}(\text{p, p})$ , $E=0.3\text{--}0.8$ MeV; deduced $\sigma$ , Coulomb interaction effects. Trojan horse method. CONF Riken(Origin of Matter) Proc,P513,Pellegriti
	2005R002	NUCLEAR REACTIONS $^2\text{H}(\gamma, \text{p})$ , $E=0.5\text{--}3$ GeV; measured $E_{\text{p}}$ , $\sigma(\theta)$ ; deduced scaling features. JOUR PRLTA 94 012301
	2005SE01	RADIOACTIVITY $^1\text{n}(\beta^-)$ ; measured $T_{1/2}$ . Ultracold neutrons, comparison with previous results, model predictions. JOUR PYLBB 605 72
	2005TUZZ	NUCLEAR REACTIONS $^2\text{H}(^7\text{Li, } 2\alpha)$ , $(^6\text{Li, } ^3\text{He}\alpha)$ , $^6\text{Li}(^6\text{Li, } 2\alpha)$ , $E$ not given; measured particle spectra. $^7\text{Li}(\text{p, } \alpha)$ , $E(\text{cm}) \approx 0.01\text{--}0.5$ MeV; $^6\text{Li}(\text{d, } \alpha)$ , $(\text{p, } \alpha)$ , $E(\text{cm}) \approx 0.01\text{--}1$ MeV; deduced astrophysical S-factors. CONF Riken(Origin of Matter) Proc,P553,Tumino
	2005YA05	NUCLEAR REACTIONS $^2\text{H}(\text{polarized p, } 2\text{p})$ , $E=0.5, 0.8$ GeV; measured $A_{\text{y}}(\theta)$ . Comparison with model predictions. JOUR PRLTA 94 072304
$^1\text{H}$	2004BEZP	NUCLEAR REACTIONS $^1\text{H}(^{22}\text{O, p})$ , $(^{22}\text{O, } ^{22}\text{O}')$ , $E \approx 47$ MeV / nucleon; measured particle spectra, $\sigma(E, \theta)$ . $^{22}\text{O}$ level deduced deformation parameter. MUST detector array. REPT IPNO-T-04-17,Becheva
	2004SHZZ	NUCLEAR REACTIONS $^1\text{H}(\text{polarized n, n})$ , $E=1.39, 1.69, 1.89, 1.99$ GeV; measured $\sigma$ , polarization, longitudinal cross-section difference. REPT JINR-E1-2004-87,Sharov

**A=1 (*continued*)**

- 2005AL01 NUCLEAR REACTIONS  $^1\text{H}(\text{p}, \text{p})$ ,  $E=0.45\text{-}2.5$  GeV; measured analyzing powers vs energy, angle. Polarized target, comparisons with previous results. JOUR ZAANE 23 351
- 2005BA11 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \alpha^{12}\text{C})$ ,  $E$  at 3.25 GeV / c / nucleon; measured recoil proton spectra, angular distributions, charged fragment spectra; deduced reaction mechanism features. JOUR UKPJA 50 16
- 2005BA25 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e)$ ,  $E=569.31, 855.15$  MeV; measured transverse spin asymmetry; deduced resonance contributions. JOUR ZAANE 24 s02 35
- 2005BE12 NUCLEAR REACTIONS  $^3\text{He}(e, e'\text{np})$ ,  $E=\text{high}$ ; measured proton spectra, missing energy,  $\sigma(E, \theta)$ .  $^3\text{He}$  deduced proton effective momentum density. JOUR PRLTA 94 082305
- 2005DI03 NUCLEAR REACTIONS  $^{1,2}\text{H}(\text{polarized } e^+, e^+\text{'X})$ ,  $E=27.6$  GeV;  $^1\text{H}(\text{polarized } e^+, e^+\pi^+)$ ,  $E=27.6$  GeV; measured  $\sigma$ , polarization observables.  $^1\text{n}$ ,  $^1\text{H}$  deduced spin structure features. Polarized targets. JOUR ZAANE 24 s01 23
- 2005ER01 NUCLEAR REACTIONS  $^2\text{H}(\pi^-, 2\pi^-)$ ,  $E=430$  MeV; measured pion and proton spectra,  $\sigma$ ,  $\sigma(\theta)$ .  $^1\text{n}(\pi^-, 2\pi^-)$ ,  $E=430$  MeV; deduced  $\sigma$ . Comparisons with model predictions. JOUR ZAANE 23 345
- 2005GL03 NUCLEAR REACTIONS  $^2\text{H}(\text{polarized } e, e'\text{n})$ ,  $E=660, 855, 883$  MeV; measured asymmetry, polarization transfer.  $^1\text{n}$  deduced electric form factor. JOUR ZAANE 24 101
- 2005J002 NUCLEAR REACTIONS  $^1\text{H}(\text{n}, \text{n})$ ,  $E=96$  MeV; measured  $\sigma(\theta)$ . Comparison with model predictions. JOUR PRVCA 71 024002
- 2005KI03 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e)$ ,  $E=3$  GeV; measured spin asymmetries. JOUR ZAANE 24 s02 39
- 2005MA13 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e)$ ,  $E=569.31, 855.15$  MeV; measured transverse spin asymmetry; deduced intermediate states contributions. Comparison with model predictions. JOUR PRLTA 94 082001
- 2005MA19 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e)$ ,  $E=570.4, 854.3$  MeV; measured parity violating asymmetry. JOUR ZAANE 24 s02 47
- 2005OKZZ NUCLEAR REACTIONS  $^1\text{H}(\text{p}, \text{p})$ ,  $E=100$  GeV; measured recoil proton spectra, analyzing power. Polarized target. PREPRINT nucl-ex/0502022, 2/25/2005
- 2005PEZZ NUCLEAR REACTIONS  $^2\text{H}(\text{p}, 2\text{p})$ ,  $E=6$  MeV; measured  $E_{\text{p}}$ , pp-coin.  $^1\text{H}(\text{p}, \text{p})$ ,  $E=0.3\text{-}0.8$  MeV; deduced  $\sigma$ , Coulomb interaction effects. Trojan horse method. CONF Riken(Origin of Matter) Proc,P513,Pellegriti
- 2005SA06 NUCLEAR REACTIONS  $^1\text{H}(\text{n}, \text{n})$ ,  $E=194$  MeV; measured  $\sigma(\theta)$ . Tagged beam, comparisons with previous results and model predictions. JOUR PRLTA 94 082303
- 2005SE01 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Ultracold neutrons, comparison with previous results, model predictions. JOUR PYLBB 605 72
- 2005SE04 NUCLEAR REACTIONS  $^1\text{H}(e, e)$ ,  $E=1.9\text{-}4.7$  GeV; measured recoil proton spectra; deduced electromagnetic form factors. Comparison with spin-transfer measurements. JOUR ZAANE 24 s01 55

**A=1 (continued)**

- 2005SP01 NUCLEAR REACTIONS  $^1\text{H}(\text{e}, \text{e}'\pi^0)$ ,  $E=950$  MeV; measured  $E_p$ ,  $\sigma(\theta)$ .  $^1\text{H}$  deduced quadrupole to dipole amplitude ratios. JOUR PRLTA 94 022003
- 2005SP02 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized e}, \text{e})$ ,  $E=200$  MeV;  $^2\text{H}(\text{polarized e}, \text{e})$ ,  $E=125, 200$  MeV; measured asymmetries; deduced form factors. JOUR ZAANE 24 s02 51
- 2005WU02 NUCLEAR REACTIONS  $^1\text{H}(\gamma, \pi^+\pi^-)$ ,  $E=0.5\text{-}2.6$  GeV; measured total  $\sigma$ ,  $\sigma(E, \theta)$ ; deduced  $\rho^0$ -meson and  $\Delta$ -baryon contributions. Tagged photons. JOUR ZAANE 23 317

**A=2**

- $^2\text{n}$  2005AM05 NUCLEAR REACTIONS  $^1\text{H}(\text{p-bar}, \text{ee}^+)$ ,  $E(\text{cm}) \approx 3600$  MeV; measured  $\psi(2\text{S})$  production associated invariant mass spectra,  $\sigma(\theta)$ ; deduced helicity amplitude ratio. JOUR PYLBB 610 177
- $^2\text{H}$  2004AZZX NUCLEAR REACTIONS  $^9\text{Be}(\text{d}, \text{pX})$ ,  $E$  at 5 GeV / c; measured tensor analyzing power.  $^2\text{H}$  deduced wave function features. REPT JINR-P1-2004-118,Azhgirey
- 2004BUZY NUCLEAR REACTIONS  $^2\text{H}(\text{polarized n}, \text{n})$ ,  $E=19.0$  MeV; measured  $A_y(\theta)$ . Comparison with model predictions. REPT TUNL-XLIII,P20,Buck
- 2004FOZZ NUCLEAR REACTIONS  $^2\text{H}(\text{polarized n}, \text{n})$ ,  $E=1.18, 5.0, 6.88, 19$  MeV; measured polarization, longitudinal cross-section difference. Polarized target. REPT TUNL-XLIII,P18,Foster
- 2005AB01 NUCLEAR REACTIONS  $^1\text{H}(\text{p}, \text{p}\pi^+)$ ,  $(\text{p}, \pi^+)$ ,  $E=951$  MeV; measured missing mass spectra,  $\sigma$ ; deduced D-state effects. JOUR PYLBB 610 31
- 2005JE01 NUCLEAR REACTIONS  $^2\text{H}(^9\text{Li}, ^9\text{Li})$ ,  $(^9\text{Li}, \text{np})$ ,  $(^9\text{Li}, \text{nX})$ ,  $(^9\text{Li}, \text{pX})$ ,  $E=2.36$  MeV / nucleon; measured particle spectra,  $\sigma(\theta)$ .  $^2\text{H}(^9\text{Li}, \alpha\text{X})$ ,  $(^9\text{Li}, ^6\text{HeX})$ ,  $E=2.36$  MeV / nucleon; measured particle spectra. Post-accelerated radioactive beam. JOUR NUPAB 748 374
- 2005SA12 NUCLEAR REACTIONS  $^3\text{He}(\text{e}, \text{e}'\text{p})$ ,  $E=4.8$  GeV; measured  $\sigma(E, \theta)$ , asymmetries.  $^3\text{He}$  deduced bound state momentum distributions. Comparisons with model predictions. JOUR ZAANE 24 s01 81
- 2005SP02 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized e}, \text{e})$ ,  $E=200$  MeV;  $^2\text{H}(\text{polarized e}, \text{e})$ ,  $E=125, 200$  MeV; measured asymmetries; deduced form factors. JOUR ZAANE 24 s02 51

**A=3**

- $^3\text{H}$  2004MIZR NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ ,  $E \approx 35$  MeV / nucleon; measured  $E_\gamma$ ,  $I_\gamma$ , (particle) $\gamma$ -coin.  $^{23}\text{F}$  deduced levels, transitions. REPT CNS-REP-64,P269,Michimasa
- $^3\text{He}$  2004CRZZ NUCLEAR REACTIONS  $^3\text{He}(\text{polarized n}, \text{n})$ ,  $E=4.02, 5.54$  MeV; measured  $A_y(\theta)$ . REPT TUNL-XLIII,P23,Crowe

**A=3 (continued)**

- 2004ZH42 NUCLEAR REACTIONS  $^3\text{He}(\text{polarized } e, e)$ ,  $E=1.2$  GeV;  $^3\text{He}(\text{polarized } e, e'X)$ ,  $E=5.7$  GeV; measured asymmetries.  $^1\text{n}$  deduced spin asymmetries, polarized structure functions. Polarized target. JOUR PRVCA 70 065207
- 2005BE12 NUCLEAR REACTIONS  $^3\text{He}(e, e'np)$ ,  $E=\text{high}$ ; measured proton spectra, missing energy,  $\sigma(E, \theta)$ .  $^3\text{He}$  deduced proton effective momentum density. JOUR PRLTA 94 082305
- 2005CE02 NUCLEAR REACTIONS  $^3\text{H}(\text{p}, n)$ ,  $E=1.2\text{-}2.3$  MeV; measured neutron spectra. JOUR NIMAE 540 430
- 2005HA07 NUCLEAR REACTIONS  $^2\text{H}(\text{d}, n)$ ,  $E$  not given; measured  $E_n$ . Laser-generated plasma neutron source. JOUR NIMAE 540 464
- 2005LE04 NUCLEAR REACTIONS  $\text{Pb}(\text{p}, X)^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ ,  $E=44\text{-}2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005ME03 NUCLEAR REACTIONS  $^3\text{He}(\text{polarized } e, e'X)$ ,  $E=0.862\text{-}5.058$  GeV; measured polarized  $\sigma$ ; deduced sum rule features.  $^3\text{He}$  deduced spin structure functions. Polarized target. JOUR ZAANE 24 s01 153
- 2005MEZZ NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } d, \gamma)$ ,  $E=55, 66.5, 90$  MeV / nucleon; measured  $E_\gamma$ , (particle) $\gamma$ -coin, vector and tensor analyzing powers. Comparison with model predictions. PREPRINT nucl-ex/0501012,1/17/2005
- 2005SA12 NUCLEAR REACTIONS  $^3\text{He}(e, e'p)$ ,  $E=4.8$  GeV; measured  $\sigma(E, \theta)$ , asymmetries.  $^3\text{He}$  deduced bound state momentum distributions. Comparisons with model predictions. JOUR ZAANE 24 s01 81
- 2005TUZZ NUCLEAR REACTIONS  $^2\text{H}(^7\text{Li}, 2\alpha)$ ,  $(^6\text{Li}, ^3\text{He}\alpha)$ ,  $^6\text{Li}(^6\text{Li}, 2\alpha)$ ,  $E$  not given; measured particle spectra.  $^7\text{Li}(\text{p}, \alpha)$ ,  $E(\text{cm}) \approx 0.01\text{-}0.5$  MeV;  $^6\text{Li}(\text{d}, \alpha)$ ,  $(\text{p}, \alpha)$ ,  $E(\text{cm}) \approx 0.01\text{-}1$  MeV; deduced astrophysical S-factors. CONF Riken(Origin of Matter) Proc,P553,Tumino

**A=4**

- $^4\text{He}$  2004SA61 NUCLEAR REACTIONS  $^2\text{H}(\text{polarized } d, \gamma)$ ,  $E<115$  keV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\sigma(\theta)$ ,  $A_\gamma(\theta)$ ,  $T_{20}(\theta)$ ; deduced transition matrix elements. Comparison with resonating group model predictions. JOUR PRVCA 70 064601
- 2005BR04 NUCLEAR REACTIONS  $^3\text{He}(^3\text{He}, 2p)$ ,  $E(\text{cm}) \approx 10\text{-}1000$  keV;  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E \approx 0.1\text{-}2.5$  MeV; measured astrophysical S-factors. JOUR NPBSE 143 60
- 2005LE04 NUCLEAR REACTIONS  $\text{Pb}(\text{p}, X)^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ ,  $E=44\text{-}2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=4 (continued)**

- 2005TUZZ NUCLEAR REACTIONS  $^2\text{H}(^7\text{Li}, 2\alpha)$ ,  $(^6\text{Li}, ^3\text{He}\alpha)$ ,  $^6\text{Li}(^6\text{Li}, 2\alpha)$ , E not given; measured particle spectra.  $^7\text{Li}(p, \alpha)$ ,  $E(\text{cm}) \approx 0.01\text{-}0.5$  MeV;  $^6\text{Li}(d, \alpha)$ ,  $(p, \alpha)$ ,  $E(\text{cm}) \approx 0.01\text{-}1$  MeV; deduced astrophysical S-factors. CONF Riken(Origin of Matter) Proc,P553,Tumino

**A=5**

- $^5\text{H}$  2004G054 NUCLEAR REACTIONS  $^3\text{H}(t, p)$ ,  $E=58$  MeV; measured  $E_n$ ,  $E_p$ , missing mass spectrum following residual nucleus decay.  $^5\text{H}$  deduced levels,  $J$ ,  $\pi$ . JOUR PRLTA 93 262501
- $^5\text{Li}$  2003G041 NUCLEAR REACTIONS  $^3\text{He}(\alpha, dt)$ ,  $E=67.2$  MeV; measured particle spectra, dt-coin.  $^5\text{Li}$  deduced excited states energies, widths. JOUR UKPJA 48 1035

**A=6**

- $^6\text{Li}$  2004G056 NUCLEAR REACTIONS  $^3\text{H}(\alpha, d\alpha)$ ,  $E=67.2$  MeV; measured  $E_d$ ,  $E_\alpha$ ,  $d\alpha$ -coin,  $\sigma(\theta)$ .  $^6\text{Li}$  deduced levels, widths. JOUR UKPJA 49 16

**A=7**

- $^7\text{Li}$  2005GI03 NUCLEAR REACTIONS  $^{10}\text{B}(n, \alpha)$ ,  $E=1.5\text{-}3.8$  MeV; measured  $\sigma$ ,  $\sigma(\theta)$ . Effects of particle leaking discussed. JOUR NIMAE 538 550
- 2005SI02 NUCLEAR REACTIONS  $^1\text{H}(^7\text{Li}, p)$ ,  $E=2.28\text{-}5.7$  MeV; measured recoil proton spectra,  $\sigma(\theta=30, 45^\circ)$ . Al-backed melamine target. JOUR NIMBE 229 180
- 2005ZH09 RADIOACTIVITY  $^7\text{Be}(\text{EC})$ ; measured decay rates for source implanted in Pd and Au. JOUR CPLEE 22 565
- $^7\text{Be}$  2004NA42 NUCLEAR REACTIONS  $^4\text{He}(^3\text{He}, \gamma)$ ,  $E=1000\text{-}2300$  keV; measured capture  $\sigma$ ; deduced S-factors. Activation technique, astrophysical implications discussed. JOUR PRLTA 93 262503
- 2005BU05 NUCLEAR REACTIONS  $^7\text{Li}(p, n)$ ,  $E=1.88\text{-}2.0$  MeV; measured neutron spectra, yields. JOUR NIMBE 229 144
- 2005ZH09 RADIOACTIVITY  $^7\text{Be}(\text{EC})$ ; measured decay rates for source implanted in Pd and Au. JOUR CPLEE 22 565

**A=8**

- $^8\text{Be}$  2004AHZW NUCLEAR REACTIONS  $^7\text{Li}(\text{polarized } d, n)$ ,  $E=160$  keV; measured  $\sigma(\theta)$ , vector and tensor analyzing powers; deduced transition matrix elements. REPT TUNL-XLIII,P28,Ahmed
- 2004FR34 NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, ^8\text{Be})$ ,  $E=82\text{-}120$  MeV; measured excitation energy spectra, angular correlations.  $^{16}\text{O}$  deduced levels,  $J$ ,  $\pi$ . Comparison with model predictions. JOUR PRVCA 70 064311



**A=8 (continued)**

	2005RU03	NUCLEAR REACTIONS $^{12}\text{C}(^{11}\text{B}, ^{15}\text{N})$ , $E=49$ MeV; measured $\sigma(E, \theta)$ ; $^{12}\text{C}(^{11}\text{B}, ^8\text{Be})$ , $E(\text{cm})=10\text{-}17$ MeV; analyzed $\sigma(E, \theta)$ ; deduced reaction mechanism features, optical model parameters. Coupled channels analysis. JOUR ZAAANE 23 445
$^8\text{B}$	2004REZY	NUCLEAR REACTIONS $^1\text{H}(^{11}\text{C}, \text{p})$ , $(^{11}\text{C}, \alpha)$ , $E^*=8.7\text{-}9.9$ MeV; measured particle spectra, angular distributions, $\sigma$ . $^8\text{Be}(\alpha, \text{p})$ , $E^*=8.7\text{-}9.9$ MeV; deduced excitation function, astrophysical reaction rates. REPT ANL-04/22,P3,Rehm
	2005JU03	NUCLEAR REACTIONS $^7\text{Be}(\text{p}, \gamma)$ , $E(\text{cm})=116\text{-}2460$ MeV; measured $\sigma$ ; deduced astrophysical S-factors. Comparison with previous results. JOUR NPBSE 138 112

**A=9**

$^9\text{Li}$	2005JE01	NUCLEAR REACTIONS $^2\text{H}(^9\text{Li}, ^9\text{Li})$ , $(^9\text{Li}, \text{np})$ , $(^9\text{Li}, \text{nX})$ , $(^9\text{Li}, \text{pX})$ , $E=2.36$ MeV / nucleon; measured particle spectra, $\sigma(\theta)$ . $^2\text{H}(^9\text{Li}, \alpha\text{X})$ , $(^9\text{Li}, ^6\text{HeX})$ , $E=2.36$ MeV / nucleon; measured particle spectra. Post-accelerated radioactive beam. JOUR NUPAB 748 374
	2005WU03	NUCLEAR REACTIONS $^2\text{H}(^8\text{Li}, \text{p})$ , $E \approx 76$ MeV; measured $E_p$ , excitation energy spectra, $\sigma(\theta)$ . $^9\text{Li}$ deduced levels, $J$ , $\pi$ , spectroscopic factors. Comparison with model predictions. JOUR PRLTA 94 082502
$^9\text{Be}$	2005YE01	NUCLEAR REACTIONS $^9\text{Be}(^6\text{He}, ^6\text{He})$ , $E=25$ MeV / nucleon; measured quasielastic $\sigma(\theta)$ ; deduced optical model parameters, inelastic channels contribution. JOUR PRVCA 71 014604

**A=10**

$^{10}\text{Li}$	2005SA03	NUCLEAR REACTIONS $^{10}\text{B}(\pi^-, \text{K}^+)$ , $^{10}\text{B}$ , $^{12}\text{C}(\pi^+, \text{K}^+)$ , $E$ at 1.05, 1.2 GeV / c; measured missing mass spectra, hypernucleus production $\sigma$ . JOUR PRLTA 94 052502
$^{10}\text{Be}$	2004MIZS	NUCLEAR REACTIONS $\text{Fe}(\text{p}, \text{X})^{52}\text{Mn}$ , $E < 2.6$ GeV; $\text{Pb}(\text{p}, \text{X})^{10}\text{Be}$ , $E < 2.6$ GeV; $^{209}\text{Bi}(\text{p}, 4\text{np})$ , $E < 2.6$ GeV; $\text{Pb}(\text{n}, \text{X})^{196}\text{Au} / ^{95}\text{Zr}$ , $E \approx 70\text{-}180$ MeV; measured excitation functions. Comparison with model predictions. REPT NEA/NSC/DOC(2004)14,P28,Michel
	2005HI03	RADIOACTIVITY $^{11}\text{Li}(\beta^-)$ , $(\beta^- \text{n})$ ; measured $\beta$ -delayed $E_\gamma$ , $E_n$ , asymmetry following decay of spin-polarized source. $^{10,11}\text{Be}$ deduced levels, $J$ , $\pi$ , S-factors. Comparison with antisymmetrized molecular dynamics model predictions. JOUR PYLBB 611 239

**A=11**

$^{11}\text{Li}$	2005HI03	RADIOACTIVITY $^{11}\text{Li}(\beta^-)$ , $(\beta^- \text{n})$ ; measured $\beta$ -delayed $E_\gamma$ , $E_n$ , asymmetry following decay of spin-polarized source. $^{10,11}\text{Be}$ deduced levels, $J$ , $\pi$ , S-factors. Comparison with antisymmetrized molecular dynamics model predictions. JOUR PYLBB 611 239
------------------	----------	---

**A=11 (continued)**

<sup>11</sup> Be	2005HI03	RADIOACTIVITY <sup>11</sup> Li( $\beta^-$ ), ( $\beta^-$ n); measured $\beta$ -delayed E $\gamma$ , En, asymmetry following decay of spin-polarized source. <sup>10,11</sup> Be deduced levels, J, $\pi$ , S-factors. Comparison with antisymmetrized molecular dynamics model predictions. JOUR PYLBB 611 239
<sup>11</sup> B	2004REZY	NUCLEAR REACTIONS <sup>1</sup> H( <sup>11</sup> C, p), ( <sup>11</sup> C, $\alpha$ ), E*=8.7-9.9 MeV; measured particle spectra, angular distributions, $\sigma$ . <sup>8</sup> Be( $\alpha$ , p), E*=8.7-9.9 MeV; deduced excitation function, astrophysical reaction rates. REPT ANL-04/22,P3,Rehm
	2005ISZZ	NUCLEAR REACTIONS <sup>4</sup> He( <sup>8</sup> Li, n), E=14.6 MeV; <sup>4</sup> He( <sup>16</sup> N, n), E=32 MeV; measured En, excitation energy spectra. <sup>16</sup> N( $\alpha$ , n), E(cm) $\approx$ 1-4.5 MeV; <sup>8</sup> Li( $\alpha$ , n), E $\approx$ 0.5-3 MeV; deduced excitation functions. CONF Riken(Origin of Matter) Proc,P316,Ishiyama
	2005M004	NUCLEAR REACTIONS <sup>12</sup> C(e, e'p), E=379-585 MeV; measured excitation energy spectra, momentum distributions; deduced longitudinal and transverse response functions. <sup>12</sup> C(e, e'p), E=379-585 MeV; <sup>12</sup> C( $\gamma$ , p), E=61.8, 71.6 MeV; analyzed transverse reduced $\sigma$ , role of two-body currents. JOUR PRVCA 71 014607
	2005PR02	NUCLEAR REACTIONS <sup>4</sup> He, <sup>12</sup> C(polarized e, e'p), E=2.261, 4.461 GeV; measured single spin azimuthal asymmetries vs missing momentum, missing energy; deduced final state interaction effects. Comparisons with model predictions. JOUR NUPAB 748 357
<sup>11</sup> C	2004REZY	NUCLEAR REACTIONS <sup>1</sup> H( <sup>11</sup> C, p), ( <sup>11</sup> C, $\alpha$ ), E*=8.7-9.9 MeV; measured particle spectra, angular distributions, $\sigma$ . <sup>8</sup> Be( $\alpha$ , p), E*=8.7-9.9 MeV; deduced excitation function, astrophysical reaction rates. REPT ANL-04/22,P3,Rehm

**A=12**

<sup>12</sup> B	2005GA09	NUCLEAR REACTIONS <sup>9</sup> Be, <sup>12</sup> C(e, e'K <sup>+</sup> ), E=4 GeV; measured hypernucleus production associated missing energy spectra. JOUR ZAANE 24 s01 91
	2005KA06	NUCLEAR REACTIONS <sup>1</sup> H( <sup>17</sup> B, X) <sup>17</sup> B / <sup>15</sup> B / <sup>14</sup> B / <sup>13</sup> B / <sup>12</sup> B, E $\approx$ 43 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin, relative yields. <sup>15,17</sup> B deduced levels, J, $\pi$ . Comparison with model predictions. JOUR PYLBB 608 206
<sup>12</sup> C	2005SA03	NUCLEAR REACTIONS <sup>10</sup> B( $\pi^-$ , K <sup>+</sup> ), <sup>10</sup> B, <sup>12</sup> C( $\pi^+$ , K <sup>+</sup> ), E at 1.05, 1.2 GeV / c; measured missing mass spectra, hypernucleus production $\sigma$ . JOUR PRLTA 94 052502
	2005SA04	NUCLEAR REACTIONS <sup>12</sup> C, <sup>28</sup> Si, <sup>27</sup> Al, Fe( $\pi^+$ , K <sup>+</sup> ), E at 1.06 GeV / c; measured hypernucleus mass spectra, pion and proton spectra following hypernucleus decay. <sup>12</sup> C, <sup>28</sup> Si, <sup>27</sup> Al, Fe deduced mesonic and nonmesonic hypernucleus decay widths. Comparison with model predictions. JOUR PRVCA 71 025203

**A=13**

- $^{13}\text{B}$       2005KA06      NUCLEAR REACTIONS  $^1\text{H}(^{17}\text{B}, \text{X})^{17}\text{B} / ^{15}\text{B} / ^{14}\text{B} / ^{13}\text{B} / ^{12}\text{B}$ ,  $E \approx 43$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin, relative yields.  $^{15,17}\text{B}$  deduced levels,  $J$ ,  $\pi$ . Comparison with model predictions. JOUR PYLBB 608 206

**A=14**

- $^{14}\text{B}$       2005KA06      NUCLEAR REACTIONS  $^1\text{H}(^{17}\text{B}, \text{X})^{17}\text{B} / ^{15}\text{B} / ^{14}\text{B} / ^{13}\text{B} / ^{12}\text{B}$ ,  $E \approx 43$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin, relative yields.  $^{15,17}\text{B}$  deduced levels,  $J$ ,  $\pi$ . Comparison with model predictions. JOUR PYLBB 608 206

**A=15**

- $^{15}\text{B}$       2005KA06      NUCLEAR REACTIONS  $^1\text{H}(^{17}\text{B}, \text{X})^{17}\text{B} / ^{15}\text{B} / ^{14}\text{B} / ^{13}\text{B} / ^{12}\text{B}$ ,  $E \approx 43$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin, relative yields.  $^{15,17}\text{B}$  deduced levels,  $J$ ,  $\pi$ . Comparison with model predictions. JOUR PYLBB 608 206
- $^{15}\text{C}$       2005NAZZ      NUCLEAR REACTIONS  $\text{Pb}(^{15}\text{C}, \text{n}^{14}\text{C})$ ,  $E=68$  MeV / nucleon; measured dissociation  $\sigma$ , relative energy spectra.  $^{14}\text{C}(\text{n}, \gamma)$ ,  $E(\text{cm})=0-2.7$  MeV; deduced  $\sigma$ . CONF Riken(Origin of Matter) Proc,P155,Nakamura
- $^{15}\text{N}$       2004HAZR      NUCLEAR REACTIONS  $^{16}\text{O}(\text{e}, \text{e}'\text{p})$ ,  $E=199.53$  MeV; measured  $\sigma(E, \theta)$ , missing momentum spectra. JOUR KKYHB 37 1
- 2005K002      NUCLEAR REACTIONS  $^{16}\text{O}(\text{p}, 2\text{p})$ ,  $E=392$  MeV; measured  $E\text{p}$ ,  $E\gamma$ ,  $\text{pp-}$ ,  $\text{p}\gamma$ -coin.  $^{15}\text{N}$  levels deduced  $\gamma$ -emission probabilities. JOUR NPBSE 139 72
- 2005RU03      NUCLEAR REACTIONS  $^{12}\text{C}(^{11}\text{B}, ^{15}\text{N})$ ,  $E=49$  MeV; measured  $\sigma(E, \theta)$ ;  $^{12}\text{C}(^{11}\text{B}, ^8\text{Be})$ ,  $E(\text{cm})=10-17$  MeV; analyzed  $\sigma(E, \theta)$ ; deduced reaction mechanism features, optical model parameters. Coupled channels analysis. JOUR ZAANE 23 445
- $^{15}\text{O}$       2005BR04      NUCLEAR REACTIONS  $^3\text{He}(^3\text{He}, 2\text{p})$ ,  $E(\text{cm}) \approx 10-1000$  keV;  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E \approx 0.1-2.5$  MeV; measured astrophysical S-factors. JOUR NPBSE 143 60
- 2005RU04      NUCLEAR REACTIONS  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E=155-524$  keV; measured  $E\gamma$ , excitation function; deduced S-factor. R-matrix analysis, astrophysical implications discussed. JOUR PRLTA 94 082503

**A=16**

- $^{16}\text{C}$       2004AS13      NUCLEAR REACTIONS  $\text{C}(^{16}\text{C}, \text{X})$ ,  $E=46$  MeV / nucleon; measured particle spectra, breakup and neutron removal  $\sigma$ ; deduced reaction mechanism features.  $^{16}\text{C}$  deduced no ground-state cluster structure. Comparison with model predictions. JOUR PRVCA 70 064607
- $^{16}\text{N}$       2004TAZW      RADIOACTIVITY  $^{16}\text{N}(\beta^-)$  [from  $^2\text{H}(^{15}\text{N}, \text{n})$ ]; measured  $\beta$ -delayed  $E\alpha$ . Gas-filled ionization chambers. REPT ANL-04/22,P5,Tang

**A=16 (continued)**

$^{16}\text{O}$	2004FR34	NUCLEAR REACTIONS $^{12}\text{C}(^{12}\text{C}, ^{28}\text{Be})$ , E=82-120 MeV; measured excitation energy spectra, angular correlations. $^{16}\text{O}$ deduced levels, J, $\pi$ . Comparison with model predictions. JOUR PRVCA 70 064311
	2004PE24	NUCLEAR REACTIONS $^{16}\text{O}(\text{polarized } \gamma, \gamma')$ , E=25-40 MeV; measured polarization asymmetries; deduced resonance features. JOUR PRVCA 70 064305
	2004TAZW	RADIOACTIVITY $^{16}\text{N}(\beta^-)$ [from $^2\text{H}(^{15}\text{N}, \text{n})$ ]; measured $\beta$ -delayed $E\alpha$ . Gas-filled ionization chambers. REPT ANL-04/22,P5,Tang
	2005SHZZ	NUCLEAR REACTIONS $^{12}\text{C}(\alpha, \gamma)$ , E(cm)=1.3, 1.5 MeV; measured E1 and E2 $\sigma$ , $\sigma(\theta)$ . $^{12}\text{C}(\alpha, \gamma)$ , E(cm) $\approx$ 1000-3000 keV; analyzed data; deduced astrophysical S-factors. CONF Riken(Origin of Matter) Proc,P217,Shima

**A=17**

$^{17}\text{B}$	2005KA06	NUCLEAR REACTIONS $^1\text{H}(^{17}\text{B}, \text{X})^{17}\text{B} / ^{15}\text{B} / ^{14}\text{B} / ^{13}\text{B} / ^{12}\text{B}$ , E $\approx$ 43 MeV / nucleon; measured $E\gamma$ , $I\gamma$ , (particle) $\gamma$ -coin, relative yields. $^{15,17}\text{B}$ deduced levels, J, $\pi$ . Comparison with model predictions. JOUR PYLBB 608 206
-----------------	----------	---

**A=18**

$^{18}\text{F}$	2004FOZY	NUCLEAR REACTIONS $^{17}\text{O}(\text{p}, \gamma)$ , E=185-215 keV; measured $E\gamma$ , $I\gamma$ ; deduced excitation function. $^{18}\text{F}$ deduced resonance strengths. Astrophysical implications discussed. REPT TUNL-XLIII,P32,Fox
	2005FI01	NUCLEAR REACTIONS $^1\text{H}(^{17}\text{O}, \gamma)$ , E=12.5 MeV; measured particle spectra; deduced resonance strength. Recoil separator, other reactions discussed. JOUR NUPAB 748 351
	2005HE04	NUCLEAR REACTIONS $^{18}\text{O}(\text{p}, \text{n})$ , E=2582 keV; measured neutron spectrum. $^{138}\text{Ba}(\text{n}, \gamma)$ , E=spectrum; measured Maxwellian-averaged $\sigma$ . JOUR PRVCA 71 025803
$^{18}\text{Ne}$	2004SIZX	NUCLEAR REACTIONS $^1\text{H}(^{21}\text{Na}, \alpha)$ , E $\approx$ 113 MeV; measured $E\alpha$ , $\sigma(E, \theta)$ , ( $^{18}\text{Ne}$ ) $\alpha$ -coin. $^{18}\text{Ne}(\alpha, \text{p})$ , E(cm) $\approx$ 2.5 MeV; deduced angle-integrated $\sigma$ . REPT ANL-04/22,P8,Sinha

**A=19**

$^{19}\text{F}$	2005ISZZ	NUCLEAR REACTIONS $^4\text{He}(^8\text{Li}, \text{n})$ , E=14.6 MeV; $^4\text{He}(^{16}\text{N}, \text{n})$ , E=32 MeV; measured $E\text{n}$ , excitation energy spectra. $^{16}\text{N}(\alpha, \text{n})$ , E(cm) $\approx$ 1-4.5 MeV; $^8\text{Li}(\alpha, \text{n})$ , E $\approx$ 0.5-3 MeV; deduced excitation functions. CONF Riken(Origin of Matter) Proc,P316,Ishiyama
-----------------	----------	---

**A=20**

<sup>20</sup>Ne      2005ST09      NUCLEAR REACTIONS <sup>12</sup>C(<sup>12</sup>C, α), E=34.7 MeV; <sup>12</sup>C(<sup>16</sup>O, α), E=38.5 MeV; measured Eα, Eγ, Iγ(θ, t), αγ-coin; Gd(<sup>24</sup>Mg, <sup>24</sup>Mg'), E=165 MeV; measured Eγ, Iγ(θ, t), (particle)γ-coin; deduced transient field strengths. JOUR PYLBB 611 81

**A=21**

<sup>21</sup>Ne      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production σ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

<sup>21</sup>Na      2004SIZX      NUCLEAR REACTIONS <sup>1</sup>H(<sup>21</sup>Na, α), E ≈ 113 MeV; measured Eα, σ(E, θ), (<sup>18</sup>Ne)α-coin. <sup>18</sup>Ne(α, p), E(cm) ≈ 2.5 MeV; deduced angle-integrated σ. REPT ANL-04/22,P8,Sinha

                 2005RU01      NUCLEAR REACTIONS <sup>1</sup>H(<sup>21</sup>Na, p), E=580-1560 keV / nucleon; measured elastic and inelastic recoil proton spectra, σ(θ). <sup>22</sup>Mg deduced resonance energies, widths, J, π, analog states. <sup>21</sup>Na(p, γ), E=low; calculated reaction rate. R-matrix analysis. JOUR PRVCA 71 025802

**A=22**

<sup>22</sup>O      2004BEZP      NUCLEAR REACTIONS <sup>1</sup>H(<sup>22</sup>O, p), (<sup>22</sup>O, <sup>22</sup>O'), E ≈ 47 MeV / nucleon; measured particle spectra, σ(E, θ). <sup>22</sup>O level deduced deformation parameter. MUST detector array. REPT IPNO-T-04-17,Becheva

<sup>22</sup>Ne      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production σ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

<sup>22</sup>Mg      2004SEZX      NUCLEAR REACTIONS <sup>12</sup>C(<sup>12</sup>C, 2n), E not given; measured Eγ, Iγ, (recoil)γ-coin. <sup>22</sup>Mg deduced levels, J, π, mass excess. Gammasphere array, mass separator. REPT ANL-04/22,P12,Seweryniak

                 2005HEZZ      NUCLEAR REACTIONS <sup>1</sup>H(<sup>22</sup>Mg, p), E(cm) ≈ 0.5-3.5 MeV; measured proton spectrum. <sup>23</sup>Al deduced levels, J, π. CONF Riken(Origin of Matter) Proc,P481,He

                 2005RU01      NUCLEAR REACTIONS <sup>1</sup>H(<sup>21</sup>Na, p), E=580-1560 keV / nucleon; measured elastic and inelastic recoil proton spectra, σ(θ). <sup>22</sup>Mg deduced resonance energies, widths, J, π, analog states. <sup>21</sup>Na(p, γ), E=low; calculated reaction rate. R-matrix analysis. JOUR PRVCA 71 025802

**A=22 (continued)**

- 2005SE02 NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, 2\text{n})$ , E=52 MeV; measured  $E_\gamma$ ,  $I_\gamma$ , (recoil) $\gamma$ -coin.  $^{22}\text{Mg}$  deduced levels, J,  $\pi$ , mass excess. Implications for astrophysical reaction rate discussed. Gammasphere array. JOUR PRLTA 94 032501
- 2005SHZY NUCLEAR REACTIONS  $^{24}\text{Mg}$ ,  $^{28}\text{Si}(\alpha, ^6\text{He})$ , E=205 MeV; measured excitation energy spectra.  $^{22}\text{Mg}$ ,  $^{26}\text{Si}$  deduced resonance energies. Astrophysical implications discussed. CONF Riken(Origin of Matter) Proc,P367,Shimizu

**A=23**

- $^{23}\text{O}$  2005N001 NUCLEAR REACTIONS  $\text{Pb}(^{23}\text{O}, \text{n}^{22}\text{O})$ , E=422 MeV / nucleon; measured  $E_n$ ,  $E_\gamma$ ,  $I_\gamma$ , (fragment) $\gamma$ -,  $\text{n}\gamma$ -coin,  $\sigma(E)$ ; deduced final-state interaction effects.  $^{23}\text{O}$  deduced ground state J,  $\pi$ , configuration, spectroscopic factor. JOUR PYLBB 605 79
- $^{23}\text{F}$  2004MIZR NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ , E  $\approx$  35 MeV / nucleon; measured  $E_\gamma$ ,  $I_\gamma$ , (particle) $\gamma$ -coin.  $^{23}\text{F}$  deduced levels, transitions. REPT CNS-REP-64,P269,Michimasa
- $^{23}\text{Ne}$  2005K001 NUCLEAR REACTIONS  $^{13}\text{C}(^{18}\text{O}, ^8\text{Be})$ ,  $(^{18}\text{O}, 2\alpha)$ , E=100 MeV;  $^{24}\text{Mg}(^{28}\text{Si}, ^{12}\text{C})$ ,  $(^{28}\text{Si}, 3\alpha)$ , E=130 MeV; measured particle spectra,  $E_\gamma$ ,  $I_\gamma$ , (particle) $\gamma$ -coin; deduced cluster emission features. GASP, ISIS arrays. JOUR ZAANE 23 19
- $^{23}\text{Na}$  2004V021 NUCLEAR REACTIONS  $^{22}\text{Ne}(\text{p}, \gamma)$ , E=840-2220 keV; measured  $E_\gamma$ ,  $I_\gamma$ , excitation function.  $^{23}\text{Na}$  deduced levels, J,  $\pi$ , IAS features. Comparison with model predictions. JOUR BRSPE 68 210
- 2005BE03 RADIOACTIVITY  $^{23}\text{Na}$ ,  $^{127}\text{I}$ ; measured  $T_{1/2}$  lower limits for spontaneous decay to superdense state; deduced potential barrier features. NaI detectors. JOUR ZAANE 23 7
- $^{23}\text{Mg}$  2005TEZZ NUCLEAR REACTIONS  $^1\text{H}(^{23}\text{Mg}, \text{p})$ ,  $(^{24}\text{Mg}, \text{p})$ , E(cm)  $\approx$  0.5-3.5 MeV; measured excitation functions,  $\sigma(\theta)$ ; deduced resonance features. CONF Riken(Origin of Matter) Proc,P361,Teranishi
- $^{23}\text{Al}$  2005HEZZ NUCLEAR REACTIONS  $^1\text{H}(^{22}\text{Mg}, \text{p})$ , E(cm)  $\approx$  0.5-3.5 MeV; measured proton spectrum.  $^{23}\text{Al}$  deduced levels, J,  $\pi$ . CONF Riken(Origin of Matter) Proc,P481,He

**A=24**

- $^{24}\text{Ne}$  2004KRZX NUCLEAR REACTIONS  $^{27}\text{Al}(\text{n}, \text{n}3\text{p})$ ,  $^{59}\text{Co}$ ,  $^{139}\text{La}$ ,  $^{129}\text{I}$ ,  $^{197}\text{Au}$ ,  $^{237}\text{Np}(\text{n}, \gamma)$ ,  $^{59}\text{Co}$ ,  $^{127,129}\text{I}$ ,  $^{197}\text{Au}$ ,  $^{209}\text{Bi}(\text{n}, \text{xn})$ ,  $^{235,238}\text{U}(\text{n}, \text{F})$ , E=spectrum; measured yields; deduced reaction rates.  $\text{Pb}(\text{p}, \text{nX})$ , E=1.5 GeV; deduced neutron spectrum. REPT JINR-E1-2004-79,Krivopustov
- $^{24}\text{Mg}$  2005ST09 NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, \alpha)$ , E=34.7 MeV;  $^{12}\text{C}(^{16}\text{O}, \alpha)$ , E=38.5 MeV; measured  $E_\alpha$ ,  $E_\gamma$ ,  $I_\gamma(\theta, \text{t})$ ,  $\alpha\gamma$ -coin;  $\text{Gd}(^{24}\text{Mg}, ^{24}\text{Mg}')$ , E=165 MeV; measured  $E_\gamma$ ,  $I_\gamma(\theta, \text{t})$ , (particle) $\gamma$ -coin; deduced transient field strengths. JOUR PYLBB 611 81

**A=24 (continued)**

- 2005TEZZ NUCLEAR REACTIONS  $^1\text{H}(^{23}\text{Mg}, \text{p})$ ,  $(^{24}\text{Mg}, \text{p})$ ,  $E(\text{cm}) \approx 0.5\text{-}3.5$  MeV; measured excitation functions,  $\sigma(\theta)$ ; deduced resonance features. CONF Riken(Origin of Matter) Proc,P361,Teranishi

**A=25**

- $^{25}\text{Al}$  2005MOZZ NUCLEAR REACTIONS  $^1\text{H}(^{25}\text{Al}, \text{p})$ ,  $E(\text{cm}) \approx 0.5\text{-}3.44$  MeV / nucleon;  $^1\text{H}(^{26}\text{Si}, \text{p})$ ,  $E(\text{cm}) \approx 0.5\text{-}3.95$  MeV / nucleon; measured excitation functions; deduced resonance features. Thick target. CONF Riken(Origin of Matter) Proc,P505,Moon

**A=26**

- $^{26}\text{Mg}$  2005SC01 RADIOACTIVITY  $^{26m}\text{Al}(\beta^+)$  [from  $^{27}\text{Al}(\gamma, \text{n})$ ]; measured  $T_{1/2}$ . JOUR NIMAE 539 191
- $^{26}\text{Al}$  2005SC01 RADIOACTIVITY  $^{26m}\text{Al}(\beta^+)$  [from  $^{27}\text{Al}(\gamma, \text{n})$ ]; measured  $T_{1/2}$ . JOUR NIMAE 539 191
- $^{26}\text{Si}$  2004PA42 NUCLEAR REACTIONS  $^{24}\text{Mg}(^3\text{He}, \text{n})$ ,  $E=7.9, 8.11, 10.0$  MeV; measured  $E_n$ ,  $\sigma(\theta)$ .  $^{26}\text{Si}$  deduced levels,  $J$ ,  $\pi$ .  $^{25}\text{Al}(\text{p}, \gamma)$ ,  $E=\text{low}$ ; calculated astrophysical reaction rates. JOUR PRVCA 70 065805
- 2005MOZZ NUCLEAR REACTIONS  $^1\text{H}(^{25}\text{Al}, \text{p})$ ,  $E(\text{cm}) \approx 0.5\text{-}3.44$  MeV / nucleon;  $^1\text{H}(^{26}\text{Si}, \text{p})$ ,  $E(\text{cm}) \approx 0.5\text{-}3.95$  MeV / nucleon; measured excitation functions; deduced resonance features. Thick target. CONF Riken(Origin of Matter) Proc,P505,Moon
- 2005SHZY NUCLEAR REACTIONS  $^{24}\text{Mg}$ ,  $^{28}\text{Si}(\alpha, ^6\text{He})$ ,  $E=205$  MeV; measured excitation energy spectra.  $^{22}\text{Mg}$ ,  $^{26}\text{Si}$  deduced resonance energies. Astrophysical implications discussed. CONF Riken(Origin of Matter) Proc,P367,Shimizu

**A=27**

- $^{27}\text{Al}$  2005SA04 NUCLEAR REACTIONS  $^{12}\text{C}$ ,  $^{28}\text{Si}$ ,  $^{27}\text{Al}$ ,  $\text{Fe}(\pi^+, \text{K}^+)$ ,  $E$  at  $1.06$  GeV /  $c$ ; measured hypernucleus mass spectra, pion and proton spectra following hypernucleus decay.  $^{12}\text{C}$ ,  $^{28}\text{Si}$ ,  $^{27}\text{Al}$ ,  $\text{Fe}$  deduced mesonic and nonmesonic hypernucleus decay widths. Comparison with model predictions. JOUR PRVCA 71 025203
- $^{27}\text{P}$  2005TOZZ NUCLEAR REACTIONS  $^{208}\text{Pb}(^{27}\text{P}, \text{p}^{26}\text{Si})$ ,  $E=57$  MeV / nucleon; measured relative energy spectrum,  $\sigma(E)$ .  $^{27}\text{P}$  deduced gamma decay width of first excited state. CONF Riken(Origin of Matter) Proc,P549,Togano

**A=28**

$^{28}\text{Si}$	2005SA04	NUCLEAR REACTIONS $^{12}\text{C}$ , $^{28}\text{Si}$ , $^{27}\text{Al}$ , $\text{Fe}(\pi^+, \text{K}^+)$ , E at 1.06 GeV / c; measured hypernucleus mass spectra, pion and proton spectra following hypernucleus decay. $^{12}\text{C}$ , $^{28}\text{Si}$ , $^{27}\text{Al}$ , Fe deduced mesonic and nonmesonic hypernucleus decay widths. Comparison with model predictions. JOUR PRVCA 71 025203
	2005WE01	NUCLEAR REACTIONS $^{12}\text{C}(^{29}\text{P}, ^{28}\text{SiX})$ , E=30.7 MeV / nucleon; measured fragments parallel momentum distribution. $^{28}\text{Si}$ , $^{29}\text{P}$ deduced particle density distributions, related features. Glauber model and Skyrme-Hartree-Fock calculations. JOUR CPLEE 22 61

**A=29**

$^{29}\text{P}$	2005WE01	NUCLEAR REACTIONS $^{12}\text{C}(^{29}\text{P}, ^{28}\text{SiX})$ , E=30.7 MeV / nucleon; measured fragments parallel momentum distribution. $^{28}\text{Si}$ , $^{29}\text{P}$ deduced particle density distributions, related features. Glauber model and Skyrme-Hartree-Fock calculations. JOUR CPLEE 22 61
-----------------	----------	--

**A=30**

No references found

**A=31**

$^{31}\text{Mg}$	2005NE01	RADIOACTIVITY $^{31}\text{Mg}(\beta^-)$ [from U(p, X)]; measured $\beta$ -asymmetry, $\beta$ -NMR spectra from polarized source. $^{31}\text{Mg}$ deduced ground-state J, $\pi$ , $\mu$ . JOUR PRLTA 94 022501
$^{31}\text{Al}$	2005NE01	RADIOACTIVITY $^{31}\text{Mg}(\beta^-)$ [from U(p, X)]; measured $\beta$ -asymmetry, $\beta$ -NMR spectra from polarized source. $^{31}\text{Mg}$ deduced ground-state J, $\pi$ , $\mu$ . JOUR PRLTA 94 022501
$^{31}\text{P}$	2004V022	NUCLEAR REACTIONS $^{30}\text{Si}(\text{p}, \gamma)$ , E=1750-1905 keV; measured $\text{E}\gamma$ , $\text{I}\gamma$ , excitation function. $^{31}\text{P}$ deduced levels, J, $\pi$ , B(M1), IAR features. JOUR BRSPE 68 218

**A=32**

No references found

**A=33**

No references found



**A=34**

<sup>34</sup>S      2005MA03      NUCLEAR REACTIONS <sup>24</sup>Mg(<sup>16</sup>O, 2pα), E=70 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-, (charged particle)γ-coin, DSA. <sup>34</sup>S deduced high-spin levels, J, π, T<sub>1/2</sub>, B(M1), B(E2). Comparison with shell model calculations. JOUR PRVCA 71 014316

**A=35**

No references found

**A=36**

<sup>36</sup>Ar      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production σ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=37**

<sup>37</sup>Cl      2005HE03      RADIOACTIVITY <sup>37</sup>K(β<sup>+</sup>); <sup>37</sup>Ar(EC); measured T<sub>1/2</sub>. JOUR NJOPF 7 44

<sup>37</sup>Ar      2005HE03      RADIOACTIVITY <sup>37</sup>K(β<sup>+</sup>); <sup>37</sup>Ar(EC); measured T<sub>1/2</sub>. JOUR NJOPF 7 44

                 2005HE03      ATOMIC MASSES <sup>37</sup>K, <sup>37</sup>Ar; measured masses. Penning trap spectrometer. JOUR NJOPF 7 44

<sup>37</sup>K      2005HE03      RADIOACTIVITY <sup>37</sup>K(β<sup>+</sup>); <sup>37</sup>Ar(EC); measured T<sub>1/2</sub>. JOUR NJOPF 7 44

                 2005HE03      ATOMIC MASSES <sup>37</sup>K, <sup>37</sup>Ar; measured masses. Penning trap spectrometer. JOUR NJOPF 7 44

**A=38**

<sup>38</sup>Ar      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production σ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=39**

No references found

**A=40**

<sup>40</sup>Ca      2005K001      NUCLEAR REACTIONS <sup>13</sup>C(<sup>18</sup>O, <sup>8</sup>Be), (<sup>18</sup>O, 2 $\alpha$ ), E=100 MeV; <sup>24</sup>Mg(<sup>28</sup>Si, <sup>12</sup>C), (<sup>28</sup>Si, 3 $\alpha$ ), E=130 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin; deduced cluster emission features. GASP, ISIS arrays. JOUR ZAANE 23 19

**A=41**

No references found

**A=42**

<sup>42</sup>Ca      2004KMZZ      NUCLEAR REACTIONS <sup>28</sup>Si(<sup>18</sup>O,  $\alpha$ ), E=105 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>46</sup>Ti deduced GDR strength distribution. <sup>42</sup>Ca deduced rotational band feeding intensities. Euroball IV, Hector arrays. PREPRINT nucl-ex/0412046,12/21/2004

**A=43**

No references found

**A=44**

No references found

**A=45**

No references found

**A=46**

<sup>46</sup>Ca      2005TA02      NUCLEAR REACTIONS C(<sup>46</sup>Ca, <sup>46</sup>Ca'), E=95 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t), (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>46</sup>Ca level deduced g-factor, configuration. Transient field technique, comparisons with neighboring isotopes. JOUR PYLBB 605 265

<sup>46</sup>Ti      2004KMZZ      NUCLEAR REACTIONS <sup>28</sup>Si(<sup>18</sup>O,  $\alpha$ ), E=105 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>46</sup>Ti deduced GDR strength distribution. <sup>42</sup>Ca deduced rotational band feeding intensities. Euroball IV, Hector arrays. PREPRINT nucl-ex/0412046,12/21/2004

<sup>46</sup>V      2004ONZZ      RADIOACTIVITY <sup>46</sup>Cr(EC) [from Be(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced Gamow-Teller transition, branching ratio, log ft. <sup>46</sup>V deduced  $\beta$ -feeding intensity. Comparison with model predictions. REPT CNS-REP-64,P235,Onishi

**A=46 (continued)**

<sup>46</sup>Cr      20040NZZ      RADIOACTIVITY <sup>46</sup>Cr(EC) [from Be(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced Gamow-Teller transition, branching ratio, log ft. <sup>46</sup>V deduced  $\beta$ -feeding intensity. Comparison with model predictions. REPT CNS-REP-64,P235,Onishi

**A=47**

<sup>47</sup>K      2004ISZX      NUCLEAR REACTIONS <sup>198</sup>Pt(<sup>48</sup>Ca, X)<sup>47</sup>K / <sup>48</sup>K, E=8.5 MeV / nucleon; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>47,48</sup>K deduced levels, J,  $\pi$ , isomeric states T<sub>1/2</sub>. REPT CNS-REP-64,P27,Ishii

**A=48**

<sup>48</sup>K      2004ISZX      NUCLEAR REACTIONS <sup>198</sup>Pt(<sup>48</sup>Ca, X)<sup>47</sup>K / <sup>48</sup>K, E=8.5 MeV / nucleon; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>47,48</sup>K deduced levels, J,  $\pi$ , isomeric states T<sub>1/2</sub>. REPT CNS-REP-64,P27,Ishii

<sup>48</sup>Ca      2005ZD02      RADIOACTIVITY <sup>48</sup>Ca(2 $\beta^-$ ); measured 0 $\nu\beta\beta$ -decay T<sub>1/2</sub> lower limit. CaWO<sub>4</sub> crystal scintillators. JOUR APHYE 23 249

<sup>48</sup>Ti      2005ZD02      RADIOACTIVITY <sup>48</sup>Ca(2 $\beta^-$ ); measured 0 $\nu\beta\beta$ -decay T<sub>1/2</sub> lower limit. CaWO<sub>4</sub> crystal scintillators. JOUR APHYE 23 249

<sup>48</sup>V      2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101

**A=49**

No references found

**A=50**

<sup>50</sup>Ti      2005BA14      NUCLEAR REACTIONS <sup>50</sup>V(d, 2p), E=171 MeV; measured Ep, pp-coin,  $\sigma$ (E,  $\theta$ ). <sup>50</sup>V deduced Gamow-Teller strength distribution. Comparison with model predictions. JOUR PRVCA 71 024603

<sup>50</sup>V      2005BA14      NUCLEAR REACTIONS <sup>50</sup>V(d, 2p), E=171 MeV; measured Ep, pp-coin,  $\sigma$ (E,  $\theta$ ). <sup>50</sup>V deduced Gamow-Teller strength distribution. Comparison with model predictions. JOUR PRVCA 71 024603

<sup>50</sup>Cr      2005W001      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>84</sup>Kr, <sup>84</sup>Kr'), (<sup>56</sup>Cr, <sup>56</sup>Cr'), (<sup>108</sup>Sn, <sup>108</sup>Sn'), E=113-142 MeV / nucleon; measured E $\gamma$ , I $\gamma$  following projectile Coulomb excitation. <sup>84</sup>Kr, <sup>56</sup>Cr, <sup>108</sup>Sn deduced transitions. <sup>9</sup>Be(<sup>55</sup>Ni, X)<sup>54</sup>Co / <sup>52</sup>Fe / <sup>50</sup>Cr, E=171 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637

**A=51**

<sup>51</sup>Cr      2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E ≈ 31-141 MeV; measured production  $\sigma$ .  
Stacked-foil activation. JOUR JRNCD 264 101

**A=52**

<sup>52</sup>Mn      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam

2004MIZS      NUCLEAR REACTIONS Fe(p, X)<sup>52</sup>Mn, E < 2.6 GeV; Pb(p, X)<sup>10</sup>Be, E < 2.6 GeV; <sup>209</sup>Bi(p, 4np), E < 2.6 GeV; Pb(n, X)<sup>196</sup>Au / <sup>95</sup>Zr, E ≈ 70-180 MeV; measured excitation functions. Comparison with model predictions. REPT NEA/NSC/DOC(2004)14,P28, Michel

2004QAZZ      NUCLEAR REACTIONS <sup>52</sup>Cr(p, n), (<sup>3</sup>He, t), <sup>54</sup>Fe(d,  $\alpha$ ), (<sup>3</sup>He, p $\alpha$ ), E ≈ 5-35 MeV; measured isomer production ratios. REPT NEA/NSC/DOC(2004)14,P11, Qaim

2005AD01      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61

2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E ≈ 31-141 MeV; measured production  $\sigma$ .  
Stacked-foil activation. JOUR JRNCD 264 101

<sup>52</sup>Fe      2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E ≈ 31-141 MeV; measured production  $\sigma$ .  
Stacked-foil activation. JOUR JRNCD 264 101

2005W001      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>84</sup>Kr, <sup>84</sup>Kr'), (<sup>56</sup>Cr, <sup>56</sup>Cr'), (<sup>108</sup>Sn, <sup>108</sup>Sn'), E=113-142 MeV / nucleon; measured E $\gamma$ , I $\gamma$  following projectile Coulomb excitation. <sup>84</sup>Kr, <sup>56</sup>Cr, <sup>108</sup>Sn deduced transitions. <sup>9</sup>Be(<sup>55</sup>Ni, X)<sup>54</sup>Co / <sup>52</sup>Fe / <sup>50</sup>Cr, E=171 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637

**A=53**

No references found

**A=54**

<sup>54</sup> Sc	2004LI75	RADIOACTIVITY <sup>54,55,56</sup> Sc( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , E $\gamma$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>54,55,56</sup> Ti deduced levels, J, $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
<sup>54</sup> Ti	2004F009	NUCLEAR REACTIONS <sup>238</sup> U( <sup>48</sup> Ca, X) <sup>54</sup> Ti / <sup>56</sup> Ti, E=330 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. <sup>54,56</sup> Ti deduced levels, J, $\pi$ , configurations. Gammasphere array. JOUR PRVCA 70 064304
	2004LI75	RADIOACTIVITY <sup>54,55,56</sup> Sc( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , E $\gamma$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>54,55,56</sup> Ti deduced levels, J, $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
<sup>54</sup> Mn	2005B010	NUCLEAR REACTIONS Zn(p, X) <sup>64</sup> Cu / <sup>57</sup> Ni / <sup>56</sup> Ni / <sup>52</sup> Mn / <sup>54</sup> Mn / <sup>62</sup> Zn / <sup>65</sup> Zn / <sup>51</sup> Cr / <sup>48</sup> V / <sup>55</sup> Co / <sup>56</sup> Co / <sup>57</sup> Co / <sup>58</sup> Co / <sup>60</sup> Co / <sup>66</sup> Ga / <sup>67</sup> Ga / <sup>52</sup> Fe / <sup>59</sup> Fe, E $\approx$ 31-141 MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
<sup>54</sup> Co	2005W001	NUCLEAR REACTIONS <sup>197</sup> Au( <sup>84</sup> Kr, <sup>84</sup> Kr'), ( <sup>56</sup> Cr, <sup>56</sup> Cr'), ( <sup>108</sup> Sn, <sup>108</sup> Sn'), E=113-142 MeV / nucleon; measured E $\gamma$ , I $\gamma$ following projectile Coulomb excitation. <sup>84</sup> Kr, <sup>56</sup> Cr, <sup>108</sup> Sn deduced transitions. <sup>9</sup> Be( <sup>55</sup> Ni, X) <sup>54</sup> Co / <sup>52</sup> Fe / <sup>50</sup> Cr, E=171 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637

**A=55**

<sup>55</sup> Sc	2004LI75	RADIOACTIVITY <sup>54,55,56</sup> Sc( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , E $\gamma$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>54,55,56</sup> Ti deduced levels, J, $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
<sup>55</sup> Ti	2004LI75	RADIOACTIVITY <sup>54,55,56</sup> Sc( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , E $\gamma$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>54,55,56</sup> Ti deduced levels, J, $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
<sup>55</sup> Co	2004ADZW	NUCLEAR REACTIONS <sup>209</sup> Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup> Th(n, $\gamma$ ), <sup>197</sup> Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, $\gamma$ ), <sup>115</sup> In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup> Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
	2005AD01	NUCLEAR REACTIONS <sup>209</sup> Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup> Th(n, $\gamma$ ), <sup>197</sup> Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, $\gamma$ ), <sup>59</sup> Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup> In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
	2005B010	NUCLEAR REACTIONS Zn(p, X) <sup>64</sup> Cu / <sup>57</sup> Ni / <sup>56</sup> Ni / <sup>52</sup> Mn / <sup>54</sup> Mn / <sup>62</sup> Zn / <sup>65</sup> Zn / <sup>51</sup> Cr / <sup>48</sup> V / <sup>55</sup> Co / <sup>56</sup> Co / <sup>57</sup> Co / <sup>58</sup> Co / <sup>60</sup> Co / <sup>66</sup> Ga / <sup>67</sup> Ga / <sup>52</sup> Fe / <sup>59</sup> Fe, E $\approx$ 31-141 MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
<sup>55</sup> Ni	2004YU11	NUCLEAR REACTIONS <sup>197</sup> Au( <sup>55</sup> Ni, <sup>55</sup> Ni'), E=84.8 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>55</sup> Ni deduced level, transition B(E2). Comparison with model predictions. JOUR PRVCA 70 064321

**A=56**

<sup>56</sup> Sc	2004LI75	RADIOACTIVITY <sup>54,55,56</sup> Sc( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , E $\gamma$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>54,55,56</sup> Ti deduced levels, J, $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
<sup>56</sup> Ti	2004F009	NUCLEAR REACTIONS <sup>238</sup> U( <sup>48</sup> Ca, X) <sup>54</sup> Ti / <sup>56</sup> Ti, E=330 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. <sup>54,56</sup> Ti deduced levels, J, $\pi$ , configurations. Gammasphere array. JOUR PRVCA 70 064304
	2004LI75	RADIOACTIVITY <sup>54,55,56</sup> Sc( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , E $\gamma$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>54,55,56</sup> Ti deduced levels, J, $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
<sup>56</sup> Cr	2005W001	NUCLEAR REACTIONS <sup>197</sup> Au( <sup>84</sup> Kr, <sup>84</sup> Kr'), ( <sup>56</sup> Cr, <sup>56</sup> Cr'), ( <sup>108</sup> Sn, <sup>108</sup> Sn'), E=113-142 MeV / nucleon; measured E $\gamma$ , I $\gamma$ following projectile Coulomb excitation. <sup>84</sup> Kr, <sup>56</sup> Cr, <sup>108</sup> Sn deduced transitions. <sup>9</sup> Be( <sup>55</sup> Ni, X) <sup>54</sup> Co / <sup>52</sup> Fe / <sup>50</sup> Cr, E=171 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637
<sup>56</sup> Co	2004ADZW	NUCLEAR REACTIONS <sup>209</sup> Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup> Th(n, $\gamma$ ), <sup>197</sup> Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, $\gamma$ ), <sup>115</sup> In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup> Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
	2005AD01	NUCLEAR REACTIONS <sup>209</sup> Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup> Th(n, $\gamma$ ), <sup>197</sup> Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, $\gamma$ ), <sup>59</sup> Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup> In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
	2005B010	NUCLEAR REACTIONS Zn(p, X) <sup>64</sup> Cu / <sup>57</sup> Ni / <sup>56</sup> Ni / <sup>52</sup> Mn / <sup>54</sup> Mn / <sup>62</sup> Zn / <sup>65</sup> Zn / <sup>51</sup> Cr / <sup>48</sup> V / <sup>55</sup> Co / <sup>56</sup> Co / <sup>57</sup> Co / <sup>58</sup> Co / <sup>60</sup> Co / <sup>66</sup> Ga / <sup>67</sup> Ga / <sup>52</sup> Fe / <sup>59</sup> Fe, E $\approx$ 31-141 MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
<sup>56</sup> Ni	2005B010	NUCLEAR REACTIONS Zn(p, X) <sup>64</sup> Cu / <sup>57</sup> Ni / <sup>56</sup> Ni / <sup>52</sup> Mn / <sup>54</sup> Mn / <sup>62</sup> Zn / <sup>65</sup> Zn / <sup>51</sup> Cr / <sup>48</sup> V / <sup>55</sup> Co / <sup>56</sup> Co / <sup>57</sup> Co / <sup>58</sup> Co / <sup>60</sup> Co / <sup>66</sup> Ga / <sup>67</sup> Ga / <sup>52</sup> Fe / <sup>59</sup> Fe, E $\approx$ 31-141 MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
	2005TAZZ	NUCLEAR REACTIONS <sup>13</sup> C, <sup>56</sup> Fe( <sup>11</sup> B, <sup>11</sup> Li), E=758 MeV; measured $\sigma$ (E); deduced Gamow-Teller resonance, IAS features. CONF Riken(Origin of Matter) Proc,P533,Takahisa

**A=57**

<sup>57</sup> Sc	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS <sup>58</sup> Ni( <sup>76</sup> Ge, X) <sup>57</sup> Sc / <sup>58</sup> Sc / <sup>58</sup> Ti / <sup>59</sup> Ti / <sup>60</sup> Ti / <sup>60</sup> V / <sup>61</sup> V / <sup>62</sup> V / <sup>63</sup> V / <sup>62</sup> Cr / <sup>63</sup> Cr / <sup>64</sup> Cr / <sup>65</sup> Cr / <sup>66</sup> Cr / <sup>65</sup> Mn / <sup>66</sup> Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41

**A=57 (continued)**

- <sup>57</sup>Ti      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- <sup>57</sup>Co      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005AD01      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- <sup>57</sup>Ni      2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101

**A=58**

- <sup>58</sup>Sc      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- <sup>58</sup>Ti      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41



**A=58 (continued)**

- <sup>58</sup>V      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- <sup>58</sup>Co      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005AD01      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005HA03      NUCLEAR REACTIONS <sup>58</sup>Ni(d, 2p), E=170 MeV; measured Ep, pp-coin,  $\sigma(E, \theta)$ . <sup>58</sup>Co deduced levels, Gamow-Teller strengths, related features. <sup>58</sup>Ni, <sup>58</sup>Co deduced analog states Coulomb displacement energy. Comparison with large-scale shell model calculations. JOUR PRVCA 71 014606
- <sup>58</sup>Ni      2005AL03      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>16</sup>O, <sup>16</sup>O), (<sup>16</sup>O, <sup>16</sup>O'), (<sup>16</sup>O, <sup>12</sup>C), E=46 MeV; <sup>58</sup>Ni(<sup>18</sup>O, <sup>18</sup>O), (<sup>18</sup>O, <sup>18</sup>O'), (<sup>18</sup>O, <sup>17</sup>O), (<sup>18</sup>O, <sup>16</sup>O), E=46 MeV; measured elastic, inelastic, and transfer  $\sigma(E, \theta)$ . Coupled-channels analysis, comparison with previous results. JOUR NUPAB 748 59
- 2005HA03      NUCLEAR REACTIONS <sup>58</sup>Ni(d, 2p), E=170 MeV; measured Ep, pp-coin,  $\sigma(E, \theta)$ . <sup>58</sup>Co deduced levels, Gamow-Teller strengths, related features. <sup>58</sup>Ni, <sup>58</sup>Co deduced analog states Coulomb displacement energy. Comparison with large-scale shell model calculations. JOUR PRVCA 71 014606

**A=59**

- <sup>59</sup>Ti      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41



**A=59 (continued)**

- <sup>59</sup>V      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- <sup>59</sup>Fe      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005AD01      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- <sup>59</sup>Ni      2005AL03      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>16</sup>O, <sup>16</sup>O), (<sup>16</sup>O, <sup>16</sup>O'), (<sup>16</sup>O, <sup>12</sup>C), E=46 MeV; <sup>58</sup>Ni(<sup>18</sup>O, <sup>18</sup>O), (<sup>18</sup>O, <sup>18</sup>O'), (<sup>18</sup>O, <sup>17</sup>O), (<sup>18</sup>O, <sup>16</sup>O), E=46 MeV; measured elastic, inelastic, and transfer  $\sigma(E, \theta)$ . Coupled-channels analysis, comparison with previous results. JOUR NUPAB 748 59

**A=60**

- <sup>60</sup>Ti      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- <sup>60</sup>V      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41

**A=60 (continued)**

- <sup>60</sup>Co      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n, γ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, γ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, γ), (n, p), (n, 6n2p), E=spectrum; measured Eγ, Iγ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E ≈ 31-141 MeV; measured production σ. Stacked-foil activation. JOUR JRNCD 264 101
- 2005N004      NUCLEAR REACTIONS Ge, Mo, Te(p, X)<sup>60</sup>Co, E=0.8, 1.85 GeV; measured production σ. Comparison with model predictions. JOUR NPBSE 143 508
- <sup>60</sup>Ni      2005AL03      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>16</sup>O, <sup>16</sup>O), (<sup>16</sup>O, <sup>16</sup>O'), (<sup>16</sup>O, <sup>12</sup>C), E=46 MeV; <sup>58</sup>Ni(<sup>18</sup>O, <sup>18</sup>O), (<sup>18</sup>O, <sup>18</sup>O'), (<sup>18</sup>O, <sup>17</sup>O), (<sup>18</sup>O, <sup>16</sup>O), E=46 MeV; measured elastic, inelastic, and transfer σ(E, θ). Coupled-channels analysis, comparison with previous results. JOUR NUPAB 748 59

**A=61**

- <sup>61</sup>V      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr(β<sup>-</sup>) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured Eγ, Eβ, βγ-coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J, π. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- <sup>61</sup>Cr      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr(β<sup>-</sup>) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured Eγ, Eβ, βγ-coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J, π. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- <sup>61</sup>Ga      2005AN03      NUCLEAR REACTIONS <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), E=104 MeV; measured Eγ, Iγ, γγ-, (recoil)γ-coin. <sup>61</sup>Ga deduced levels, J, π, analog states features. Clarion array, mass separator. JOUR PRVCA 71 011303

**A=62**

- <sup>62</sup>V      2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41

**A=62 (continued)**

$^{62}\text{Cr}$	2005GA01	RADIOACTIVITY $^{57,58}\text{Sc}$ , $^{58,59,60}\text{Ti}$ , $^{61}\text{V}$ , $^{62,63,64,65,66}\text{Cr}(\beta^-)$ [from $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})$ ]; measured $E\gamma$ , $E\beta$ , $\beta\gamma$ -coin, $T_{1/2}$ . $^{58}\text{V}$ , $^{61}\text{Cr}$ , $^{62}\text{Mn}$ deduced levels, $J$ , $\pi$ . $^{58}\text{V}$ , $^{61}\text{Cr}$ , $^{62,63,64,65}\text{Mn}$ deduced transitions. $^{60}\text{V}$ , $^{62}\text{Mn}$ deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})^{57}\text{Sc} / ^{58}\text{Sc} / ^{58}\text{Ti} / ^{59}\text{Ti} / ^{60}\text{Ti} / ^{60}\text{V} / ^{61}\text{V} / ^{62}\text{V} / ^{63}\text{V} / ^{62}\text{Cr} / ^{63}\text{Cr} / ^{64}\text{Cr} / ^{65}\text{Cr} / ^{66}\text{Cr} / ^{65}\text{Mn} / ^{66}\text{Mn}$ , $E=61.8$ MeV / nucleon; measured yields. JOUR ZAANE 23 41
$^{62}\text{Mn}$	2005GA01	RADIOACTIVITY $^{57,58}\text{Sc}$ , $^{58,59,60}\text{Ti}$ , $^{61}\text{V}$ , $^{62,63,64,65,66}\text{Cr}(\beta^-)$ [from $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})$ ]; measured $E\gamma$ , $E\beta$ , $\beta\gamma$ -coin, $T_{1/2}$ . $^{58}\text{V}$ , $^{61}\text{Cr}$ , $^{62}\text{Mn}$ deduced levels, $J$ , $\pi$ . $^{58}\text{V}$ , $^{61}\text{Cr}$ , $^{62,63,64,65}\text{Mn}$ deduced transitions. $^{60}\text{V}$ , $^{62}\text{Mn}$ deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
$^{62}\text{Zn}$	2005AL03	NUCLEAR REACTIONS $^{58}\text{Ni}(^{16}\text{O}, ^{16}\text{O})$ , $(^{16}\text{O}, ^{16}\text{O}')$ , $(^{16}\text{O}, ^{12}\text{C})$ , $E=46$ MeV; $^{58}\text{Ni}(^{18}\text{O}, ^{18}\text{O})$ , $(^{18}\text{O}, ^{18}\text{O}')$ , $(^{18}\text{O}, ^{17}\text{O})$ , $(^{18}\text{O}, ^{16}\text{O})$ , $E=46$ MeV; measured elastic, inelastic, and transfer $\sigma(E, \theta)$ . Coupled-channels analysis, comparison with previous results. JOUR NUPAB 748 59
	2005B010	NUCLEAR REACTIONS $\text{Zn}(p, \text{X})^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ , $E \approx 31\text{--}141$ MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNC D 264 101
	2005CA06	RADIOACTIVITY $^{62}\text{Ga}(\text{EC})$ [from $^{64}\text{Zn}(p, 3n)$ ]; measured $E\gamma$ , $I\gamma$ , $\beta\gamma$ -coin, $T_{1/2}$ ; deduced branching ratios. $^{62}\text{Zn}$ deduced levels, $\beta$ -feeding intensities. JOUR ZAANE 23 409
$^{62}\text{Ga}$	2005CA06	RADIOACTIVITY $^{62}\text{Ga}(\text{EC})$ [from $^{64}\text{Zn}(p, 3n)$ ]; measured $E\gamma$ , $I\gamma$ , $\beta\gamma$ -coin, $T_{1/2}$ ; deduced branching ratios. $^{62}\text{Zn}$ deduced levels, $\beta$ -feeding intensities. JOUR ZAANE 23 409

**A=63**

$^{63}\text{V}$	2005GA01	NUCLEAR REACTIONS $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})^{57}\text{Sc} / ^{58}\text{Sc} / ^{58}\text{Ti} / ^{59}\text{Ti} / ^{60}\text{Ti} / ^{60}\text{V} / ^{61}\text{V} / ^{62}\text{V} / ^{63}\text{V} / ^{62}\text{Cr} / ^{63}\text{Cr} / ^{64}\text{Cr} / ^{65}\text{Cr} / ^{66}\text{Cr} / ^{65}\text{Mn} / ^{66}\text{Mn}$ , $E=61.8$ MeV / nucleon; measured yields. JOUR ZAANE 23 41
$^{63}\text{Cr}$	2005GA01	RADIOACTIVITY $^{57,58}\text{Sc}$ , $^{58,59,60}\text{Ti}$ , $^{61}\text{V}$ , $^{62,63,64,65,66}\text{Cr}(\beta^-)$ [from $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})$ ]; measured $E\gamma$ , $E\beta$ , $\beta\gamma$ -coin, $T_{1/2}$ . $^{58}\text{V}$ , $^{61}\text{Cr}$ , $^{62}\text{Mn}$ deduced levels, $J$ , $\pi$ . $^{58}\text{V}$ , $^{61}\text{Cr}$ , $^{62,63,64,65}\text{Mn}$ deduced transitions. $^{60}\text{V}$ , $^{62}\text{Mn}$ deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})^{57}\text{Sc} / ^{58}\text{Sc} / ^{58}\text{Ti} / ^{59}\text{Ti} / ^{60}\text{Ti} / ^{60}\text{V} / ^{61}\text{V} / ^{62}\text{V} / ^{63}\text{V} / ^{62}\text{Cr} / ^{63}\text{Cr} / ^{64}\text{Cr} / ^{65}\text{Cr} / ^{66}\text{Cr} / ^{65}\text{Mn} / ^{66}\text{Mn}$ , $E=61.8$ MeV / nucleon; measured yields. JOUR ZAANE 23 41
	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura

**A=63 (continued)**

<sup>63</sup> Mn	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005NIZZ	RADIOACTIVITY <sup>63,64</sup> Cr, <sup>65,66</sup> Mn, <sup>67,68</sup> Fe, <sup>69,70</sup> Co( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , T <sub>1/2</sub> . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
<sup>63</sup> Ni	2004AHZZ	NUCLEAR REACTIONS <sup>62</sup> Ni(n, $\gamma$ ), E=low; measured capture $\sigma$ for neutron spectrum with kT=25 keV. Accelerator mass spectrometry. REPT ANL-04/22,P15,Ahmad
	2005NA08	NUCLEAR REACTIONS <sup>62</sup> Ni(n, $\gamma$ ), E=spectrum; measured total $\sigma$ . Fast-neutron activation, accelerator mass spectrometry. Astrophysical implications discussed. JOUR PRLTA 94 092504

**A=64**

<sup>64</sup> Cr	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS <sup>58</sup> Ni( <sup>76</sup> Ge, X) <sup>57</sup> Sc / <sup>58</sup> Sc / <sup>58</sup> Ti / <sup>59</sup> Ti / <sup>60</sup> Ti / <sup>60</sup> V / <sup>61</sup> V / <sup>62</sup> V / <sup>63</sup> V / <sup>62</sup> Cr / <sup>63</sup> Cr / <sup>64</sup> Cr / <sup>65</sup> Cr / <sup>66</sup> Cr / <sup>65</sup> Mn / <sup>66</sup> Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
	2005NIZZ	RADIOACTIVITY <sup>63,64</sup> Cr, <sup>65,66</sup> Mn, <sup>67,68</sup> Fe, <sup>69,70</sup> Co( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , T <sub>1/2</sub> . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
<sup>64</sup> Mn	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005NIZZ	RADIOACTIVITY <sup>63,64</sup> Cr, <sup>65,66</sup> Mn, <sup>67,68</sup> Fe, <sup>69,70</sup> Co( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , T <sub>1/2</sub> . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
<sup>64</sup> Ni	2005ZU01	RADIOACTIVITY <sup>120</sup> Te( $\beta^+$ EC); <sup>64</sup> Zn, <sup>106,108</sup> Cd, <sup>120</sup> Te(2EC); measured T <sub>1/2</sub> lower limits. JOUR NPBSE 138 236
<sup>64</sup> Cu	2005B010	NUCLEAR REACTIONS Zn(p, X) <sup>64</sup> Cu / <sup>57</sup> Ni / <sup>56</sup> Ni / <sup>52</sup> Mn / <sup>54</sup> Mn / <sup>62</sup> Zn / <sup>65</sup> Zn / <sup>51</sup> Cr / <sup>48</sup> V / <sup>55</sup> Co / <sup>56</sup> Co / <sup>57</sup> Co / <sup>58</sup> Co / <sup>60</sup> Co / <sup>66</sup> Ga / <sup>67</sup> Ga / <sup>52</sup> Fe / <sup>59</sup> Fe, E $\approx$ 31-141 MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNC 264 101
<sup>64</sup> Zn	2005ZU01	RADIOACTIVITY <sup>120</sup> Te( $\beta^+$ EC); <sup>64</sup> Zn, <sup>106,108</sup> Cd, <sup>120</sup> Te(2EC); measured T <sub>1/2</sub> lower limits. JOUR NPBSE 138 236

**A=65**

<sup>65</sup> Cr	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS <sup>58</sup> Ni( <sup>76</sup> Ge, X) <sup>57</sup> Sc / <sup>58</sup> Sc / <sup>58</sup> Ti / <sup>59</sup> Ti / <sup>60</sup> Ti / <sup>60</sup> V / <sup>61</sup> V / <sup>62</sup> V / <sup>63</sup> V / <sup>62</sup> Cr / <sup>63</sup> Cr / <sup>64</sup> Cr / <sup>65</sup> Cr / <sup>66</sup> Cr / <sup>65</sup> Mn / <sup>66</sup> Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
<sup>65</sup> Mn	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS <sup>58</sup> Ni( <sup>76</sup> Ge, X) <sup>57</sup> Sc / <sup>58</sup> Sc / <sup>58</sup> Ti / <sup>59</sup> Ti / <sup>60</sup> Ti / <sup>60</sup> V / <sup>61</sup> V / <sup>62</sup> V / <sup>63</sup> V / <sup>62</sup> Cr / <sup>63</sup> Cr / <sup>64</sup> Cr / <sup>65</sup> Cr / <sup>66</sup> Cr / <sup>65</sup> Mn / <sup>66</sup> Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
	2005NIZZ	RADIOACTIVITY <sup>63,64</sup> Cr, <sup>65,66</sup> Mn, <sup>67,68</sup> Fe, <sup>69,70</sup> Co( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , T <sub>1/2</sub> . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
<sup>65</sup> Fe	2005NIZZ	RADIOACTIVITY <sup>63,64</sup> Cr, <sup>65,66</sup> Mn, <sup>67,68</sup> Fe, <sup>69,70</sup> Co( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\beta$ , T <sub>1/2</sub> . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
<sup>65</sup> Zn	2005B010	NUCLEAR REACTIONS Zn(p, X) <sup>64</sup> Cu / <sup>57</sup> Ni / <sup>56</sup> Ni / <sup>52</sup> Mn / <sup>54</sup> Mn / <sup>62</sup> Zn / <sup>65</sup> Zn / <sup>51</sup> Cr / <sup>48</sup> V / <sup>55</sup> Co / <sup>56</sup> Co / <sup>57</sup> Co / <sup>58</sup> Co / <sup>60</sup> Co / <sup>66</sup> Ga / <sup>67</sup> Ga / <sup>52</sup> Fe / <sup>59</sup> Fe, E $\approx$ 31-141 MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101

**A=66**

<sup>66</sup> Cr	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS <sup>58</sup> Ni( <sup>76</sup> Ge, X) <sup>57</sup> Sc / <sup>58</sup> Sc / <sup>58</sup> Ti / <sup>59</sup> Ti / <sup>60</sup> Ti / <sup>60</sup> V / <sup>61</sup> V / <sup>62</sup> V / <sup>63</sup> V / <sup>62</sup> Cr / <sup>63</sup> Cr / <sup>64</sup> Cr / <sup>65</sup> Cr / <sup>66</sup> Cr / <sup>65</sup> Mn / <sup>66</sup> Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
<sup>66</sup> Mn	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS <sup>58</sup> Ni( <sup>76</sup> Ge, X) <sup>57</sup> Sc / <sup>58</sup> Sc / <sup>58</sup> Ti / <sup>59</sup> Ti / <sup>60</sup> Ti / <sup>60</sup> V / <sup>61</sup> V / <sup>62</sup> V / <sup>63</sup> V / <sup>62</sup> Cr / <sup>63</sup> Cr / <sup>64</sup> Cr / <sup>65</sup> Cr / <sup>66</sup> Cr / <sup>65</sup> Mn / <sup>66</sup> Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41

**A=66 (continued)**

	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
$^{66}\text{Fe}$	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
$^{66}\text{Ga}$	2005B010	NUCLEAR REACTIONS $\text{Zn}(\text{p}, \text{X})^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ , $E \approx 31\text{-}141$ MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101

**A=67**

$^{67}\text{Fe}$	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
$^{67}\text{Co}$	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
$^{67}\text{Ga}$	2005B010	NUCLEAR REACTIONS $\text{Zn}(\text{p}, \text{X})^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ , $E \approx 31\text{-}141$ MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101

**A=68**

$^{68}\text{Fe}$	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
$^{68}\text{Co}$	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
$^{68}\text{As}$	2005ST08	NUCLEAR REACTIONS $^{40}\text{Ca}(^{32}\text{S}, \text{n3p})$ , $E=95, 105$ MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (charged particle) $\gamma$ -, (neutron) $\gamma$ -coin. $^{68}\text{As}$ deduced high-spin levels, $J$ , $\pi$ , configurations. Euroball and Euclides arrays, total Routhian surface calculations. JOUR ZAANE 24 1

**A=69**

$^{69}\text{Co}$	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
$^{69}\text{Ni}$	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura

**A=70**

$^{70}\text{Co}$	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
$^{70}\text{Ni}$	2005NIZZ	RADIOACTIVITY $^{63,64}\text{Cr}$ , $^{65,66}\text{Mn}$ , $^{67,68}\text{Fe}$ , $^{69,70}\text{Co}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured $E\beta$ , $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
$^{70}\text{Ge}$	2004K064	NUCLEAR REACTIONS $^6\text{Li}$ , $^{16}\text{O}$ , $^{32}\text{S}$ , $^{50,51}\text{V}$ , $^{70,72}\text{Ge}(\text{d}, \text{d})$ , $(\text{d}, \text{d}')$ , $\text{E}=171$ MeV; $^{90}\text{Zr}$ , $^{116}\text{Sn}(\text{d}, \text{d})$ , $(\text{d}, \text{d}')$ , $\text{E}=183$ MeV; measured $\sigma(\theta)$ ; deduced optical model parameters. JOUR PRVCA 70 067601
	2005BA13	NUCLEAR REACTIONS $^{70,72,74}\text{Ge}(^6\text{Li}, ^6\text{Li})$ , $(^6\text{Li}, ^6\text{Li}')$ , $\text{E}=28$ MeV; measured $\sigma(\text{E}, \theta)$ , elastic $\sigma(\theta)$ ; deduced Coulomb-nuclear interference effects. $^{70,72,74}\text{Ge}$ levels deduced $\text{B}(\text{E}2) / \text{B}(\text{IS}2)$ ratio, mixed-symmetry effects. JOUR PRVCA 71 024303

**A=71**

No references found

**A=72**

$^{72}\text{Ga}$	2005LI02	RADIOACTIVITY $^{72}\text{Ga}(\beta^-)$ [from $^{71}\text{Ga}(\text{n}, \gamma)$ ]; measured $\beta$ -delayed $\text{E}\gamma$ , $\text{I}\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{72}\text{Ge}$ deduced levels, $\text{J}$ , $\pi$ , $\beta$ -feeding intensities. JOUR CHPHD 14 95
	2005SH03	RADIOACTIVITY $^{72}\text{Ga}(\beta^-)$ [from $^{71}\text{Ga}(\text{n}, \gamma)$ ]; measured $\beta$ -delayed $\text{E}\gamma$ , $\text{I}\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{72}\text{Ge}$ deduced levels, $\text{J}$ , $\pi$ , $\beta$ -feeding intensities. JOUR JUPSA 74 299
$^{72}\text{Ge}$	2004K064	NUCLEAR REACTIONS $^6\text{Li}$ , $^{16}\text{O}$ , $^{32}\text{S}$ , $^{50,51}\text{V}$ , $^{70,72}\text{Ge}(\text{d}, \text{d})$ , $(\text{d}, \text{d}')$ , $\text{E}=171$ MeV; $^{90}\text{Zr}$ , $^{116}\text{Sn}(\text{d}, \text{d})$ , $(\text{d}, \text{d}')$ , $\text{E}=183$ MeV; measured $\sigma(\theta)$ ; deduced optical model parameters. JOUR PRVCA 70 067601
	2005BA13	NUCLEAR REACTIONS $^{70,72,74}\text{Ge}(^6\text{Li}, ^6\text{Li})$ , $(^6\text{Li}, ^6\text{Li}')$ , $\text{E}=28$ MeV; measured $\sigma(\text{E}, \theta)$ , elastic $\sigma(\theta)$ ; deduced Coulomb-nuclear interference effects. $^{70,72,74}\text{Ge}$ levels deduced $\text{B}(\text{E}2) / \text{B}(\text{IS}2)$ ratio, mixed-symmetry effects. JOUR PRVCA 71 024303



**A=72 (continued)**

	2005LI02	RADIOACTIVITY $^{72}\text{Ga}(\beta^-)$ [from $^{71}\text{Ga}(n, \gamma)$ ]; measured $\beta$ -delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{72}\text{Ge}$ deduced levels, J, $\pi$ , $\beta$ -feeding intensities. JOUR CHPHD 14 95
	2005LI09	RADIOACTIVITY $^{72}\text{As}(\text{EC})$ [from $^{72}\text{Ge}(p, n)$ ]; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{72}\text{Ge}$ deduced levels, J, $\pi$ . JOUR CHPHD 14 487
	2005SH03	RADIOACTIVITY $^{72}\text{Ga}(\beta^-)$ [from $^{71}\text{Ga}(n, \gamma)$ ]; measured $\beta$ -delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{72}\text{Ge}$ deduced levels, J, $\pi$ , $\beta$ -feeding intensities. JOUR JUPSA 74 299
$^{72}\text{As}$	2005LI09	RADIOACTIVITY $^{72}\text{As}(\text{EC})$ [from $^{72}\text{Ge}(p, n)$ ]; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{72}\text{Ge}$ deduced levels, J, $\pi$ . JOUR CHPHD 14 487

**A=73**

No references found

**A=74**

$^{74}\text{Ge}$	2005BA13	NUCLEAR REACTIONS $^{70,72,74}\text{Ge}(^6\text{Li}, ^6\text{Li})$ , $(^6\text{Li}, ^6\text{Li}')$ , $E=28$ MeV; measured $\sigma(E, \theta)$ , elastic $\sigma(\theta)$ ; deduced Coulomb-nuclear interference effects. $^{70,72,74}\text{Ge}$ levels deduced $B(E2) / B(\text{IS}2)$ ratio, mixed-symmetry effects. JOUR PRVCA 71 024303
------------------	----------	--

**A=75**

$^{75}\text{Ni}$	2005H008	RADIOACTIVITY $^{75,76,77,78}\text{Ni}$ , $^{77,78}\text{Cu}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, X)$ ]; measured $T_{1/2}$ . Astrophysical implications discussed. JOUR PRLTA 94 112501
$^{75}\text{Cu}$	2005H008	RADIOACTIVITY $^{75,76,77,78}\text{Ni}$ , $^{77,78}\text{Cu}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, X)$ ]; measured $T_{1/2}$ . Astrophysical implications discussed. JOUR PRLTA 94 112501

**A=76**

$^{76}\text{Ni}$	2005H008	RADIOACTIVITY $^{75,76,77,78}\text{Ni}$ , $^{77,78}\text{Cu}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, X)$ ]; measured $T_{1/2}$ . Astrophysical implications discussed. JOUR PRLTA 94 112501
$^{76}\text{Cu}$	2005H008	RADIOACTIVITY $^{75,76,77,78}\text{Ni}$ , $^{77,78}\text{Cu}(\beta^-)$ [from $\text{Be}(^{86}\text{Kr}, X)$ ]; measured $T_{1/2}$ . Astrophysical implications discussed. JOUR PRLTA 94 112501
$^{76}\text{Ge}$	2005KL02	RADIOACTIVITY $^{76}\text{Ge}(2\beta^-)$ ; measured $0\nu\beta\beta$ -decay $T_{1/2}$ ; deduced non-conservation of lepton number. JOUR NPBSE 143 229
$^{76}\text{Se}$	2005KL02	RADIOACTIVITY $^{76}\text{Ge}(2\beta^-)$ ; measured $0\nu\beta\beta$ -decay $T_{1/2}$ ; deduced non-conservation of lepton number. JOUR NPBSE 143 229



**A=76 (continued)**

<sup>76</sup> Br	2004SCZU	NUCLEAR REACTIONS <sup>76</sup> Se(p, n), E ≈ 5-40 MeV; <sup>78</sup> Kr(d, α), E ≈ 4-14 MeV; measured σ. <sup>126</sup> Te(p, 3n), E=8-70 MeV; <sup>85</sup> Rb(p, 4n), E=44-66 MeV; measured yields. REPT NEA/NSC/DOC(2004)14,P13,Scholten
------------------	----------	---

**A=77**

<sup>77</sup> Ni	2005H008	RADIOACTIVITY <sup>75,76,77,78</sup> Ni, <sup>77,78</sup> Cu(β <sup>-</sup> ) [from Be( <sup>86</sup> Kr, X)]; measured T <sub>1/2</sub> . Astrophysical implications discussed. JOUR PRLTA 94 112501
<sup>77</sup> Cu	2005H008	RADIOACTIVITY <sup>75,76,77,78</sup> Ni, <sup>77,78</sup> Cu(β <sup>-</sup> ) [from Be( <sup>86</sup> Kr, X)]; measured T <sub>1/2</sub> . Astrophysical implications discussed. JOUR PRLTA 94 112501
<sup>77</sup> Zn	2005H008	RADIOACTIVITY <sup>75,76,77,78</sup> Ni, <sup>77,78</sup> Cu(β <sup>-</sup> ) [from Be( <sup>86</sup> Kr, X)]; measured T <sub>1/2</sub> . Astrophysical implications discussed. JOUR PRLTA 94 112501

**A=78**

<sup>78</sup> Ni	2005H008	RADIOACTIVITY <sup>75,76,77,78</sup> Ni, <sup>77,78</sup> Cu(β <sup>-</sup> ) [from Be( <sup>86</sup> Kr, X)]; measured T <sub>1/2</sub> . Astrophysical implications discussed. JOUR PRLTA 94 112501
<sup>78</sup> Cu	2005H008	RADIOACTIVITY <sup>75,76,77,78</sup> Ni, <sup>77,78</sup> Cu(β <sup>-</sup> ) [from Be( <sup>86</sup> Kr, X)]; measured T <sub>1/2</sub> . Astrophysical implications discussed. JOUR PRLTA 94 112501
<sup>78</sup> Zn	2005H008	RADIOACTIVITY <sup>75,76,77,78</sup> Ni, <sup>77,78</sup> Cu(β <sup>-</sup> ) [from Be( <sup>86</sup> Kr, X)]; measured T <sub>1/2</sub> . Astrophysical implications discussed. JOUR PRLTA 94 112501
<sup>78</sup> Ge	2005BE17	RADIOACTIVITY <sup>127</sup> I( <sup>24</sup> Ne), ( <sup>28</sup> Mg), ( <sup>30</sup> Mg), ( <sup>32</sup> Si), ( <sup>34</sup> Si), ( <sup>48</sup> Ca), ( <sup>49</sup> Sc); measured cluster decay T <sub>1/2</sub> lower limits. JOUR ZAANE 24 51
<sup>78</sup> Kr	2005LE04	NUCLEAR REACTIONS Pb(p, X) <sup>3</sup> He / <sup>4</sup> He / <sup>21</sup> Ne / <sup>22</sup> Ne / <sup>36</sup> Ar / <sup>38</sup> Ar / <sup>78</sup> Kr / <sup>80</sup> Kr / <sup>81</sup> Kr / <sup>82</sup> Kr / <sup>83</sup> Kr / <sup>84</sup> Kr / <sup>85</sup> Kr / <sup>86</sup> Kr / <sup>124</sup> Xe / <sup>126</sup> Xe / <sup>128</sup> Xe / <sup>129</sup> Xe / <sup>130</sup> Xe / <sup>131</sup> Xe / <sup>132</sup> Xe / <sup>134</sup> Xe, E=44-2595 MeV; measured production σ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=79**

<sup>79</sup> As	2005BE17	RADIOACTIVITY <sup>127</sup> I( <sup>24</sup> Ne), ( <sup>28</sup> Mg), ( <sup>30</sup> Mg), ( <sup>32</sup> Si), ( <sup>34</sup> Si), ( <sup>48</sup> Ca), ( <sup>49</sup> Sc); measured cluster decay T <sub>1/2</sub> lower limits. JOUR ZAANE 24 51
------------------	----------	---

**A=80**

<sup>80</sup>Kr      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=81**

<sup>81</sup>Kr      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=82**

<sup>82</sup>Se      2005SA07      RADIOACTIVITY <sup>82</sup>Se, <sup>96</sup>Zr, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ . <sup>82</sup>Se, <sup>100</sup>Mo( $2\beta^-$ ); measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221

<sup>82</sup>Kr      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

                 2005SA07      RADIOACTIVITY <sup>82</sup>Se, <sup>96</sup>Zr, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ . <sup>82</sup>Se, <sup>100</sup>Mo( $2\beta^-$ ); measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221

<sup>82</sup>Sr      2004SCZU      NUCLEAR REACTIONS <sup>76</sup>Se(p, n), E  $\approx$  5-40 MeV; <sup>78</sup>Kr(d,  $\alpha$ ), E  $\approx$  4-14 MeV; measured  $\sigma$ . <sup>126</sup>Te(p, 3n), E=8-70 MeV; <sup>85</sup>Rb(p, 4n), E=44-66 MeV; measured yields. REPT NEA/NSC/DOC(2004)14,P13,Scholten

**A=83**

<sup>83</sup>Ge      2005TH03      NUCLEAR REACTIONS <sup>2</sup>H(<sup>82</sup>Ge, p), E=330 MeV; measured proton spectra,  $\sigma(\theta)$ , Q value. <sup>83</sup>Ge deduced levels, J,  $\pi$ , spectroscopic factors, mass excess. JOUR PRVCA 71 021302

<sup>83</sup>Kr      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=84**

$^{84}\text{Kr}$	2005LE04	NUCLEAR REACTIONS Pb(p, X) $^3\text{He}$ / $^4\text{He}$ / $^{21}\text{Ne}$ / $^{22}\text{Ne}$ / $^{36}\text{Ar}$ / $^{38}\text{Ar}$ / $^{78}\text{Kr}$ / $^{80}\text{Kr}$ / $^{81}\text{Kr}$ / $^{82}\text{Kr}$ / $^{83}\text{Kr}$ / $^{84}\text{Kr}$ / $^{85}\text{Kr}$ / $^{86}\text{Kr}$ / $^{124}\text{Xe}$ / $^{126}\text{Xe}$ / $^{128}\text{Xe}$ / $^{129}\text{Xe}$ / $^{130}\text{Xe}$ / $^{131}\text{Xe}$ / $^{132}\text{Xe}$ / $^{134}\text{Xe}$ , E=44-2595 MeV; measured production $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
	2005W001	NUCLEAR REACTIONS $^{197}\text{Au}(^{84}\text{Kr}, ^{84}\text{Kr}')$ , ( $^{56}\text{Cr}, ^{56}\text{Cr}'$ ), ( $^{108}\text{Sn}, ^{108}\text{Sn}'$ ), E=113-142 MeV / nucleon; measured $E\gamma$ , $I\gamma$ following projectile Coulomb excitation. $^{84}\text{Kr}$ , $^{56}\text{Cr}$ , $^{108}\text{Sn}$ deduced transitions. $^9\text{Be}(^{55}\text{Ni}, \text{X})^{54}\text{Co}$ / $^{52}\text{Fe}$ / $^{50}\text{Cr}$ , E=171 MeV / nucleon; measured $E\gamma$ , $I\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637

**A=85**

$^{85}\text{Kr}$	2005LE04	NUCLEAR REACTIONS Pb(p, X) $^3\text{He}$ / $^4\text{He}$ / $^{21}\text{Ne}$ / $^{22}\text{Ne}$ / $^{36}\text{Ar}$ / $^{38}\text{Ar}$ / $^{78}\text{Kr}$ / $^{80}\text{Kr}$ / $^{81}\text{Kr}$ / $^{82}\text{Kr}$ / $^{83}\text{Kr}$ / $^{84}\text{Kr}$ / $^{85}\text{Kr}$ / $^{86}\text{Kr}$ / $^{124}\text{Xe}$ / $^{126}\text{Xe}$ / $^{128}\text{Xe}$ / $^{129}\text{Xe}$ / $^{130}\text{Xe}$ / $^{131}\text{Xe}$ / $^{132}\text{Xe}$ / $^{134}\text{Xe}$ , E=44-2595 MeV; measured production $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
------------------	----------	---

**A=86**

$^{86}\text{Kr}$	2005LE04	NUCLEAR REACTIONS Pb(p, X) $^3\text{He}$ / $^4\text{He}$ / $^{21}\text{Ne}$ / $^{22}\text{Ne}$ / $^{36}\text{Ar}$ / $^{38}\text{Ar}$ / $^{78}\text{Kr}$ / $^{80}\text{Kr}$ / $^{81}\text{Kr}$ / $^{82}\text{Kr}$ / $^{83}\text{Kr}$ / $^{84}\text{Kr}$ / $^{85}\text{Kr}$ / $^{86}\text{Kr}$ / $^{124}\text{Xe}$ / $^{126}\text{Xe}$ / $^{128}\text{Xe}$ / $^{129}\text{Xe}$ / $^{130}\text{Xe}$ / $^{131}\text{Xe}$ / $^{132}\text{Xe}$ / $^{134}\text{Xe}$ , E=44-2595 MeV; measured production $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
------------------	----------	---

**A=87**

No references found

**A=88**

$^{88}\text{Sr}$	2004KA62	NUCLEAR REACTIONS $^{88}\text{Sr}(\gamma, \gamma')$ , E=6.8 MeV bremsstrahlung; measured $E\gamma$ , $I\gamma$ . $^{88}\text{Sr}$ deduced levels, J, $\pi$ , configurations, B(E1), B(M1), B(E2). Comparison with model predictions. JOUR PRVCA 70 064307
------------------	----------	---

**A=89**

<sup>89</sup> Kr	2004GAZV	NUCLEAR REACTIONS <sup>237</sup> Np, <sup>243</sup> Am( $\gamma$ , F) <sup>89</sup> Kr / <sup>91</sup> Kr / <sup>92</sup> Kr / <sup>93</sup> Kr / <sup>135</sup> Xe / <sup>137</sup> Xe / <sup>138</sup> Xe / <sup>139</sup> Xe / <sup>140</sup> Xe / <sup>141</sup> Xe / <sup>142</sup> Xe, $E_{max}$ =25 MeV; measured $E\gamma$ , $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
<sup>89</sup> Rb	2005AN01	NUCLEAR REACTIONS <sup>238</sup> U(p, F) <sup>89</sup> Rb / <sup>90</sup> Rb / <sup>91</sup> Rb / <sup>93</sup> Rb / <sup>94</sup> Rb / <sup>95</sup> Rb / <sup>139</sup> Cs / <sup>140</sup> Cs / <sup>141</sup> Cs / <sup>142</sup> Cs / <sup>144</sup> Cs / <sup>145</sup> Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257

**A=90**

<sup>90</sup> Rb	2005AN01	NUCLEAR REACTIONS <sup>238</sup> U(p, F) <sup>89</sup> Rb / <sup>90</sup> Rb / <sup>91</sup> Rb / <sup>93</sup> Rb / <sup>94</sup> Rb / <sup>95</sup> Rb / <sup>139</sup> Cs / <sup>140</sup> Cs / <sup>141</sup> Cs / <sup>142</sup> Cs / <sup>144</sup> Cs / <sup>145</sup> Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
------------------	----------	---

**A=91**

<sup>91</sup> Kr	2004GAZV	NUCLEAR REACTIONS <sup>237</sup> Np, <sup>243</sup> Am( $\gamma$ , F) <sup>89</sup> Kr / <sup>91</sup> Kr / <sup>92</sup> Kr / <sup>93</sup> Kr / <sup>135</sup> Xe / <sup>137</sup> Xe / <sup>138</sup> Xe / <sup>139</sup> Xe / <sup>140</sup> Xe / <sup>141</sup> Xe / <sup>142</sup> Xe, $E_{max}$ =25 MeV; measured $E\gamma$ , $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
<sup>91</sup> Rb	2005AN01	NUCLEAR REACTIONS <sup>238</sup> U(p, F) <sup>89</sup> Rb / <sup>90</sup> Rb / <sup>91</sup> Rb / <sup>93</sup> Rb / <sup>94</sup> Rb / <sup>95</sup> Rb / <sup>139</sup> Cs / <sup>140</sup> Cs / <sup>141</sup> Cs / <sup>142</sup> Cs / <sup>144</sup> Cs / <sup>145</sup> Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257

**A=92**

<sup>92</sup> Kr	2004GAZV	NUCLEAR REACTIONS <sup>237</sup> Np, <sup>243</sup> Am( $\gamma$ , F) <sup>89</sup> Kr / <sup>91</sup> Kr / <sup>92</sup> Kr / <sup>93</sup> Kr / <sup>135</sup> Xe / <sup>137</sup> Xe / <sup>138</sup> Xe / <sup>139</sup> Xe / <sup>140</sup> Xe / <sup>141</sup> Xe / <sup>142</sup> Xe, $E_{max}$ =25 MeV; measured $E\gamma$ , $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
<sup>92</sup> Nb	20040DZZ	NUCLEAR REACTIONS <sup>82</sup> Se( <sup>17</sup> N, 7n), ( <sup>17</sup> N, 6n), E $\approx$ 104 MeV; measured $E\gamma$ , $I\gamma$ . <sup>92,93</sup> Nb deduced transitions. REPT CNS-REP-64,P289, Odahara

**A=93**

<sup>93</sup> Kr	2004GAZV	NUCLEAR REACTIONS <sup>237</sup> Np, <sup>243</sup> Am( $\gamma$ , F) <sup>89</sup> Kr / <sup>91</sup> Kr / <sup>92</sup> Kr / <sup>93</sup> Kr / <sup>135</sup> Xe / <sup>137</sup> Xe / <sup>138</sup> Xe / <sup>139</sup> Xe / <sup>140</sup> Xe / <sup>141</sup> Xe / <sup>142</sup> Xe, $E_{max}$ =25 MeV; measured $E\gamma$ , $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
<sup>93</sup> Rb	2005AN01	NUCLEAR REACTIONS <sup>238</sup> U(p, F) <sup>89</sup> Rb / <sup>90</sup> Rb / <sup>91</sup> Rb / <sup>93</sup> Rb / <sup>94</sup> Rb / <sup>95</sup> Rb / <sup>139</sup> Cs / <sup>140</sup> Cs / <sup>141</sup> Cs / <sup>142</sup> Cs / <sup>144</sup> Cs / <sup>145</sup> Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
<sup>93</sup> Y	2005BE17	RADIOACTIVITY <sup>127</sup> I( <sup>24</sup> Ne), ( <sup>28</sup> Mg), ( <sup>30</sup> Mg), ( <sup>32</sup> Si), ( <sup>34</sup> Si), ( <sup>48</sup> Ca), ( <sup>49</sup> Sc); measured cluster decay $T_{1/2}$ lower limits. JOUR ZAANE 24 51

**A=93 (continued)**

<sup>93</sup> Nb	20040DZZ	NUCLEAR REACTIONS <sup>82</sup> Se( <sup>17</sup> N, 7n), ( <sup>17</sup> N, 6n), E ≈ 104 MeV; measured E $\gamma$ , I $\gamma$ . <sup>92,93</sup> Nb deduced transitions. REPT CNS-REP-64,P289,Odahara
<sup>93</sup> Mo	2004FUZX	NUCLEAR REACTIONS <sup>82</sup> Se( <sup>16</sup> O, 5n), E=100 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. <sup>93</sup> Mo deduced high-spin levels, J, $\pi$ , configurations, isomeric states T <sub>1/2</sub> . REPT CNS-REP-64,P109,Fukuchi

**A=94**

<sup>94</sup> Rb	2005AN01	NUCLEAR REACTIONS <sup>238</sup> U(p, F) <sup>89</sup> Rb / <sup>90</sup> Rb / <sup>91</sup> Rb / <sup>93</sup> Rb / <sup>94</sup> Rb / <sup>95</sup> Rb / <sup>139</sup> Cs / <sup>140</sup> Cs / <sup>141</sup> Cs / <sup>142</sup> Cs / <sup>144</sup> Cs / <sup>145</sup> Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
------------------	----------	---

**A=95**

<sup>95</sup> Rb	2005AN01	NUCLEAR REACTIONS <sup>238</sup> U(p, F) <sup>89</sup> Rb / <sup>90</sup> Rb / <sup>91</sup> Rb / <sup>93</sup> Rb / <sup>94</sup> Rb / <sup>95</sup> Rb / <sup>139</sup> Cs / <sup>140</sup> Cs / <sup>141</sup> Cs / <sup>142</sup> Cs / <sup>144</sup> Cs / <sup>145</sup> Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
<sup>95</sup> Y	2005BE17	RADIOACTIVITY <sup>127</sup> I( <sup>24</sup> Ne), ( <sup>28</sup> Mg), ( <sup>30</sup> Mg), ( <sup>32</sup> Si), ( <sup>34</sup> Si), ( <sup>48</sup> Ca), ( <sup>49</sup> Sc); measured cluster decay T <sub>1/2</sub> lower limits. JOUR ZAANE 24 51
<sup>95</sup> Zr	2004MIZS	NUCLEAR REACTIONS Fe(p, X) <sup>52</sup> Mn, E < 2.6 GeV; Pb(p, X) <sup>10</sup> Be, E < 2.6 GeV; <sup>209</sup> Bi(p, 4np), E < 2.6 GeV; Pb(n, X) <sup>196</sup> Au / <sup>95</sup> Zr, E ≈ 70-180 MeV; measured excitation functions. Comparison with model predictions. REPT NEA/NSC/DOC(2004)14,P28,Michel

**A=96**

<sup>96</sup> Sr	2004WU08	NUCLEAR REACTIONS <sup>238</sup> U( $\alpha$ , F) <sup>96</sup> Sr / <sup>97</sup> Sr / <sup>98</sup> Zr / <sup>99</sup> Zr, E=30 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (fragment) $\gamma$ -coin. <sup>96,97</sup> Sr, <sup>98,99</sup> Zr deduced high-spin levels, J, $\pi$ , configurations. Gammasphere, Chico arrays. JOUR PRVCA 70 064312
<sup>96</sup> Zr	2005SA07	RADIOACTIVITY <sup>82</sup> Se, <sup>96</sup> Zr, <sup>100</sup> Mo, <sup>116</sup> Cd, <sup>150</sup> Nd(2 $\beta^-$ ); measured 2 $\nu\beta\beta$ -decay T <sub>1/2</sub> . <sup>82</sup> Se, <sup>100</sup> Mo(2 $\beta^-$ ); measured 0 $\nu\beta\beta$ -decay T <sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
<sup>96</sup> Mo	2005SA07	RADIOACTIVITY <sup>82</sup> Se, <sup>96</sup> Zr, <sup>100</sup> Mo, <sup>116</sup> Cd, <sup>150</sup> Nd(2 $\beta^-$ ); measured 2 $\nu\beta\beta$ -decay T <sub>1/2</sub> . <sup>82</sup> Se, <sup>100</sup> Mo(2 $\beta^-$ ); measured 0 $\nu\beta\beta$ -decay T <sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221

**A=97**

<sup>97</sup> Sr	2004WU08	NUCLEAR REACTIONS <sup>238</sup> U( $\alpha$ , F) <sup>96</sup> Sr / <sup>97</sup> Sr / <sup>98</sup> Zr / <sup>99</sup> Zr, E=30 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (fragment) $\gamma$ -coin. <sup>96,97</sup> Sr, <sup>98,99</sup> Zr deduced high-spin levels, J, $\pi$ , configurations. Gammasphere, Chico arrays. JOUR PRVCA 70 064312
------------------	----------	--

**A=97 (continued)**

<sup>97</sup> Nb	2005BE17	RADIOACTIVITY <sup>127</sup> I( <sup>24</sup> Ne), ( <sup>28</sup> Mg), ( <sup>30</sup> Mg), ( <sup>32</sup> Si), ( <sup>34</sup> Si), ( <sup>48</sup> Ca), ( <sup>49</sup> Sc); measured cluster decay T <sub>1/2</sub> lower limits. JOUR ZAANE 24 51
<sup>97</sup> Ru	2005UD01	NUCLEAR REACTIONS Ag(p, X) <sup>106m</sup> Ag / <sup>105</sup> Ag / <sup>103</sup> Pd / <sup>101</sup> Pd / <sup>100</sup> Pd / <sup>105</sup> Rh / <sup>102</sup> Rh / <sup>101m</sup> Rh / <sup>100</sup> Rh / <sup>99</sup> Rh / <sup>97</sup> Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533

**A=98**

<sup>98</sup> Zr	2004WU08	NUCLEAR REACTIONS <sup>238</sup> U(α, F) <sup>96</sup> Sr / <sup>97</sup> Sr / <sup>98</sup> Zr / <sup>99</sup> Zr, E=30 MeV; measured Eγ, Iγ, γγ-, (fragment)γ-coin. <sup>96,97</sup> Sr, <sup>98,99</sup> Zr deduced high-spin levels, J, π, configurations. Gammasphere, Chico arrays. JOUR PRVCA 70 064312
------------------	----------	--

**A=99**

<sup>99</sup> Zr	2004WU08	NUCLEAR REACTIONS <sup>238</sup> U(α, F) <sup>96</sup> Sr / <sup>97</sup> Sr / <sup>98</sup> Zr / <sup>99</sup> Zr, E=30 MeV; measured Eγ, Iγ, γγ-, (fragment)γ-coin. <sup>96,97</sup> Sr, <sup>98,99</sup> Zr deduced high-spin levels, J, π, configurations. Gammasphere, Chico arrays. JOUR PRVCA 70 064312
<sup>99</sup> Nb	2005BE17	RADIOACTIVITY <sup>127</sup> I( <sup>24</sup> Ne), ( <sup>28</sup> Mg), ( <sup>30</sup> Mg), ( <sup>32</sup> Si), ( <sup>34</sup> Si), ( <sup>48</sup> Ca), ( <sup>49</sup> Sc); measured cluster decay T <sub>1/2</sub> lower limits. JOUR ZAANE 24 51
<sup>99</sup> Rh	2005UD01	NUCLEAR REACTIONS Ag(p, X) <sup>106m</sup> Ag / <sup>105</sup> Ag / <sup>103</sup> Pd / <sup>101</sup> Pd / <sup>100</sup> Pd / <sup>105</sup> Rh / <sup>102</sup> Rh / <sup>101m</sup> Rh / <sup>100</sup> Rh / <sup>99</sup> Rh / <sup>97</sup> Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533

**A=100**

<sup>100</sup> Mo	2005BA01	RADIOACTIVITY <sup>100</sup> Mo(2β <sup>-</sup> ); measured 2ν2β-decay Eβ, T <sub>1/2</sub> . JOUR NPBSE 138 207
	2005SA07	RADIOACTIVITY <sup>82</sup> Se, <sup>96</sup> Zr, <sup>100</sup> Mo, <sup>116</sup> Cd, <sup>150</sup> Nd(2β <sup>-</sup> ); measured 2νββ-decay T <sub>1/2</sub> . <sup>82</sup> Se, <sup>100</sup> Mo(2β <sup>-</sup> ); measured 0νββ-decay T <sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
<sup>100</sup> Tc	2004FU30	NUCLEAR REACTIONS <sup>99</sup> Tc(n, γ), E=thermal; measured Eγ, Iγ, capture σ. <sup>100</sup> Tc deduced levels, J, π. JOUR JNSTA 41 1033
	2005J004	NUCLEAR REACTIONS <sup>96</sup> Zr( <sup>7</sup> Li, 3n), E=27 MeV; measured Eγ, Iγ, γγ-coin. <sup>100</sup> Tc deduced levels, J, π, B(M1) / B(E2), chiral partner bands. Total Routhian surface and core quasi-particle coupling model calculations. JOUR ZAANE 24 23
<sup>100</sup> Ru	2005BA01	RADIOACTIVITY <sup>100</sup> Mo(2β <sup>-</sup> ); measured 2ν2β-decay Eβ, T <sub>1/2</sub> . JOUR NPBSE 138 207
	2005SA07	RADIOACTIVITY <sup>82</sup> Se, <sup>96</sup> Zr, <sup>100</sup> Mo, <sup>116</sup> Cd, <sup>150</sup> Nd(2β <sup>-</sup> ); measured 2νββ-decay T <sub>1/2</sub> . <sup>82</sup> Se, <sup>100</sup> Mo(2β <sup>-</sup> ); measured 0νββ-decay T <sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221

**A=100 (*continued*)**

- $^{100}\text{Rh}$       2005UD01      NUCLEAR REACTIONS  $\text{Ag}(\text{p}, \text{X})^{106\text{m}}\text{Ag} / ^{105}\text{Ag} / ^{103}\text{Pd} / ^{101}\text{Pd} / ^{100}\text{Pd} / ^{105}\text{Rh} / ^{102}\text{Rh} / ^{101\text{m}}\text{Rh} / ^{100}\text{Rh} / ^{99}\text{Rh} / ^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
- $^{100}\text{Pd}$       2005UD01      NUCLEAR REACTIONS  $\text{Ag}(\text{p}, \text{X})^{106\text{m}}\text{Ag} / ^{105}\text{Ag} / ^{103}\text{Pd} / ^{101}\text{Pd} / ^{100}\text{Pd} / ^{105}\text{Rh} / ^{102}\text{Rh} / ^{101\text{m}}\text{Rh} / ^{100}\text{Rh} / ^{99}\text{Rh} / ^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533

**A=101**

- $^{101}\text{Rh}$       2005UD01      NUCLEAR REACTIONS  $\text{Ag}(\text{p}, \text{X})^{106\text{m}}\text{Ag} / ^{105}\text{Ag} / ^{103}\text{Pd} / ^{101}\text{Pd} / ^{100}\text{Pd} / ^{105}\text{Rh} / ^{102}\text{Rh} / ^{101\text{m}}\text{Rh} / ^{100}\text{Rh} / ^{99}\text{Rh} / ^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
- $^{101}\text{Pd}$       2005UD01      NUCLEAR REACTIONS  $\text{Ag}(\text{p}, \text{X})^{106\text{m}}\text{Ag} / ^{105}\text{Ag} / ^{103}\text{Pd} / ^{101}\text{Pd} / ^{100}\text{Pd} / ^{105}\text{Rh} / ^{102}\text{Rh} / ^{101\text{m}}\text{Rh} / ^{100}\text{Rh} / ^{99}\text{Rh} / ^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533

**A=102**

- $^{102}\text{Rh}$       2005UD01      NUCLEAR REACTIONS  $\text{Ag}(\text{p}, \text{X})^{106\text{m}}\text{Ag} / ^{105}\text{Ag} / ^{103}\text{Pd} / ^{101}\text{Pd} / ^{100}\text{Pd} / ^{105}\text{Rh} / ^{102}\text{Rh} / ^{101\text{m}}\text{Rh} / ^{100}\text{Rh} / ^{99}\text{Rh} / ^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
- $^{102}\text{Sn}$       2005JA03      RADIOACTIVITY  $^{110}\text{Xe}$ ,  $^{106}\text{Te}(\alpha)$  [from  $^{58}\text{Ni}(^{58}\text{Ni}, 2\text{n}\alpha)$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $\alpha$ -decay widths. Mass separator. JOUR ZAANE 23 197

**A=103**

- $^{103}\text{Tc}$       2005BE17      RADIOACTIVITY  $^{127}\text{I}(^{24}\text{Ne})$ ,  $(^{28}\text{Mg})$ ,  $(^{30}\text{Mg})$ ,  $(^{32}\text{Si})$ ,  $(^{34}\text{Si})$ ,  $(^{48}\text{Ca})$ ,  $(^{49}\text{Sc})$ ; measured cluster decay  $T_{1/2}$  lower limits. JOUR ZAANE 24 51
- $^{103}\text{Pd}$       2004HIZZ      NUCLEAR REACTIONS  $^{102}\text{Ru}(^3\text{He}, 2\text{n})$ ,  $^{100}\text{Ru}(\alpha, \text{n})$ ,  $^{103}\text{Rh}(\text{d}, 2\text{n})$ ,  $(\text{p}, \text{n})$ , E  $\approx$  5-35 MeV; analyzed excitation functions, yields.  $\text{Ce}(^3\text{He}, \text{xn})^{140}\text{Nd}$ , E < 27 MeV;  $^{141}\text{Pr}(\text{p}, 2\text{n})$ , E < 23 MeV; measured yields.  $^{192}\text{Os}(\text{p}, \text{n})$ , E  $\approx$  6-20; measured  $\sigma$ . REPT
- NEA/NSC/DOC(2004)14,P15,Hilgers
- 2005UD01      NUCLEAR REACTIONS  $\text{Ag}(\text{p}, \text{X})^{106\text{m}}\text{Ag} / ^{105}\text{Ag} / ^{103}\text{Pd} / ^{101}\text{Pd} / ^{100}\text{Pd} / ^{105}\text{Rh} / ^{102}\text{Rh} / ^{101\text{m}}\text{Rh} / ^{100}\text{Rh} / ^{99}\text{Rh} / ^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533

**A=103 (*continued*)**

$^{103}\text{Ag}$	2005HE05	NUCLEAR REACTIONS Pd( $\alpha$ , xnyp) $^{103}\text{Ag}$ / $^{104}\text{Ag}$ / $^{105}\text{Ag}$ / $^{106m}\text{Ag}$ / $^{110m}\text{Ag}$ / $^{111}\text{Ag}$ / $^{112}\text{Ag}$ / $^{104}\text{Cd}$ / $^{105}\text{Cd}$ / $^{111m}\text{Cd}$ , E=10-37 MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
$^{103}\text{Sn}$	2004HA59	RADIOACTIVITY $^{107}\text{Te}(\alpha)$ [from $^{58}\text{Ni}(^{52}\text{Cr}, 3n)$ ]; measured $E\alpha$ , $I\alpha$ . JOUR PRVCA 70 064314

**A=104**

$^{104}\text{Ag}$	2005HE05	NUCLEAR REACTIONS Pd( $\alpha$ , xnyp) $^{103}\text{Ag}$ / $^{104}\text{Ag}$ / $^{105}\text{Ag}$ / $^{106m}\text{Ag}$ / $^{110m}\text{Ag}$ / $^{111}\text{Ag}$ / $^{112}\text{Ag}$ / $^{104}\text{Cd}$ / $^{105}\text{Cd}$ / $^{111m}\text{Cd}$ , E=10-37 MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
$^{104}\text{Cd}$	2005HE05	NUCLEAR REACTIONS Pd( $\alpha$ , xnyp) $^{103}\text{Ag}$ / $^{104}\text{Ag}$ / $^{105}\text{Ag}$ / $^{106m}\text{Ag}$ / $^{110m}\text{Ag}$ / $^{111}\text{Ag}$ / $^{112}\text{Ag}$ / $^{104}\text{Cd}$ / $^{105}\text{Cd}$ / $^{111m}\text{Cd}$ , E=10-37 MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321

**A=105**

$^{105}\text{Rh}$	2005M007	RADIOACTIVITY $^{105}\text{Rh}(\beta^-)$ [from $^{104}\text{Rh}(n, \gamma)$ ]; measured $E\gamma$ , $I\gamma$ , $\beta\gamma$ -coin; deduced $\gamma$ -emission probabilities. $^{105}\text{Pd}$ deduced levels, $\beta$ -feeding intensities. Comparison with previous results. JOUR NIMAE 540 324
	2005UD01	NUCLEAR REACTIONS Ag(p, X) $^{106m}\text{Ag}$ / $^{105}\text{Ag}$ / $^{103}\text{Pd}$ / $^{101}\text{Pd}$ / $^{100}\text{Pd}$ / $^{105}\text{Rh}$ / $^{102}\text{Rh}$ / $^{101m}\text{Rh}$ / $^{100}\text{Rh}$ / $^{99}\text{Rh}$ / $^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
$^{105}\text{Pd}$	2005M007	RADIOACTIVITY $^{105}\text{Rh}(\beta^-)$ [from $^{104}\text{Rh}(n, \gamma)$ ]; measured $E\gamma$ , $I\gamma$ , $\beta\gamma$ -coin; deduced $\gamma$ -emission probabilities. $^{105}\text{Pd}$ deduced levels, $\beta$ -feeding intensities. Comparison with previous results. JOUR NIMAE 540 324
$^{105}\text{Ag}$	2005HE05	NUCLEAR REACTIONS Pd( $\alpha$ , xnyp) $^{103}\text{Ag}$ / $^{104}\text{Ag}$ / $^{105}\text{Ag}$ / $^{106m}\text{Ag}$ / $^{110m}\text{Ag}$ / $^{111}\text{Ag}$ / $^{112}\text{Ag}$ / $^{104}\text{Cd}$ / $^{105}\text{Cd}$ / $^{111m}\text{Cd}$ , E=10-37 MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
	2005UD01	NUCLEAR REACTIONS Ag(p, X) $^{106m}\text{Ag}$ / $^{105}\text{Ag}$ / $^{103}\text{Pd}$ / $^{101}\text{Pd}$ / $^{100}\text{Pd}$ / $^{105}\text{Rh}$ / $^{102}\text{Rh}$ / $^{101m}\text{Rh}$ / $^{100}\text{Rh}$ / $^{99}\text{Rh}$ / $^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
$^{105}\text{Cd}$	2005HE05	NUCLEAR REACTIONS Pd( $\alpha$ , xnyp) $^{103}\text{Ag}$ / $^{104}\text{Ag}$ / $^{105}\text{Ag}$ / $^{106m}\text{Ag}$ / $^{110m}\text{Ag}$ / $^{111}\text{Ag}$ / $^{112}\text{Ag}$ / $^{104}\text{Cd}$ / $^{105}\text{Cd}$ / $^{111m}\text{Cd}$ , E=10-37 MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321



**A=106**

$^{106}\text{Pd}$	2005ZU01	RADIOACTIVITY $^{120}\text{Te}(\beta^+\text{EC})$ ; $^{64}\text{Zn}$ , $^{106,108}\text{Cd}$ , $^{120}\text{Te}(2\text{EC})$ ; measured $T_{1/2}$ lower limits. JOUR NPBSE 138 236
$^{106}\text{Ag}$	2005HE05	NUCLEAR REACTIONS $\text{Pd}(\alpha, \text{xnyp})^{103}\text{Ag}$ / $^{104}\text{Ag}$ / $^{105}\text{Ag}$ / $^{106m}\text{Ag}$ / $^{110m}\text{Ag}$ / $^{111}\text{Ag}$ / $^{112}\text{Ag}$ / $^{104}\text{Cd}$ / $^{105}\text{Cd}$ / $^{111m}\text{Cd}$ , $E=10\text{-}37$ MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
	2005UD01	NUCLEAR REACTIONS $\text{Ag}(\text{p}, \text{X})^{106m}\text{Ag}$ / $^{105}\text{Ag}$ / $^{103}\text{Pd}$ / $^{101}\text{Pd}$ / $^{100}\text{Pd}$ / $^{105}\text{Rh}$ / $^{102}\text{Rh}$ / $^{101m}\text{Rh}$ / $^{100}\text{Rh}$ / $^{99}\text{Rh}$ / $^{97}\text{Ru}$ , $E=11\text{-}80$ MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
$^{106}\text{Cd}$	2005ZU01	RADIOACTIVITY $^{120}\text{Te}(\beta^+\text{EC})$ ; $^{64}\text{Zn}$ , $^{106,108}\text{Cd}$ , $^{120}\text{Te}(2\text{EC})$ ; measured $T_{1/2}$ lower limits. JOUR NPBSE 138 236
$^{106}\text{Te}$	2005JA03	RADIOACTIVITY $^{110}\text{Xe}$ , $^{106}\text{Te}(\alpha)$ [from $^{58}\text{Ni}(^{58}\text{Ni}, 2n\alpha)$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ ; deduced $\alpha$ -decay widths. Mass separator. JOUR ZAANE 23 197

**A=107**

$^{107}\text{Te}$	2004HA59	NUCLEAR REACTIONS $^{58}\text{Ni}(^{52}\text{Cr}, 3n)$ , $E=187$ MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (recoil) $\gamma$ -coin. $^{107}\text{Te}$ deduced transitions, excited state. Jurogam array, recoil-decay tagging. JOUR PRVCA 70 064314
	2004HA59	RADIOACTIVITY $^{107}\text{Te}(\alpha)$ [from $^{58}\text{Ni}(^{52}\text{Cr}, 3n)$ ]; measured $E\alpha$ , $I\alpha$ . JOUR PRVCA 70 064314

**A=108**

$^{108}\text{Pd}$	2005ZU01	RADIOACTIVITY $^{120}\text{Te}(\beta^+\text{EC})$ ; $^{64}\text{Zn}$ , $^{106,108}\text{Cd}$ , $^{120}\text{Te}(2\text{EC})$ ; measured $T_{1/2}$ lower limits. JOUR NPBSE 138 236
$^{108}\text{Cd}$	2005ZU01	RADIOACTIVITY $^{120}\text{Te}(\beta^+\text{EC})$ ; $^{64}\text{Zn}$ , $^{106,108}\text{Cd}$ , $^{120}\text{Te}(2\text{EC})$ ; measured $T_{1/2}$ lower limits. JOUR NPBSE 138 236
$^{108}\text{Sn}$	2005W001	NUCLEAR REACTIONS $^{197}\text{Au}(^{84}\text{Kr}, ^{84}\text{Kr}')$ , $(^{56}\text{Cr}, ^{56}\text{Cr}')$ , $(^{108}\text{Sn}, ^{108}\text{Sn}')$ , $E=113\text{-}142$ MeV / nucleon; measured $E\gamma$ , $I\gamma$ following projectile Coulomb excitation. $^{84}\text{Kr}$ , $^{56}\text{Cr}$ , $^{108}\text{Sn}$ deduced transitions. $^9\text{Be}(^{55}\text{Ni}, \text{X})^{54}\text{Co}$ / $^{52}\text{Fe}$ / $^{50}\text{Cr}$ , $E=171$ MeV / nucleon; measured $E\gamma$ , $I\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637

**A=109**

$^{109}\text{Cd}$	2005GYZZ	RADIOACTIVITY $^{109}\text{In}$ , $^{110}\text{Sn}(\text{EC})$ [from $^{106}\text{Cd}(\alpha, \text{X})$ ]; measured $E\gamma$ , $I\gamma$ , $T_{1/2}$ . PREPRINT nucl-ex/0503012,3/18/2005
$^{109}\text{In}$	2004ADZW	NUCLEAR REACTIONS $^{209}\text{Bi}(n, 4n)$ , $(n, 5n)$ , $(n, 6n)$ , $(n, 7n)$ , $(n, 9n)$ , $^{232}\text{Th}(n, \gamma)$ , $^{197}\text{Au}(n, 2n)$ , $(n, 4n)$ , $(n, 6n)$ , $(n, 7n)$ , $(n, \gamma)$ , $^{115}\text{In}(n, 5n)$ , $(n, 6n)$ , $(n, 7n)$ , $^{59}\text{Co}(n, 2n)$ , $(n, 3n)$ , $(n, 4n)$ , $(n, 5n)$ , $(n, \gamma)$ , $(n, \text{p})$ , $(n, 6n2p)$ , $E=\text{spectrum}$ ; measured $E\gamma$ , $I\gamma$ ; deduced reaction rates. $\text{Pb}(\text{p}, n\text{X})$ , $E=1$ GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam

**A=109 (continued)**

- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005GYZZ RADIOACTIVITY  $^{109}\text{In}$ ,  $^{110}\text{Sn}(\text{EC})$  [from  $^{106}\text{Cd}(\alpha, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . PREPRINT nucl-ex/0503012,3/18/2005

**A=110**

- $^{110}\text{Ag}$  2005HE05 NUCLEAR REACTIONS  $\text{Pd}(\alpha, xnyp)^{103}\text{Ag}$  /  $^{104}\text{Ag}$  /  $^{105}\text{Ag}$  /  $^{106m}\text{Ag}$  /  $^{110m}\text{Ag}$  /  $^{111}\text{Ag}$  /  $^{112}\text{Ag}$  /  $^{104}\text{Cd}$  /  $^{105}\text{Cd}$  /  $^{111m}\text{Cd}$ , E=10-37 MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
- $^{110}\text{In}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, \gamma)$ ,  $(n, p)$ ,  $(n, 6n2p)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005GYZZ RADIOACTIVITY  $^{109}\text{In}$ ,  $^{110}\text{Sn}(\text{EC})$  [from  $^{106}\text{Cd}(\alpha, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . PREPRINT nucl-ex/0503012,3/18/2005
- $^{110}\text{Sn}$  2005BA18 NUCLEAR REACTIONS  $^{112}\text{Sn}(d, p)$ ,  $(d, 3np)$ ,  $(p, 2np)$ ,  $^{118}\text{Sn}(d, 2n)$ ,  $(d, 3n)$ ,  $(d, 5n)$ ,  $(d, 2np)$ ,  $(d, 6np)$ ,  $(d, 9np)$ ,  $(p, n)$ ,  $(p, 3n)$ ,  $(p, 4n)$ ,  $(p, np)$ ,  $(p, 5np)$ ,  $(p, 8np)$ ,  $^{120}\text{Sn}(d, 2n)$ ,  $(d, 4n)$ ,  $(d, 6n)$ ,  $(d, 7n)$ ,  $(d, 4np)$ ,  $(d, 8np)$ ,  $(d, 11np)$ ,  $(p, n)$ ,  $(p, 3n)$ ,  $(p, 5n)$ ,  $(p, 6n)$ ,  $(p, 3np)$ ,  $(p, 7np)$ ,  $(p, 10np)$ ,  $^{124}\text{Sn}(d, 2n)$ ,  $(d, 4n)$ ,  $(d, 6n)$ ,  $(d, 8n)$ ,  $(d, 10n)$ ,  $(d, 11n)$ ,  $(d, 2np)$ ,  $(d, 8np)$ ,  $(d, 12np)$ ,  $(d, 15np)$ ,  $(p, n)$ ,  $(p, 3n)$ ,  $(p, 5n)$ ,  $(p, 7n)$ ,  $(p, 9n)$ ,  $(p, 10n)$ ,  $(p, np)$ ,  $(p, 7np)$ ,  $(p, 11np)$ ,  $(p, 14np)$ , E=3.65 GeV / nucleon; measured  $\sigma$ .  $^{120}\text{Sn}(p, X)$ , E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- 2005GYZZ RADIOACTIVITY  $^{109}\text{In}$ ,  $^{110}\text{Sn}(\text{EC})$  [from  $^{106}\text{Cd}(\alpha, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . PREPRINT nucl-ex/0503012,3/18/2005
- $^{110}\text{Xe}$  2005JA03 RADIOACTIVITY  $^{110}\text{Xe}$ ,  $^{106}\text{Te}(\alpha)$  [from  $^{58}\text{Ni}(^{58}\text{Ni}, 2n\alpha)$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $\alpha$ -decay widths. Mass separator. JOUR ZAANE 23 197

**A=111**

<sup>111</sup> Ag	2005HE05	NUCLEAR REACTIONS Pd( $\alpha$ , xnyp) <sup>103</sup> Ag / <sup>104</sup> Ag / <sup>105</sup> Ag / <sup>106m</sup> Ag / <sup>110m</sup> Ag / <sup>111</sup> Ag / <sup>112</sup> Ag / <sup>104</sup> Cd / <sup>105</sup> Cd / <sup>111m</sup> Cd, E=10-37 MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
<sup>111</sup> Cd	2005HE05	NUCLEAR REACTIONS Pd( $\alpha$ , xnyp) <sup>103</sup> Ag / <sup>104</sup> Ag / <sup>105</sup> Ag / <sup>106m</sup> Ag / <sup>110m</sup> Ag / <sup>111</sup> Ag / <sup>112</sup> Ag / <sup>104</sup> Cd / <sup>105</sup> Cd / <sup>111m</sup> Cd, E=10-37 MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
<sup>111</sup> In	2004ADZW	NUCLEAR REACTIONS <sup>209</sup> Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup> Th(n, $\gamma$ ), <sup>197</sup> Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, $\gamma$ ), <sup>115</sup> In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup> Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
	2005AD01	NUCLEAR REACTIONS <sup>209</sup> Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup> Th(n, $\gamma$ ), <sup>197</sup> Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, $\gamma$ ), <sup>59</sup> Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup> In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61

**A=112**

<sup>112</sup> Ag	2005HE05	NUCLEAR REACTIONS Pd( $\alpha$ , xnyp) <sup>103</sup> Ag / <sup>104</sup> Ag / <sup>105</sup> Ag / <sup>106m</sup> Ag / <sup>110m</sup> Ag / <sup>111</sup> Ag / <sup>112</sup> Ag / <sup>104</sup> Cd / <sup>105</sup> Cd / <sup>111m</sup> Cd, E=10-37 MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
<sup>112</sup> Sn	2004KU30	NUCLEAR REACTIONS <sup>112,114,120,124</sup> Sn( $\alpha$ , $\alpha'$ ), ( $\alpha$ , $\alpha'$ ), E $\approx$ 50 MeV; measured $\sigma(E, \theta)$ ; deduced optical model parameters. <sup>112,114,120,124</sup> Sn deduced transition strengths, deformation parameters, related features. JOUR UKPJA 49 841
<sup>112</sup> Sb	2005DE02	NUCLEAR REACTIONS <sup>89</sup> Y( <sup>30</sup> Si, 3n $\alpha$ ), E=120 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin, DSA. <sup>112</sup> Sb levels deduced T <sub>1/2</sub> , B(M1), B(E2). Comparisons with tilted axis cranking model predictions. JOUR PRVCA 71 017303

**A=113**

<sup>113</sup> In	2004MB03	NUCLEAR MOMENTS <sup>113,115</sup> In, <sup>153,155</sup> Eu, <sup>185,187</sup> Re, <sup>203,205</sup> Tl, <sup>209,211</sup> Fr; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
-------------------	----------	--

**A=113 (continued)**

- <sup>113</sup>Sn      2005BA18      NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195

**A=114**

- <sup>114</sup>Sn      2004KU30      NUCLEAR REACTIONS <sup>112,114,120,124</sup>Sn( $\alpha$ ,  $\alpha'$ ), ( $\alpha$ ,  $\alpha'$ ), E  $\approx$  50 MeV; measured  $\sigma(E, \theta)$ ; deduced optical model parameters. <sup>112,114,120,124</sup>Sn deduced transition strengths, deformation parameters, related features. JOUR UKPJA 49 841

**A=115**

- <sup>115</sup>In      2004MB03      NUCLEAR MOMENTS <sup>113,115</sup>In, <sup>153,155</sup>Eu, <sup>185,187</sup>Re, <sup>203,205</sup>Tl, <sup>209,211</sup>Fr; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPPE 68 157
- 2005CA03      RADIOACTIVITY <sup>115</sup>In( $\beta^-$ ); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratio and Q $\beta$  for decay to excited level, limit on charge-nonconserving decay. <sup>115</sup>Sn level deduced energy,  $\beta$ -feeding intensity. JOUR NUPAB 748 333
- <sup>115</sup>Sn      2005CA03      RADIOACTIVITY <sup>115</sup>In( $\beta^-$ ); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratio and Q $\beta$  for decay to excited level, limit on charge-nonconserving decay. <sup>115</sup>Sn level deduced energy,  $\beta$ -feeding intensity. JOUR NUPAB 748 333
- <sup>115</sup>Sb      2005BA18      NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195

**A=116**

- <sup>116</sup>Cd      2005DA03      RADIOACTIVITY <sup>116</sup>Cd( $2\beta^-$ ); measured  $2\nu 2\beta$ -decay T<sub>1/2</sub>,  $0\nu 2\beta$ -decay T<sub>1/2</sub> lower limit. JOUR NPBSE 138 230

**A=116 (*continued*)**

	2005SA07	RADIOACTIVITY $^{82}\text{Se}$ , $^{96}\text{Zr}$ , $^{100}\text{Mo}$ , $^{116}\text{Cd}$ , $^{150}\text{Nd}(2\beta^-)$ ; measured $2\nu\beta\beta$ -decay $T_{1/2}$ . $^{82}\text{Se}$ , $^{100}\text{Mo}(2\beta^-)$ ; measured $0\nu\beta\beta$ -decay $T_{1/2}$ lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
$^{116}\text{Sn}$	2004K064	NUCLEAR REACTIONS $^6\text{Li}$ , $^{16}\text{O}$ , $^{32}\text{S}$ , $^{50,51}\text{V}$ , $^{70,72}\text{Ge}(\text{d}, \text{d})$ , $(\text{d}, \text{d}')$ , $\text{E}=171$ MeV; $^{90}\text{Zr}$ , $^{116}\text{Sn}(\text{d}, \text{d})$ , $(\text{d}, \text{d}')$ , $\text{E}=183$ MeV; measured $\sigma(\theta)$ ; deduced optical model parameters. JOUR PRVCA 70 067601
	2005DA03	RADIOACTIVITY $^{116}\text{Cd}(2\beta^-)$ ; measured $2\nu2\beta$ -decay $T_{1/2}$ , $0\nu2\beta$ -decay $T_{1/2}$ lower limit. JOUR NPBSE 138 230
	2005SA07	RADIOACTIVITY $^{82}\text{Se}$ , $^{96}\text{Zr}$ , $^{100}\text{Mo}$ , $^{116}\text{Cd}$ , $^{150}\text{Nd}(2\beta^-)$ ; measured $2\nu\beta\beta$ -decay $T_{1/2}$ . $^{82}\text{Se}$ , $^{100}\text{Mo}(2\beta^-)$ ; measured $0\nu\beta\beta$ -decay $T_{1/2}$ lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
$^{116}\text{Sb}$	2005BA18	NUCLEAR REACTIONS $^{112}\text{Sn}(\text{d}, \text{p})$ , $(\text{d}, 3\text{np})$ , $(\text{p}, 2\text{np})$ , $^{118}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 3\text{n})$ , $(\text{d}, 5\text{n})$ , $(\text{d}, 2\text{np})$ , $(\text{d}, 6\text{np})$ , $(\text{d}, 9\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 4\text{n})$ , $(\text{p}, \text{np})$ , $(\text{p}, 5\text{np})$ , $(\text{p}, 8\text{np})$ , $^{120}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 4\text{n})$ , $(\text{d}, 6\text{n})$ , $(\text{d}, 7\text{n})$ , $(\text{d}, 4\text{np})$ , $(\text{d}, 8\text{np})$ , $(\text{d}, 11\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 5\text{n})$ , $(\text{p}, 6\text{n})$ , $(\text{p}, 3\text{np})$ , $(\text{p}, 7\text{np})$ , $(\text{p}, 10\text{np})$ , $^{124}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 4\text{n})$ , $(\text{d}, 6\text{n})$ , $(\text{d}, 8\text{n})$ , $(\text{d}, 10\text{n})$ , $(\text{d}, 11\text{n})$ , $(\text{d}, 2\text{np})$ , $(\text{d}, 8\text{np})$ , $(\text{d}, 12\text{np})$ , $(\text{d}, 15\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 5\text{n})$ , $(\text{p}, 7\text{n})$ , $(\text{p}, 9\text{n})$ , $(\text{p}, 10\text{n})$ , $(\text{p}, \text{np})$ , $(\text{p}, 7\text{np})$ , $(\text{p}, 11\text{np})$ , $(\text{p}, 14\text{np})$ , $\text{E}=3.65$ GeV / nucleon; measured $\sigma$ . $^{120}\text{Sn}(\text{p}, \text{X})$ , $\text{E}=0.66$ GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
$^{116}\text{Xe}$	2005JA06	RADIOACTIVITY $^{117}\text{Ba}(\beta^+\text{p})$ [from $^{63}\text{Cu}(^{58}\text{Ni}, 3\text{np})$ ]; measured $\text{E}\gamma$ , $\text{E}\beta$ , $\beta\gamma$ -coin, $\beta$ -delayed proton spectra; deduced $\text{Q}$ . $^{117}\text{Cs}$ deduced $\beta$ -feeding intensities, proton decay branching ratios, resonance structure. Total absorption spectrometer, comparison with model predictions. JOUR ZAANE 23 401

**A=117**

$^{117}\text{Sn}$	2005BA18	NUCLEAR REACTIONS $^{112}\text{Sn}(\text{d}, \text{p})$ , $(\text{d}, 3\text{np})$ , $(\text{p}, 2\text{np})$ , $^{118}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 3\text{n})$ , $(\text{d}, 5\text{n})$ , $(\text{d}, 2\text{np})$ , $(\text{d}, 6\text{np})$ , $(\text{d}, 9\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 4\text{n})$ , $(\text{p}, \text{np})$ , $(\text{p}, 5\text{np})$ , $(\text{p}, 8\text{np})$ , $^{120}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 4\text{n})$ , $(\text{d}, 6\text{n})$ , $(\text{d}, 7\text{n})$ , $(\text{d}, 4\text{np})$ , $(\text{d}, 8\text{np})$ , $(\text{d}, 11\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 5\text{n})$ , $(\text{p}, 6\text{n})$ , $(\text{p}, 3\text{np})$ , $(\text{p}, 7\text{np})$ , $(\text{p}, 10\text{np})$ , $^{124}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 4\text{n})$ , $(\text{d}, 6\text{n})$ , $(\text{d}, 8\text{n})$ , $(\text{d}, 10\text{n})$ , $(\text{d}, 11\text{n})$ , $(\text{d}, 2\text{np})$ , $(\text{d}, 8\text{np})$ , $(\text{d}, 12\text{np})$ , $(\text{d}, 15\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 5\text{n})$ , $(\text{p}, 7\text{n})$ , $(\text{p}, 9\text{n})$ , $(\text{p}, 10\text{n})$ , $(\text{p}, \text{np})$ , $(\text{p}, 7\text{np})$ , $(\text{p}, 11\text{np})$ , $(\text{p}, 14\text{np})$ , $\text{E}=3.65$ GeV / nucleon; measured $\sigma$ . $^{120}\text{Sn}(\text{p}, \text{X})$ , $\text{E}=0.66$ GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
	2005HE08	NUCLEAR REACTIONS $^{100}\text{Mo}(^{17}\text{O}, \text{xnp})$ , $\text{E}=78.8$ MeV; $^{100}\text{Mo}(^{18}\text{O}, \text{xnp})$ , $\text{E}=95.0$ MeV; measured $\text{E}\gamma$ , $\text{I}\gamma$ , (evaporation residue) $\gamma$ -coin. $^{117,118}\text{Sn}$ deduced GDR widths, temperature and spin dependence features. Comparison with model predictions. JOUR NUPAB 750 175

**A=117 (*continued*)**

- |                   |          |  |
|-------------------|----------|--|
| $^{117}\text{Sb}$ | 2005BA18 | NUCLEAR REACTIONS $^{112}\text{Sn}(\text{d}, \text{p}), (\text{d}, 3\text{np}), (\text{p}, 2\text{np}), ^{118}\text{Sn}(\text{d}, 2\text{n}), (\text{d}, 3\text{n}), (\text{d}, 5\text{n}), (\text{d}, 2\text{np}), (\text{d}, 6\text{np}), (\text{d}, 9\text{np}), (\text{p}, \text{n}), (\text{p}, 3\text{n}), (\text{p}, 4\text{n}), (\text{p}, \text{np}), (\text{p}, 5\text{np}), (\text{p}, 8\text{np}), ^{120}\text{Sn}(\text{d}, 2\text{n}), (\text{d}, 4\text{n}), (\text{d}, 6\text{n}), (\text{d}, 7\text{n}), (\text{d}, 4\text{np}), (\text{d}, 8\text{np}), (\text{d}, 11\text{np}), (\text{p}, \text{n}), (\text{p}, 3\text{n}), (\text{p}, 5\text{n}), (\text{p}, 6\text{n}), (\text{p}, 3\text{np}), (\text{p}, 7\text{np}), (\text{p}, 10\text{np}), ^{124}\text{Sn}(\text{d}, 2\text{n}), (\text{d}, 4\text{n}), (\text{d}, 6\text{n}), (\text{d}, 8\text{n}), (\text{d}, 10\text{n}), (\text{d}, 11\text{n}), (\text{d}, 2\text{np}), (\text{d}, 8\text{np}), (\text{d}, 12\text{np}), (\text{d}, 15\text{np}), (\text{p}, \text{n}), (\text{p}, 3\text{n}), (\text{p}, 5\text{n}), (\text{p}, 7\text{n}), (\text{p}, 9\text{n}), (\text{p}, 10\text{n}), (\text{p}, \text{np}), (\text{p}, 7\text{np}), (\text{p}, 11\text{np}), (\text{p}, 14\text{np}), \text{E}=3.65 \text{ GeV} / \text{nucleon}; measured \sigma. ^{120}\text{Sn}(\text{p}, \text{X}), \text{E}=0.66 \text{ GeV}; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195$ |
| $^{117}\text{Cs}$ | 2005JA06 | RADIOACTIVITY $^{117}\text{Ba}(\beta^+\text{p})$ [from $^{63}\text{Cu}(^{58}\text{Ni}, 3\text{np})$ ]; measured $\text{E}\gamma$ , $\text{E}\beta$ , $\beta\gamma$ -coin, $\beta$ -delayed proton spectra; deduced Q. $^{117}\text{Cs}$ deduced $\beta$ -feeding intensities, proton decay branching ratios, resonance structure. Total absorption spectrometer, comparison with model predictions. JOUR ZAANE 23 401  |
| $^{117}\text{Ba}$ | 2005JA06 | RADIOACTIVITY $^{117}\text{Ba}(\beta^+\text{p})$ [from $^{63}\text{Cu}(^{58}\text{Ni}, 3\text{np})$ ]; measured $\text{E}\gamma$ , $\text{E}\beta$ , $\beta\gamma$ -coin, $\beta$ -delayed proton spectra; deduced Q. $^{117}\text{Cs}$ deduced $\beta$ -feeding intensities, proton decay branching ratios, resonance structure. Total absorption spectrometer, comparison with model predictions. JOUR ZAANE 23 401  |

**A=118**

- |                   |          |  |
|-------------------|----------|--|
| $^{118}\text{Sn}$ | 2005HE08 | NUCLEAR REACTIONS $^{100}\text{Mo}(^{17}\text{O}, \text{xnp}), \text{E}=78.8 \text{ MeV}$ ; $^{100}\text{Mo}(^{18}\text{O}, \text{xnp}), \text{E}=95.0 \text{ MeV}$ ; measured $\text{E}\gamma$ , $\text{I}\gamma$ , (evaporation residue) $\gamma$ -coin. $^{117,118}\text{Sn}$ deduced GDR widths, temperature and spin dependence features. Comparison with model predictions. JOUR NUPAB 750 175   |
| $^{118}\text{Sb}$ | 2005BA18 | NUCLEAR REACTIONS $^{112}\text{Sn}(\text{d}, \text{p}), (\text{d}, 3\text{np}), (\text{p}, 2\text{np}), ^{118}\text{Sn}(\text{d}, 2\text{n}), (\text{d}, 3\text{n}), (\text{d}, 5\text{n}), (\text{d}, 2\text{np}), (\text{d}, 6\text{np}), (\text{d}, 9\text{np}), (\text{p}, \text{n}), (\text{p}, 3\text{n}), (\text{p}, 4\text{n}), (\text{p}, \text{np}), (\text{p}, 5\text{np}), (\text{p}, 8\text{np}), ^{120}\text{Sn}(\text{d}, 2\text{n}), (\text{d}, 4\text{n}), (\text{d}, 6\text{n}), (\text{d}, 7\text{n}), (\text{d}, 4\text{np}), (\text{d}, 8\text{np}), (\text{d}, 11\text{np}), (\text{p}, \text{n}), (\text{p}, 3\text{n}), (\text{p}, 5\text{n}), (\text{p}, 6\text{n}), (\text{p}, 3\text{np}), (\text{p}, 7\text{np}), (\text{p}, 10\text{np}), ^{124}\text{Sn}(\text{d}, 2\text{n}), (\text{d}, 4\text{n}), (\text{d}, 6\text{n}), (\text{d}, 8\text{n}), (\text{d}, 10\text{n}), (\text{d}, 11\text{n}), (\text{d}, 2\text{np}), (\text{d}, 8\text{np}), (\text{d}, 12\text{np}), (\text{d}, 15\text{np}), (\text{p}, \text{n}), (\text{p}, 3\text{n}), (\text{p}, 5\text{n}), (\text{p}, 7\text{n}), (\text{p}, 9\text{n}), (\text{p}, 10\text{n}), (\text{p}, \text{np}), (\text{p}, 7\text{np}), (\text{p}, 11\text{np}), (\text{p}, 14\text{np}), \text{E}=3.65 \text{ GeV} / \text{nucleon}; measured \sigma. ^{120}\text{Sn}(\text{p}, \text{X}), \text{E}=0.66 \text{ GeV}; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195$ |

**A=119**

No references found

**A=120**

$^{120}\text{Sn}$	2004KU30	NUCLEAR REACTIONS $^{112,114,120,124}\text{Sn}(\alpha, \alpha)$ , $(\alpha, \alpha')$ , $E \approx 50$ MeV; measured $\sigma(E, \theta)$ ; deduced optical model parameters. $^{112,114,120,124}\text{Sn}$ deduced transition strengths, deformation parameters, related features. JOUR UKPJA 49 841
	2005ZU01	RADIOACTIVITY $^{120}\text{Te}(\beta^+\text{EC})$ ; $^{64}\text{Zn}$ , $^{106,108}\text{Cd}$ , $^{120}\text{Te}(2\text{EC})$ ; measured $T_{1/2}$ lower limits. JOUR NPBSE 138 236
$^{120}\text{Sb}$	2005BA18	NUCLEAR REACTIONS $^{112}\text{Sn}(\text{d}, \text{p})$ , $(\text{d}, 3\text{np})$ , $(\text{p}, 2\text{np})$ , $^{118}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 3\text{n})$ , $(\text{d}, 5\text{n})$ , $(\text{d}, 2\text{np})$ , $(\text{d}, 6\text{np})$ , $(\text{d}, 9\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 4\text{n})$ , $(\text{p}, \text{np})$ , $(\text{p}, 5\text{np})$ , $(\text{p}, 8\text{np})$ , $^{120}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 4\text{n})$ , $(\text{d}, 6\text{n})$ , $(\text{d}, 7\text{n})$ , $(\text{d}, 4\text{np})$ , $(\text{d}, 8\text{np})$ , $(\text{d}, 11\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 5\text{n})$ , $(\text{p}, 6\text{n})$ , $(\text{p}, 3\text{np})$ , $(\text{p}, 7\text{np})$ , $(\text{p}, 10\text{np})$ , $^{124}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 4\text{n})$ , $(\text{d}, 6\text{n})$ , $(\text{d}, 8\text{n})$ , $(\text{d}, 10\text{n})$ , $(\text{d}, 11\text{n})$ , $(\text{d}, 2\text{np})$ , $(\text{d}, 8\text{np})$ , $(\text{d}, 12\text{np})$ , $(\text{d}, 15\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 5\text{n})$ , $(\text{p}, 7\text{n})$ , $(\text{p}, 9\text{n})$ , $(\text{p}, 10\text{n})$ , $(\text{p}, \text{np})$ , $(\text{p}, 7\text{np})$ , $(\text{p}, 11\text{np})$ , $(\text{p}, 14\text{np})$ , $E=3.65$ GeV / nucleon; measured $\sigma$ . $^{120}\text{Sn}(\text{p}, \text{X})$ , $E=0.66$ GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
$^{120}\text{Te}$	2005ZU01	RADIOACTIVITY $^{120}\text{Te}(\beta^+\text{EC})$ ; $^{64}\text{Zn}$ , $^{106,108}\text{Cd}$ , $^{120}\text{Te}(2\text{EC})$ ; measured $T_{1/2}$ lower limits. JOUR NPBSE 138 236

**A=121**

$^{121}\text{Sb}$	2005P003	NUCLEAR REACTIONS $^{238}\text{U}(^{12}\text{C}, \text{X})$ , $E=90$ MeV; $^{208}\text{Pb}(^{18}\text{O}, \text{X})$ , $E=85$ MeV; $^{176}\text{Yb}(^{31}\text{P}, \text{X})$ , $E=152$ MeV; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{121,123,125,127}\text{Sb}$ deduced high-spin levels, $J$ , $\pi$ , configurations. $^{123,125,127}\text{Sb}$ deduced isomeric states energies, $T_{1/2}$ . Euroball III and IV arrays. JOUR ZAANE 24 39
-------------------	----------	---

**A=122**

$^{122}\text{Sb}$	2005BA18	NUCLEAR REACTIONS $^{112}\text{Sn}(\text{d}, \text{p})$ , $(\text{d}, 3\text{np})$ , $(\text{p}, 2\text{np})$ , $^{118}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 3\text{n})$ , $(\text{d}, 5\text{n})$ , $(\text{d}, 2\text{np})$ , $(\text{d}, 6\text{np})$ , $(\text{d}, 9\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 4\text{n})$ , $(\text{p}, \text{np})$ , $(\text{p}, 5\text{np})$ , $(\text{p}, 8\text{np})$ , $^{120}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 4\text{n})$ , $(\text{d}, 6\text{n})$ , $(\text{d}, 7\text{n})$ , $(\text{d}, 4\text{np})$ , $(\text{d}, 8\text{np})$ , $(\text{d}, 11\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 5\text{n})$ , $(\text{p}, 6\text{n})$ , $(\text{p}, 3\text{np})$ , $(\text{p}, 7\text{np})$ , $(\text{p}, 10\text{np})$ , $^{124}\text{Sn}(\text{d}, 2\text{n})$ , $(\text{d}, 4\text{n})$ , $(\text{d}, 6\text{n})$ , $(\text{d}, 8\text{n})$ , $(\text{d}, 10\text{n})$ , $(\text{d}, 11\text{n})$ , $(\text{d}, 2\text{np})$ , $(\text{d}, 8\text{np})$ , $(\text{d}, 12\text{np})$ , $(\text{d}, 15\text{np})$ , $(\text{p}, \text{n})$ , $(\text{p}, 3\text{n})$ , $(\text{p}, 5\text{n})$ , $(\text{p}, 7\text{n})$ , $(\text{p}, 9\text{n})$ , $(\text{p}, 10\text{n})$ , $(\text{p}, \text{np})$ , $(\text{p}, 7\text{np})$ , $(\text{p}, 11\text{np})$ , $(\text{p}, 14\text{np})$ , $E=3.65$ GeV / nucleon; measured $\sigma$ . $^{120}\text{Sn}(\text{p}, \text{X})$ , $E=0.66$ GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
$^{122}\text{Te}$	2005HIZZ	NUCLEAR REACTIONS $^{122}\text{Te}(\text{n}, \text{n}')$ , $E=1.72, 2.80, 3.35$ MeV; measured Doppler-shifted $E\gamma$ , $I\gamma$ , DSA. $^{122}\text{Te}$ deduced levels, $J$ , $\pi$ , $T_{1/2}$ , $B(E1)$ , $B(M1)$ , $B(E2)$ . PC S F Hicks, 1/3/2005
$^{122}\text{Cs}$	2005UU01	NUCLEAR REACTIONS $^{107}\text{Ag}(^{19}\text{F}, 3\text{np})$ , $E=85$ MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{122}\text{Cs}$ deduced high-spin levels, $J$ , $\pi$ , configurations, $B(M1)$ / $B(E2)$ , chiral doublet bands. Level systematics in neighboring isotopes compared. JOUR JPGPE 31 B1



**A=123**

- $^{123}\text{Sn}$       2005BA18      NUCLEAR REACTIONS  $^{112}\text{Sn}(\text{d}, \text{p})$ ,  $(\text{d}, 3\text{np})$ ,  $(\text{p}, 2\text{np})$ ,  $^{118}\text{Sn}(\text{d}, 2\text{n})$ ,  $(\text{d}, 3\text{n})$ ,  $(\text{d}, 5\text{n})$ ,  $(\text{d}, 2\text{np})$ ,  $(\text{d}, 6\text{np})$ ,  $(\text{d}, 9\text{np})$ ,  $(\text{p}, \text{n})$ ,  $(\text{p}, 3\text{n})$ ,  $(\text{p}, 4\text{n})$ ,  $(\text{p}, \text{np})$ ,  $(\text{p}, 5\text{np})$ ,  $(\text{p}, 8\text{np})$ ,  $^{120}\text{Sn}(\text{d}, 2\text{n})$ ,  $(\text{d}, 4\text{n})$ ,  $(\text{d}, 6\text{n})$ ,  $(\text{d}, 7\text{n})$ ,  $(\text{d}, 4\text{np})$ ,  $(\text{d}, 8\text{np})$ ,  $(\text{d}, 11\text{np})$ ,  $(\text{p}, \text{n})$ ,  $(\text{p}, 3\text{n})$ ,  $(\text{p}, 5\text{n})$ ,  $(\text{p}, 6\text{n})$ ,  $(\text{p}, 3\text{np})$ ,  $(\text{p}, 7\text{np})$ ,  $(\text{p}, 10\text{np})$ ,  $^{124}\text{Sn}(\text{d}, 2\text{n})$ ,  $(\text{d}, 4\text{n})$ ,  $(\text{d}, 6\text{n})$ ,  $(\text{d}, 8\text{n})$ ,  $(\text{d}, 10\text{n})$ ,  $(\text{d}, 11\text{n})$ ,  $(\text{d}, 2\text{np})$ ,  $(\text{d}, 8\text{np})$ ,  $(\text{d}, 12\text{np})$ ,  $(\text{d}, 15\text{np})$ ,  $(\text{p}, \text{n})$ ,  $(\text{p}, 3\text{n})$ ,  $(\text{p}, 5\text{n})$ ,  $(\text{p}, 7\text{n})$ ,  $(\text{p}, 9\text{n})$ ,  $(\text{p}, 10\text{n})$ ,  $(\text{p}, \text{np})$ ,  $(\text{p}, 7\text{np})$ ,  $(\text{p}, 11\text{np})$ ,  $(\text{p}, 14\text{np})$ ,  $\text{E}=3.65 \text{ GeV}$  / nucleon; measured  $\sigma$ .  $^{120}\text{Sn}(\text{p}, \text{X})$ ,  $\text{E}=0.66 \text{ GeV}$ ; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- $^{123}\text{Sb}$       2005P003      NUCLEAR REACTIONS  $^{238}\text{U}(^{12}\text{C}, \text{X})$ ,  $\text{E}=90 \text{ MeV}$ ;  $^{208}\text{Pb}(^{18}\text{O}, \text{X})$ ,  $\text{E}=85 \text{ MeV}$ ;  $^{176}\text{Yb}(^{31}\text{P}, \text{X})$ ,  $\text{E}=152 \text{ MeV}$ ; measured prompt and delayed  $\text{E}\gamma$ ,  $\text{I}\gamma$ ,  $\gamma\gamma$ -coin.  $^{121,123,125,127}\text{Sb}$  deduced high-spin levels,  $\text{J}$ ,  $\pi$ , configurations.  $^{123,125,127}\text{Sb}$  deduced isomeric states energies,  $\text{T}_{1/2}$ . Euroball III and IV arrays. JOUR ZAANE 24 39

**A=124**

- $^{124}\text{Sn}$       2004KU30      NUCLEAR REACTIONS  $^{112,114,120,124}\text{Sn}(\alpha, \alpha')$ ,  $(\alpha, \alpha')$ ,  $\text{E} \approx 50 \text{ MeV}$ ; measured  $\sigma(\text{E}, \theta)$ ; deduced optical model parameters.  $^{112,114,120,124}\text{Sn}$  deduced transition strengths, deformation parameters, related features. JOUR UKPJA 49 841
- 2005BA02      NUCLEAR REACTIONS  $^{124}\text{Sn}(\text{n}, \text{n}'\gamma)$ ,  $\text{E}=2.2\text{-}4.5 \text{ MeV}$ ; measured  $\text{E}\gamma$ ,  $\text{I}\gamma$ ,  $\gamma\gamma$ -coin, excitation functions, angular distributions, DSA.  $^{124}\text{Sn}$  deduced levels,  $\text{J}$ ,  $\pi$ ,  $\text{T}_{1/2}$ , two- and three-phonon excitations. JOUR NUPAB 747 206
- $^{124}\text{Sb}$       2005BA18      NUCLEAR REACTIONS  $^{112}\text{Sn}(\text{d}, \text{p})$ ,  $(\text{d}, 3\text{np})$ ,  $(\text{p}, 2\text{np})$ ,  $^{118}\text{Sn}(\text{d}, 2\text{n})$ ,  $(\text{d}, 3\text{n})$ ,  $(\text{d}, 5\text{n})$ ,  $(\text{d}, 2\text{np})$ ,  $(\text{d}, 6\text{np})$ ,  $(\text{d}, 9\text{np})$ ,  $(\text{p}, \text{n})$ ,  $(\text{p}, 3\text{n})$ ,  $(\text{p}, 4\text{n})$ ,  $(\text{p}, \text{np})$ ,  $(\text{p}, 5\text{np})$ ,  $(\text{p}, 8\text{np})$ ,  $^{120}\text{Sn}(\text{d}, 2\text{n})$ ,  $(\text{d}, 4\text{n})$ ,  $(\text{d}, 6\text{n})$ ,  $(\text{d}, 7\text{n})$ ,  $(\text{d}, 4\text{np})$ ,  $(\text{d}, 8\text{np})$ ,  $(\text{d}, 11\text{np})$ ,  $(\text{p}, \text{n})$ ,  $(\text{p}, 3\text{n})$ ,  $(\text{p}, 5\text{n})$ ,  $(\text{p}, 6\text{n})$ ,  $(\text{p}, 3\text{np})$ ,  $(\text{p}, 7\text{np})$ ,  $(\text{p}, 10\text{np})$ ,  $^{124}\text{Sn}(\text{d}, 2\text{n})$ ,  $(\text{d}, 4\text{n})$ ,  $(\text{d}, 6\text{n})$ ,  $(\text{d}, 8\text{n})$ ,  $(\text{d}, 10\text{n})$ ,  $(\text{d}, 11\text{n})$ ,  $(\text{d}, 2\text{np})$ ,  $(\text{d}, 8\text{np})$ ,  $(\text{d}, 12\text{np})$ ,  $(\text{d}, 15\text{np})$ ,  $(\text{p}, \text{n})$ ,  $(\text{p}, 3\text{n})$ ,  $(\text{p}, 5\text{n})$ ,  $(\text{p}, 7\text{n})$ ,  $(\text{p}, 9\text{n})$ ,  $(\text{p}, 10\text{n})$ ,  $(\text{p}, \text{np})$ ,  $(\text{p}, 7\text{np})$ ,  $(\text{p}, 11\text{np})$ ,  $(\text{p}, 14\text{np})$ ,  $\text{E}=3.65 \text{ GeV}$  / nucleon; measured  $\sigma$ .  $^{120}\text{Sn}(\text{p}, \text{X})$ ,  $\text{E}=0.66 \text{ GeV}$ ; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- $^{124}\text{I}$       2004SCZU      NUCLEAR REACTIONS  $^{76}\text{Se}(\text{p}, \text{n})$ ,  $\text{E} \approx 5\text{-}40 \text{ MeV}$ ;  $^{78}\text{Kr}(\text{d}, \alpha)$ ,  $\text{E} \approx 4\text{-}14 \text{ MeV}$ ; measured  $\sigma$ .  $^{126}\text{Te}(\text{p}, 3\text{n})$ ,  $\text{E}=8\text{-}70 \text{ MeV}$ ;  $^{85}\text{Rb}(\text{p}, 4\text{n})$ ,  $\text{E}=44\text{-}66 \text{ MeV}$ ; measured yields. REPT
- $^{124}\text{Xe}$       2005LE04      NUCLEAR REACTIONS  $\text{Pb}(\text{p}, \text{X})^3\text{He}$  /  $^4\text{He}$  /  $^{21}\text{Ne}$  /  $^{22}\text{Ne}$  /  $^{36}\text{Ar}$  /  $^{38}\text{Ar}$  /  $^{78}\text{Kr}$  /  $^{80}\text{Kr}$  /  $^{81}\text{Kr}$  /  $^{82}\text{Kr}$  /  $^{83}\text{Kr}$  /  $^{84}\text{Kr}$  /  $^{85}\text{Kr}$  /  $^{86}\text{Kr}$  /  $^{124}\text{Xe}$  /  $^{126}\text{Xe}$  /  $^{128}\text{Xe}$  /  $^{129}\text{Xe}$  /  $^{130}\text{Xe}$  /  $^{131}\text{Xe}$  /  $^{132}\text{Xe}$  /  $^{134}\text{Xe}$ ,  $\text{E}=44\text{-}2595 \text{ MeV}$ ; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1



**A=125**

- $^{125}\text{Sn}$  2004J019 NUCLEAR REACTIONS  $^2\text{H}(^{124}\text{Sn}, \text{p})$ , E=562 MeV; measured  $E_{\text{p}}$ ,  $\sigma(\theta)$ .  $^{125}\text{Sn}$  deduced levels, spectroscopic factors. DWBA analysis. Comparison with previous results. JOUR PRVCA 70 067602
- $^{125}\text{Sb}$  2005P003 NUCLEAR REACTIONS  $^{238}\text{U}(^{12}\text{C}, \text{X})$ , E=90 MeV;  $^{208}\text{Pb}(^{18}\text{O}, \text{X})$ , E=85 MeV;  $^{176}\text{Yb}(^{31}\text{P}, \text{X})$ , E=152 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{121,123,125,127}\text{Sb}$  deduced high-spin levels, J,  $\pi$ , configurations.  $^{123,125,127}\text{Sb}$  deduced isomeric states energies,  $T_{1/2}$ . Euroball III and IV arrays. JOUR ZAANE 24 39

**A=126**

- $^{126}\text{Sn}$  2005CA14 RADIOACTIVITY  $^{126}\text{Sn}(\beta^-)$ ; measured  $T_{1/2}$ .  $^{126}\text{Sb}$  deduced transitions. Radiochemical separation. JOUR JRNCD 263 599
- $^{126}\text{Sb}$  2005CA14 RADIOACTIVITY  $^{126}\text{Sn}(\beta^-)$ ; measured  $T_{1/2}$ .  $^{126}\text{Sb}$  deduced transitions. Radiochemical separation. JOUR JRNCD 263 599
- $^{126}\text{Xe}$  2005LE04 NUCLEAR REACTIONS  $\text{Pb}(\text{p}, \text{X})^3\text{He}$  /  $^4\text{He}$  /  $^{21}\text{Ne}$  /  $^{22}\text{Ne}$  /  $^{36}\text{Ar}$  /  $^{38}\text{Ar}$  /  $^{78}\text{Kr}$  /  $^{80}\text{Kr}$  /  $^{81}\text{Kr}$  /  $^{82}\text{Kr}$  /  $^{83}\text{Kr}$  /  $^{84}\text{Kr}$  /  $^{85}\text{Kr}$  /  $^{86}\text{Kr}$  /  $^{124}\text{Xe}$  /  $^{126}\text{Xe}$  /  $^{128}\text{Xe}$  /  $^{129}\text{Xe}$  /  $^{130}\text{Xe}$  /  $^{131}\text{Xe}$  /  $^{132}\text{Xe}$  /  $^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=127**

- $^{127}\text{Sb}$  2005P003 NUCLEAR REACTIONS  $^{238}\text{U}(^{12}\text{C}, \text{X})$ , E=90 MeV;  $^{208}\text{Pb}(^{18}\text{O}, \text{X})$ , E=85 MeV;  $^{176}\text{Yb}(^{31}\text{P}, \text{X})$ , E=152 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{121,123,125,127}\text{Sb}$  deduced high-spin levels, J,  $\pi$ , configurations.  $^{123,125,127}\text{Sb}$  deduced isomeric states energies,  $T_{1/2}$ . Euroball III and IV arrays. JOUR ZAANE 24 39
- $^{127}\text{I}$  2005BE03 RADIOACTIVITY  $^{23}\text{Na}$ ,  $^{127}\text{I}$ ; measured  $T_{1/2}$  lower limits for spontaneous decay to superdense state; deduced potential barrier features. NaI detectors. JOUR ZAANE 23 7
- 2005BE17 RADIOACTIVITY  $^{127}\text{I}(^{24}\text{Ne})$ ,  $(^{28}\text{Mg})$ ,  $(^{30}\text{Mg})$ ,  $(^{32}\text{Si})$ ,  $(^{34}\text{Si})$ ,  $(^{48}\text{Ca})$ ,  $(^{49}\text{Sc})$ ; measured cluster decay  $T_{1/2}$  lower limits. JOUR ZAANE 24 51
- $^{127}\text{La}$  2005II01 RADIOACTIVITY  $^{127}\text{Ce}(\beta^+)$ , (EC) [from  $\text{Mo}(^{35}\text{Cl}, \text{xnp})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin,  $T_{1/2}$ .  $^{127}\text{La}$  deduced levels, J,  $\pi$ ,  $T_{1/2}$ , configurations. Comparison with Nilsson model predictions. JOUR ZAANE 23 33
- $^{127}\text{Ce}$  2005II01 RADIOACTIVITY  $^{127}\text{Ce}(\beta^+)$ , (EC) [from  $\text{Mo}(^{35}\text{Cl}, \text{xnp})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin,  $T_{1/2}$ .  $^{127}\text{La}$  deduced levels, J,  $\pi$ ,  $T_{1/2}$ , configurations. Comparison with Nilsson model predictions. JOUR ZAANE 23 33

**A=128**

$^{128}\text{Sb}$	2005NA05	NUCLEAR REACTIONS $^{232}\text{Th}$ , $^{232,238}\text{U}$ , $^{238,240}\text{Pu}$ , $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb}$ / $^{130}\text{Sb}$ / $^{132}\text{Sb}$ / $^{131}\text{Te}$ / $^{133}\text{Te}$ / $^{132}\text{I}$ / $^{134}\text{I}$ / $^{136}\text{I}$ / $^{135}\text{Xe}$ / $^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
$^{128}\text{Xe}$	2005LE04	NUCLEAR REACTIONS $\text{Pb}(\text{p}, \text{X})^3\text{He}$ / $^4\text{He}$ / $^{21}\text{Ne}$ / $^{22}\text{Ne}$ / $^{36}\text{Ar}$ / $^{38}\text{Ar}$ / $^{78}\text{Kr}$ / $^{80}\text{Kr}$ / $^{81}\text{Kr}$ / $^{82}\text{Kr}$ / $^{83}\text{Kr}$ / $^{84}\text{Kr}$ / $^{85}\text{Kr}$ / $^{86}\text{Kr}$ / $^{124}\text{Xe}$ / $^{126}\text{Xe}$ / $^{128}\text{Xe}$ / $^{129}\text{Xe}$ / $^{130}\text{Xe}$ / $^{131}\text{Xe}$ / $^{132}\text{Xe}$ / $^{134}\text{Xe}$ , E=44-2595 MeV; measured production $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=129**

$^{129}\text{Xe}$	2005LE04	NUCLEAR REACTIONS $\text{Pb}(\text{p}, \text{X})^3\text{He}$ / $^4\text{He}$ / $^{21}\text{Ne}$ / $^{22}\text{Ne}$ / $^{36}\text{Ar}$ / $^{38}\text{Ar}$ / $^{78}\text{Kr}$ / $^{80}\text{Kr}$ / $^{81}\text{Kr}$ / $^{82}\text{Kr}$ / $^{83}\text{Kr}$ / $^{84}\text{Kr}$ / $^{85}\text{Kr}$ / $^{86}\text{Kr}$ / $^{124}\text{Xe}$ / $^{126}\text{Xe}$ / $^{128}\text{Xe}$ / $^{129}\text{Xe}$ / $^{130}\text{Xe}$ / $^{131}\text{Xe}$ / $^{132}\text{Xe}$ / $^{134}\text{Xe}$ , E=44-2595 MeV; measured production $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
-------------------	----------	--

**A=130**

$^{130}\text{Sb}$	2005NA05	NUCLEAR REACTIONS $^{232}\text{Th}$ , $^{232,238}\text{U}$ , $^{238,240}\text{Pu}$ , $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb}$ / $^{130}\text{Sb}$ / $^{132}\text{Sb}$ / $^{131}\text{Te}$ / $^{133}\text{Te}$ / $^{132}\text{I}$ / $^{134}\text{I}$ / $^{136}\text{I}$ / $^{135}\text{Xe}$ / $^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
$^{130}\text{Te}$	2005PI02	RADIOACTIVITY $^{130}\text{Te}(2\beta^-)$ ; measured $0\nu 2\beta$ -decay $T_{1/2}$ lower limit. JOUR NPBSE 138 210
$^{130}\text{Xe}$	2005LE04	NUCLEAR REACTIONS $\text{Pb}(\text{p}, \text{X})^3\text{He}$ / $^4\text{He}$ / $^{21}\text{Ne}$ / $^{22}\text{Ne}$ / $^{36}\text{Ar}$ / $^{38}\text{Ar}$ / $^{78}\text{Kr}$ / $^{80}\text{Kr}$ / $^{81}\text{Kr}$ / $^{82}\text{Kr}$ / $^{83}\text{Kr}$ / $^{84}\text{Kr}$ / $^{85}\text{Kr}$ / $^{86}\text{Kr}$ / $^{124}\text{Xe}$ / $^{126}\text{Xe}$ / $^{128}\text{Xe}$ / $^{129}\text{Xe}$ / $^{130}\text{Xe}$ / $^{131}\text{Xe}$ / $^{132}\text{Xe}$ / $^{134}\text{Xe}$ , E=44-2595 MeV; measured production $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
	2005PI02	RADIOACTIVITY $^{130}\text{Te}(2\beta^-)$ ; measured $0\nu 2\beta$ -decay $T_{1/2}$ lower limit. JOUR NPBSE 138 210

**A=131**

$^{131}\text{Te}$	2005NA05	NUCLEAR REACTIONS $^{232}\text{Th}$ , $^{232,238}\text{U}$ , $^{238,240}\text{Pu}$ , $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb}$ / $^{130}\text{Sb}$ / $^{132}\text{Sb}$ / $^{131}\text{Te}$ / $^{133}\text{Te}$ / $^{132}\text{I}$ / $^{134}\text{I}$ / $^{136}\text{I}$ / $^{135}\text{Xe}$ / $^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
-------------------	----------	---

**A=131 (continued)**

- $^{131}\text{Xe}$       2005LE04      NUCLEAR REACTIONS  $\text{Pb}(p, X)^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- $^{131}\text{Cs}$       2005KU10      NUCLEAR REACTIONS  $^{124}\text{Sn}(^{11}\text{B}, 4n)$ , E=57 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{131}\text{Cs}$  deduced high-spin levels, J,  $\pi$ , configurations B(M1) / B(E2). Total Routhian surface and tilted axis cranking model calculations. JOUR ZAANE 24 13

**A=132**

- $^{132}\text{Sb}$       2005NA05      NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(n, F)^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
- $^{132}\text{I}$       2005NA05      NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(n, F)^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
- $^{132}\text{Xe}$       2005LE04      NUCLEAR REACTIONS  $\text{Pb}(p, X)^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=133**

- $^{133}\text{Te}$       2005NA05      NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(n, F)^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304

**A=134**

- $^{134}\text{I}$       2005NA05      NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(n, F)^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304

**A=134 (continued)**

$^{134}\text{Xe}$       2005LE04      NUCLEAR REACTIONS  $\text{Pb}(p, X)^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ ,  $E=44\text{--}2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1

**A=135**

$^{135}\text{Xe}$       2004GAZV      NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, F)^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr} / ^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe}$ ,  $E_{\text{max}}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119,Gangrsky

2005NA05      NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(n, F)^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ ,  $E=\text{thermal, fast}$ ; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304

**A=136**

$^{136}\text{I}$       2005NA05      NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(n, F)^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ ,  $E=\text{thermal, fast}$ ; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304

$^{136}\text{La}$       2005BH06      NUCLEAR REACTIONS  $^{130}\text{Te}(^{11}\text{B}, 5n)$ ,  $E=52$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{136}\text{La}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations. Two-quasiparticle-rotor model calculation. JOUR NUPAB 750 199

**A=137**

$^{137}\text{Xe}$       2004GAZV      NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, F)^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr} / ^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe}$ ,  $E_{\text{max}}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119,Gangrsky

**A=138**

$^{138}\text{Xe}$       2004GAZV      NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, F)^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr} / ^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe}$ ,  $E_{\text{max}}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119,Gangrsky

**A=138 (continued)**

$^{138}\text{Cs}$       2005NA05      NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb}$  /  $^{130}\text{Sb}$  /  $^{132}\text{Sb}$  /  $^{131}\text{Te}$  /  $^{133}\text{Te}$  /  $^{132}\text{I}$  /  $^{134}\text{I}$  /  $^{136}\text{I}$  /  $^{135}\text{Xe}$  /  $^{138}\text{Cs}$ ,  
E=thermal, fast; measured isomer yield ratios; deduced fission  
fragment angular momenta. Spin-dependent statistical model analysis.  
JOUR PRVCA 71 014304

**A=139**

$^{139}\text{Xe}$       2004GAZV      NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, \text{F})^{89}\text{Kr}$  /  $^{91}\text{Kr}$  /  $^{92}\text{Kr}$  /  
 $^{93}\text{Kr}$  /  $^{135}\text{Xe}$  /  $^{137}\text{Xe}$  /  $^{138}\text{Xe}$  /  $^{139}\text{Xe}$  /  $^{140}\text{Xe}$  /  $^{141}\text{Xe}$  /  $^{142}\text{Xe}$ ,  
 $E_{\text{max}}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields.  
REPT JINR-P15-2004-119,Gangrsky

$^{139}\text{Cs}$       2005AN01      NUCLEAR REACTIONS  $^{238}\text{U}(\text{p}, \text{F})^{89}\text{Rb}$  /  $^{90}\text{Rb}$  /  $^{91}\text{Rb}$  /  $^{93}\text{Rb}$  /  
 $^{94}\text{Rb}$  /  $^{95}\text{Rb}$  /  $^{139}\text{Cs}$  /  $^{140}\text{Cs}$  /  $^{141}\text{Cs}$  /  $^{142}\text{Cs}$  /  $^{144}\text{Cs}$  /  $^{145}\text{Cs}$ ,  $E=1$   
GeV; measured yields. JOUR ZAANE 23 257

$^{139}\text{Ba}$       2005HE04      NUCLEAR REACTIONS  $^{18}\text{O}(\text{p}, \text{n})$ ,  $E=2582$  keV; measured neutron  
spectrum.  $^{138}\text{Ba}(\text{n}, \gamma)$ ,  $E=\text{spectrum}$ ; measured Maxwellian-averaged  $\sigma$ .  
JOUR PRVCA 71 025803

**A=140**

$^{140}\text{Xe}$       2004GAZV      NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, \text{F})^{89}\text{Kr}$  /  $^{91}\text{Kr}$  /  $^{92}\text{Kr}$  /  
 $^{93}\text{Kr}$  /  $^{135}\text{Xe}$  /  $^{137}\text{Xe}$  /  $^{138}\text{Xe}$  /  $^{139}\text{Xe}$  /  $^{140}\text{Xe}$  /  $^{141}\text{Xe}$  /  $^{142}\text{Xe}$ ,  
 $E_{\text{max}}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields.  
REPT JINR-P15-2004-119,Gangrsky

$^{140}\text{Cs}$       2005AN01      NUCLEAR REACTIONS  $^{238}\text{U}(\text{p}, \text{F})^{89}\text{Rb}$  /  $^{90}\text{Rb}$  /  $^{91}\text{Rb}$  /  $^{93}\text{Rb}$  /  
 $^{94}\text{Rb}$  /  $^{95}\text{Rb}$  /  $^{139}\text{Cs}$  /  $^{140}\text{Cs}$  /  $^{141}\text{Cs}$  /  $^{142}\text{Cs}$  /  $^{144}\text{Cs}$  /  $^{145}\text{Cs}$ ,  $E=1$   
GeV; measured yields. JOUR ZAANE 23 257

$^{140}\text{Nd}$       2004HIZZ      NUCLEAR REACTIONS  $^{102}\text{Ru}(^3\text{He}, 2\text{n})$ ,  $^{100}\text{Ru}(\alpha, \text{n})$ ,  $^{103}\text{Rh}(\text{d}, 2\text{n})$ ,  
( $\text{p}, \text{n}$ ),  $E \approx 5\text{-}35$  MeV; analyzed excitation functions, yields.  $\text{Ce}(^3\text{He},$   
 $\text{xn})^{140}\text{Nd}$ ,  $E < 27$  MeV;  $^{141}\text{Pr}(\text{p}, 2\text{n})$ ,  $E < 23$  MeV; measured yields.  
 $^{192}\text{Os}(\text{p}, \text{n})$ ,  $E \approx 6\text{-}20$ ; measured  $\sigma$ . REPT

NEA/NSC/DOC(2004)14,P15,Hilgers

2004NE13      NUCLEAR REACTIONS  $^{96}\text{Zr}(^{48}\text{Ca}, 4\text{n})$ ,  $E=195$  MeV; measured  $E\gamma$ ,  
 $I\gamma$ ,  $\gamma\gamma$ -coin, fractional Doppler shifts.  $^{140}\text{Nd}$  deduced superdeformed  
band transitions, quadrupole moments, configurations. Euroball array.  
JOUR PRVCA 70 064315

**A=141**

$^{141}\text{Xe}$       2004GAZV      NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, \text{F})^{89}\text{Kr}$  /  $^{91}\text{Kr}$  /  $^{92}\text{Kr}$  /  
 $^{93}\text{Kr}$  /  $^{135}\text{Xe}$  /  $^{137}\text{Xe}$  /  $^{138}\text{Xe}$  /  $^{139}\text{Xe}$  /  $^{140}\text{Xe}$  /  $^{141}\text{Xe}$  /  $^{142}\text{Xe}$ ,  
 $E_{\text{max}}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields.  
REPT JINR-P15-2004-119,Gangrsky

**A=141 (continued)**

$^{141}\text{Cs}$       2005AN01      NUCLEAR REACTIONS  $^{238}\text{U}(\text{p}, \text{F})^{89}\text{Rb} / ^{90}\text{Rb} / ^{91}\text{Rb} / ^{93}\text{Rb} / ^{94}\text{Rb} / ^{95}\text{Rb} / ^{139}\text{Cs} / ^{140}\text{Cs} / ^{141}\text{Cs} / ^{142}\text{Cs} / ^{144}\text{Cs} / ^{145}\text{Cs}$ , E=1 GeV; measured yields. JOUR ZAANE 23 257

**A=142**

$^{142}\text{Xe}$       2004GAZV      NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, \text{F})^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr} / ^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe}$ ,  $E_{\text{max}}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky

$^{142}\text{Cs}$       2005AN01      NUCLEAR REACTIONS  $^{238}\text{U}(\text{p}, \text{F})^{89}\text{Rb} / ^{90}\text{Rb} / ^{91}\text{Rb} / ^{93}\text{Rb} / ^{94}\text{Rb} / ^{95}\text{Rb} / ^{139}\text{Cs} / ^{140}\text{Cs} / ^{141}\text{Cs} / ^{142}\text{Cs} / ^{144}\text{Cs} / ^{145}\text{Cs}$ , E=1 GeV; measured yields. JOUR ZAANE 23 257

$^{142}\text{Ba}$       2005BI02      RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin.  $^{142,144}\text{Ba}$  levels deduced  $T_{1/2}$ , transition quadrupole moments. Euroball, Saphir arrays, differential Doppler shift method. JOUR PRVCA 71 011301

$^{142}\text{Nd}$       2005MA10      NUCLEAR MOMENTS  $^{142,143,144,145,146,148,150}\text{Nd}$ ; measured hfs, isotope shifts. JOUR CHPHD 14 511

$^{142}\text{Gd}$       2005PA07      NUCLEAR REACTIONS  $^{114}\text{Sn}(^{32}\text{S}, 2\text{n}2\text{p})$ , E=160 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, DSA.  $^{142}\text{Gd}$  deduced high-spin levels, J,  $\pi$ , configurations,  $T_{1/2}$ , B(M1), B(E2). Euroball IV and Euclides arrays, comparisons with model predictions. JOUR ZAANE 23 191

**A=143**

$^{143}\text{Nd}$       2003KI26      RADIOACTIVITY  $^{147}\text{Sm}(\alpha)$ ; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with previous results. JOUR JNRS 4, No 1, 5

                 2004WAZV      NUCLEAR REACTIONS  $\text{Mg}(^{132}\text{Xe}, \text{xn})^{149}\text{Dy}$ , E=7 MeV / nucleon;  $^{12}\text{C}(^{136}\text{Xe}, 5\text{n})$ , E=6.5 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma(\theta, \text{H}, \text{t})$ .  $^{149}\text{Dy}$ ,  $^{143}\text{Nd}$  deduced high-spin isomers g-factors. Time-differential perturbed angular distribution method. REPT CNS-REP-64, P243, Watanabe

                 2005MA10      NUCLEAR MOMENTS  $^{142,143,144,145,146,148,150}\text{Nd}$ ; measured hfs, isotope shifts. JOUR CHPHD 14 511

**A=144**

$^{144}\text{Cs}$       2005AN01      NUCLEAR REACTIONS  $^{238}\text{U}(\text{p}, \text{F})^{89}\text{Rb} / ^{90}\text{Rb} / ^{91}\text{Rb} / ^{93}\text{Rb} / ^{94}\text{Rb} / ^{95}\text{Rb} / ^{139}\text{Cs} / ^{140}\text{Cs} / ^{141}\text{Cs} / ^{142}\text{Cs} / ^{144}\text{Cs} / ^{145}\text{Cs}$ , E=1 GeV; measured yields. JOUR ZAANE 23 257

$^{144}\text{Ba}$       2005BI02      RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin.  $^{142,144}\text{Ba}$  levels deduced  $T_{1/2}$ , transition quadrupole moments. Euroball, Saphir arrays, differential Doppler shift method. JOUR PRVCA 71 011301

**A=144 (*continued*)**

<sup>144</sup> Nd	2005MA10	NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup> Nd; measured hfs, isotope shifts. JOUR CHPHD 14 511
<sup>144</sup> Er	2004SEZW	RADIOACTIVITY <sup>145,147</sup> Tm(p); measured Ep. REPT ANL-04/22,P27,Seweryniak

**A=145**

<sup>145</sup> Cs	2005AN01	NUCLEAR REACTIONS <sup>238</sup> U(p, F) <sup>89</sup> Rb / <sup>90</sup> Rb / <sup>91</sup> Rb / <sup>93</sup> Rb / <sup>94</sup> Rb / <sup>95</sup> Rb / <sup>139</sup> Cs / <sup>140</sup> Cs / <sup>141</sup> Cs / <sup>142</sup> Cs / <sup>144</sup> Cs / <sup>145</sup> Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
<sup>145</sup> Nd	2005MA10	NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup> Nd; measured hfs, isotope shifts. JOUR CHPHD 14 511
<sup>145</sup> Er	2004DAZX	RADIOACTIVITY <sup>146</sup> Tm(p); measured Ep. REPT ANL-04/22,P29,Davids
<sup>145</sup> Tm	2004SEZW	RADIOACTIVITY <sup>145,147</sup> Tm(p); measured Ep. REPT ANL-04/22,P27,Seweryniak

**A=146**

<sup>146</sup> Nd	2005MA10	NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup> Nd; measured hfs, isotope shifts. JOUR CHPHD 14 511
<sup>146</sup> Er	2004SEZW	RADIOACTIVITY <sup>145,147</sup> Tm(p); measured Ep. REPT ANL-04/22,P27,Seweryniak
<sup>146</sup> Tm	2004DAZX	RADIOACTIVITY <sup>146</sup> Tm(p); measured Ep. REPT ANL-04/22,P29,Davids

**A=147**

<sup>147</sup> Cs	2005SY01	RADIOACTIVITY <sup>147</sup> Cs( $\beta^-$ ) [from <sup>235</sup> U(n, F)]; measured $\beta$ -delayed E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (X-ray) $\gamma$ -coin, T <sub>1/2</sub> . <sup>147</sup> Ba deduced levels, J, $\pi$ , T <sub>1/2</sub> , B(M1), B(E2). JOUR ZAANE 23 481
<sup>147</sup> Ba	2005SY01	RADIOACTIVITY <sup>147</sup> Cs( $\beta^-$ ) [from <sup>235</sup> U(n, F)]; measured $\beta$ -delayed E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (X-ray) $\gamma$ -coin, T <sub>1/2</sub> . <sup>147</sup> Ba deduced levels, J, $\pi$ , T <sub>1/2</sub> , B(M1), B(E2). JOUR ZAANE 23 481
<sup>147</sup> Sm	2003KI26	RADIOACTIVITY <sup>147</sup> Sm( $\alpha$ ); measured E $\alpha$ , T <sub>1/2</sub> . Comparison with previous results. JOUR JNRS 4, No 1,5
<sup>147</sup> Tm	2004SEZW	RADIOACTIVITY <sup>145,147</sup> Tm(p); measured Ep. REPT ANL-04/22,P27,Seweryniak

**A=148**

<sup>148</sup> Nd	2005MA10	NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup> Nd; measured hfs, isotope shifts. JOUR CHPHD 14 511
-------------------	----------	--

**A=148 (*continued*)**

- |                   |          |  |
|-------------------|----------|--|
| $^{148}\text{Tb}$ | 2004AL35 | RADIOACTIVITY $^{148}\text{Dy}(\text{EC})$ , ( $\beta^+$ ) [from $^{93}\text{Nb}(^{58}\text{Ni}, 3\text{p})$ ]; measured $\text{E}\gamma$ , $\text{I}\gamma$ , (X-ray) $\gamma^-$ , $\beta\gamma$ -coin; deduced log ft. $^{148}\text{Tb}$ levels deduced $\beta$ -feeding intensities, Gamow-Teller strength distribution, resonant state features. Total absorption spectrometer, comparison with previous results. JOUR PRVCA 70 064301 |
| $^{148}\text{Dy}$ | 2004AL35 | RADIOACTIVITY $^{148}\text{Dy}(\text{EC})$ , ( $\beta^+$ ) [from $^{93}\text{Nb}(^{58}\text{Ni}, 3\text{p})$ ]; measured $\text{E}\gamma$ , $\text{I}\gamma$ , (X-ray) $\gamma^-$ , $\beta\gamma$ -coin; deduced log ft. $^{148}\text{Tb}$ levels deduced $\beta$ -feeding intensities, Gamow-Teller strength distribution, resonant state features. Total absorption spectrometer, comparison with previous results. JOUR PRVCA 70 064301 |

**A=149**

- |                   |          |  |
|-------------------|----------|--|
| $^{149}\text{Dy}$ | 2004WAZW | NUCLEAR REACTIONS $\text{Mg}(^{132}\text{Xe}, \text{xn})^{149}\text{Dy}$ , $\text{E}=7$ MeV / nucleon; $^{12}\text{C}(^{136}\text{Xe}, 5\text{n})$ , $\text{E}=6.5$ MeV / nucleon; measured $\text{E}\gamma$ , $\text{I}\gamma(\theta, \text{H}, \text{t})$ . $^{149}\text{Dy}$ , $^{143}\text{Nd}$ deduced high-spin isomers g-factors. Time-differential perturbed angular distribution method. REPT<br>CNS-REP-64,P243,Watanabe |
|-------------------|----------|--|

**A=150**

- |                   |          |   |
|-------------------|----------|---|
| $^{150}\text{Nd}$ | 2005MA10 | NUCLEAR MOMENTS $^{142,143,144,145,146,148,150}\text{Nd}$ ; measured hfs, isotope shifts. JOUR CHPHD 14 511   |
|                   | 2005SA07 | RADIOACTIVITY $^{82}\text{Se}$ , $^{96}\text{Zr}$ , $^{100}\text{Mo}$ , $^{116}\text{Cd}$ , $^{150}\text{Nd}(2\beta^-)$ ; measured $2\nu\beta\beta$ -decay $\text{T}_{1/2}$ . $^{82}\text{Se}$ , $^{100}\text{Mo}(2\beta^-)$ ; measured $0\nu\beta\beta$ -decay $\text{T}_{1/2}$ lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221 |
| $^{150}\text{Sm}$ | 2005SA07 | RADIOACTIVITY $^{82}\text{Se}$ , $^{96}\text{Zr}$ , $^{100}\text{Mo}$ , $^{116}\text{Cd}$ , $^{150}\text{Nd}(2\beta^-)$ ; measured $2\nu\beta\beta$ -decay $\text{T}_{1/2}$ . $^{82}\text{Se}$ , $^{100}\text{Mo}(2\beta^-)$ ; measured $0\nu\beta\beta$ -decay $\text{T}_{1/2}$ lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221 |

**A=151**

No references found

**A=152**

- |                   |          |   |
|-------------------|----------|---|
| $^{152}\text{Dy}$ | 2004LAZW | NUCLEAR REACTIONS $^{108}\text{Pd}(^{48}\text{Ca}, 4\text{n})$ , $\text{E}=194$ MeV; measured $\text{E}\gamma$ , $\text{I}\gamma$ , $\gamma\gamma$ -coin. $^{152}\text{Dy}$ deduced ridge widths, quadrupole moments, rotational damping features for deformed and superdeformed quasicontinuum spectra. Gammasphere array. REPT<br>ANL-04/22,P51,Lauritsen |
|-------------------|----------|---|



### A=153

$^{153}\text{Eu}$	2004MB03	NUCLEAR MOMENTS $^{113,115}\text{In}$ , $^{153,155}\text{Eu}$ , $^{185,187}\text{Re}$ , $^{203,205}\text{Tl}$ , $^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
	2005BU02	NUCLEAR REACTIONS $^{154}\text{Gd}(t, \alpha)$ , E=15 MeV; $^{152}\text{Sm}(^3\text{He}, d)$ , E=24 MeV; $^{152}\text{Sm}(\alpha, t)$ , E=25 MeV; measured particle spectra, $\sigma(E, \theta)$ . $^{153}\text{Eu}$ deduced levels, l-values, spectroscopic strengths, configurations. Nilsson model with Coriolis mixing. JOUR NUPAB 747 131

### A=154

No references found

### A=155

$^{155}\text{Eu}$	2004MB03	NUCLEAR MOMENTS $^{113,115}\text{In}$ , $^{153,155}\text{Eu}$ , $^{185,187}\text{Re}$ , $^{203,205}\text{Tl}$ , $^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
-------------------	----------	---

### A=156

No references found

### A=157

No references found

### A=158

No references found

### A=159

No references found

### A=160

No references found

**A=161**

No references found

**A=162**

$^{162}\text{Dy}$	2004KI23	NUCLEAR REACTIONS $^{161,162,163,164}\text{Dy}(n, \gamma)$ , E=550 keV; measured $E\gamma$ , $I\gamma$ , capture $\sigma$ . JOUR KPSJA 45 1474
-------------------	----------	--

**A=163**

$^{163}\text{Dy}$	2004KI23	NUCLEAR REACTIONS $^{161,162,163,164}\text{Dy}(n, \gamma)$ , E=550 keV; measured $E\gamma$ , $I\gamma$ , capture $\sigma$ . JOUR KPSJA 45 1474
-------------------	----------	--

**A=164**

$^{164}\text{Dy}$	2004KI23	NUCLEAR REACTIONS $^{161,162,163,164}\text{Dy}(n, \gamma)$ , E=550 keV; measured $E\gamma$ , $I\gamma$ , capture $\sigma$ . JOUR KPSJA 45 1474
$^{164}\text{W}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=165**

$^{165}\text{Dy}$	2004KI23	NUCLEAR REACTIONS $^{161,162,163,164}\text{Dy}(n, \gamma)$ , E=550 keV; measured $E\gamma$ , $I\gamma$ , capture $\sigma$ . JOUR KPSJA 45 1474
	2005BU07	NUCLEAR REACTIONS $^{163}\text{Dy}$ , $^{177}\text{Hf}(t, p)$ , E=17 MeV; measured $\sigma(Ep, \theta)$ . $^{165}\text{Dy}$ , $^{179}\text{Hf}$ deduced levels, L-values, L=0 strengths. Enriched targets, magnetic spectrograph. Systematic trends in neighboring nuclides discussed. JOUR NUPAB 750 185
$^{165}\text{Lu}$	2005AN04	NUCLEAR REACTIONS $^{139}\text{La}(^{30}\text{Si}, 4n)$ , E=135 MeV; measured Doppler-shifted $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{165}\text{Lu}$ levels deduced $T_{1/2}$ , transition quadrupole moments, B(E2). GASP array, total Routhian surface calculations. JOUR PRVCA 71 014312
$^{165}\text{Ta}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=165 (*continued*)**

- <sup>165</sup>W      2004GOZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>165</sup>Re      2004GOZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=166**

- <sup>166</sup>Yb      2005ST03      NUCLEAR REACTIONS <sup>124</sup>Sn(<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), (<sup>48</sup>Ca, 6n), E=215 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>166,167,168</sup>Yb deduced transition energy correlations, level spacing and interaction potential features, order-to-chaos transition. Gammasphere array. JOUR PRLTA 94 042501
- <sup>166</sup>Lu      2005MC01      RADIOACTIVITY <sup>166</sup>Hf( $\beta^+$ ), (EC) [from <sup>159</sup>Tb(<sup>16</sup>O, 9n)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>166</sup>Hf deduced levels, J,  $\pi$ , X(5) symmetry features. JOUR PRVCA 71 024309
- <sup>166</sup>Hf      2005MC01      RADIOACTIVITY <sup>166</sup>Hf( $\beta^+$ ), (EC) [from <sup>159</sup>Tb(<sup>16</sup>O, 9n)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>166</sup>Hf deduced levels, J,  $\pi$ , X(5) symmetry features. JOUR PRVCA 71 024309
- <sup>166</sup>W      2004GOZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>166</sup>Re      2004GOZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>166</sup>Os      2004GOZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=167**

$^{167}\text{Yb}$	2005ST03	NUCLEAR REACTIONS $^{124}\text{Sn}(^{48}\text{Ca}, 4\text{n}), (^{48}\text{Ca}, 5\text{n}), (^{48}\text{Ca}, 6\text{n})$ , E=215 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{166,167,168}\text{Yb}$ deduced transition energy correlations, level spacing and interaction potential features, order-to-chaos transition. Gammasphere array. JOUR PRLTA 94 042501
$^{167}\text{Lu}$	2005AM02	NUCLEAR REACTIONS $^{123}\text{Sb}(^{48}\text{Ca}, 4\text{n})$ , E=203 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{167}\text{Lu}$ deduced high-spin levels, J, $\pi$ , triaxial superdeformed bands, configurations. Gammasphere array. JOUR PRVCA 71 011302
$^{167}\text{W}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{167}\text{Re}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{167}\text{Os}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=168**

$^{168}\text{Yb}$	2005ST03	NUCLEAR REACTIONS $^{124}\text{Sn}(^{48}\text{Ca}, 4\text{n}), (^{48}\text{Ca}, 5\text{n}), (^{48}\text{Ca}, 6\text{n})$ , E=215 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{166,167,168}\text{Yb}$ deduced transition energy correlations, level spacing and interaction potential features, order-to-chaos transition. Gammasphere array. JOUR PRLTA 94 042501
$^{168}\text{W}$	2002DU22	RADIOACTIVITY $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ; $^{172,173}\text{Os}(\alpha)$ [from $^{156}\text{Dy}(^{22}\text{Ne}, \text{xn})$ ]; $^{183,184,185}\text{Hg}(\alpha)$ [from $^{168}\text{Yb}(^{22}\text{Ne}, \text{xn})$ ]; measured $E\alpha$ , $T_{1/2}$ . JOUR NIMAE 479 631
	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=168 (continued)**

<sup>168</sup> Re	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
<sup>168</sup> Os	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=169**

<sup>169</sup> Tm	2005BA10	NUCLEAR MOMENTS <sup>169</sup> Tm; measured hfs. JOUR PHSTB 71 159
<sup>169</sup> W	2002DU22	RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup> Po( $\alpha$ ); <sup>172,173</sup> Os( $\alpha$ ) [from <sup>156</sup> Dy( <sup>22</sup> Ne, xn)]; <sup>183,184,185</sup> Hg( $\alpha$ ) [from <sup>168</sup> Yb( <sup>22</sup> Ne, xn)]; measured E $\alpha$ , T <sub>1/2</sub> . JOUR NIMAE 479 631
<sup>169</sup> Re	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
<sup>169</sup> Os	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
<sup>169</sup> Ir	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=170**

<sup>170</sup> Re	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
-------------------	----------	---

**A=170 (continued)**

	2004WA35	NUCLEAR REACTIONS $^{142}\text{Nd}(^{32}\text{S}, 3\text{np})$ , $E=155, 166$ MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (X-ray) $\gamma$ -coin. $^{170}\text{Re}$ deduced high-spin levels, J, $\pi$ , configurations. Level systematics in neighboring nuclides discussed. JOUR PRVCA 70 064306
$^{170}\text{Os}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{170}\text{Ir}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{170}\text{Pt}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=171**

$^{171}\text{Re}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{171}\text{Os}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{171}\text{Ir}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=171 (continued)**

- <sup>171</sup>Pt      2004G0ZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=172**

- <sup>172</sup>Yb      2005SAZZ      NUCLEAR REACTIONS <sup>172,174</sup>Yb(polarized  $\gamma$ ,  $\gamma'$ ), E=2930, 3005, 3550 keV; measured E $\gamma$ , I $\gamma$ , asymmetries. <sup>172,174</sup>Yb levels deduced  $\pi$ . Comparison with previous results. PREPRINT  
nucl-ex/0501006, 1/11/2005
- <sup>172</sup>Os      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- 2002DU22      NUCLEAR REACTIONS <sup>156</sup>Dy(<sup>22</sup>Ne, 5n), (<sup>22</sup>Ne, 6n), E=127 MeV; <sup>162</sup>Er(<sup>18</sup>O, 6n), (<sup>18</sup>O, 7n), E=116 MeV; measured radiochemical yields. JOUR NIMAE 479 631
- 2004G0ZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>172</sup>Ir      2004G0ZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>172</sup>Pt      2004G0ZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=173**

- <sup>173</sup>Hf      2005HA05      NUCLEAR REACTIONS <sup>130</sup>Te(<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), E=200, 205 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, DSA. <sup>174</sup>Hf deduced superdeformed bands transitions, T<sub>1/2</sub>, quadrupole moments. <sup>173</sup>Hf deduced superdeformed band transitions. Gammasphere array, comparisons with model predictions. JOUR PYLBB 608 31

**A=173 (continued)**

<sup>173</sup> Os	2002DU22	RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup> Po( $\alpha$ ); <sup>172,173</sup> Os( $\alpha$ ) [from <sup>156</sup> Dy( <sup>22</sup> Ne, xn)]; <sup>183,184,185</sup> Hg( $\alpha$ ) [from <sup>168</sup> Yb( <sup>22</sup> Ne, xn)]; measured E $\alpha$ , T <sub>1/2</sub> . JOUR NIMAE 479 631
	2002DU22	NUCLEAR REACTIONS <sup>156</sup> Dy( <sup>22</sup> Ne, 5n), ( <sup>22</sup> Ne, 6n), E=127 MeV; <sup>162</sup> Er( <sup>18</sup> O, 6n), ( <sup>18</sup> O, 7n), E=116 MeV; measured radiochemical yields. JOUR NIMAE 479 631
	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
<sup>173</sup> Ir	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
		RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
<sup>173</sup> Pt	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
<sup>173</sup> Au	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=174**

<sup>174</sup> Er	2005CA02	RADIOACTIVITY <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au(IT) [from Be( <sup>208</sup> Pb, X)]; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin, T <sub>1/2</sub> . <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au deduced transitions. <sup>190</sup> W, <sup>200,201,202</sup> Pt deduced levels, J, $\pi$ . <sup>174,175</sup> Er, <sup>185</sup> Hf, <sup>191,194</sup> Re, <sup>199</sup> Ir(IT) [from Be( <sup>208</sup> Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
		NUCLEAR REACTIONS <sup>172,174</sup> Yb(polarized $\gamma$ , $\gamma'$ ), E=2930, 3005, 3550 keV; measured E $\gamma$ , I $\gamma$ , asymmetries. <sup>172,174</sup> Yb levels deduced $\pi$ . Comparison with previous results. PREPRINT nucl-ex/0501006, 1/11/2005
<sup>174</sup> Yb	2005SAZZ	NUCLEAR REACTIONS <sup>130</sup> Te( <sup>48</sup> Ca, 4n), ( <sup>48</sup> Ca, 5n), E=200, 205 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin, DSA. <sup>174</sup> Hf deduced superdeformed bands transitions, T <sub>1/2</sub> , quadrupole moments. <sup>173</sup> Hf deduced superdeformed band transitions. Gammasphere array, comparisons with model predictions. JOUR PYLBB 608 31
<sup>174</sup> Hf	2005HA05	



**A=174 (continued)**

	2005ME01	NUCLEAR REACTIONS Hf(n, X), E=0.1-100 eV; measured total neutron $\sigma$ . <sup>174,176,177,178,179,180</sup> Hf deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
<sup>174</sup> Os	2002DU22	NUCLEAR REACTIONS <sup>156</sup> Dy( <sup>22</sup> Ne, 5n), ( <sup>22</sup> Ne, 6n), E=127 MeV; <sup>162</sup> Er( <sup>18</sup> O, 6n), ( <sup>18</sup> O, 7n), E=116 MeV; measured radiochemical yields. JOUR NIMAE 479 631
<sup>174</sup> Ir	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
<sup>174</sup> Pt	2004GOZZ	NUCLEAR REACTIONS <sup>92</sup> Mo( <sup>84</sup> Sr, 2p), E=380 MeV; <sup>94</sup> Mo( <sup>84</sup> Sr, 2n2p), E=385 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>174</sup> Pt deduced high-spin levels, J, $\pi$ , configurations, shape coexistence features. Gammasphere, fragment separator, cranked mean-field calculations. THESIS J Goon, University of Tennessee
	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
<sup>174</sup> Au	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
<sup>174</sup> Hg	2004GOZZ	RADIOACTIVITY <sup>168,169,170,171,172</sup> Os, <sup>169,170,171,172,173,174,175</sup> Ir, <sup>170,171,172,173,174,175,176,177</sup> Pt, <sup>173,174,175,176,177</sup> Au, <sup>174,175,176,177,178</sup> Hg( $\alpha$ ) [from <sup>92,94</sup> Mo( <sup>84</sup> Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ , $\alpha$ - $\gamma$ -coin, T <sub>1/2</sub> . <sup>165</sup> Ta, <sup>165,167</sup> W, <sup>165,166,167,168,171</sup> Re, <sup>169,170,171</sup> Os, <sup>169,170,171,172,175</sup> Ir, <sup>173,175</sup> Pt, <sup>174,176</sup> Au deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=175**

<sup>175</sup> Er	2005CA02	RADIOACTIVITY <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au(IT) [from Be( <sup>208</sup> Pb, X)]; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin, T <sub>1/2</sub> . <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au deduced transitions. <sup>190</sup> W, <sup>200,201,202</sup> Pt deduced levels, J, $\pi$ . <sup>174,175</sup> Er, <sup>185</sup> Hf, <sup>191,194</sup> Re, <sup>199</sup> Ir(IT) [from Be( <sup>208</sup> Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
-------------------	----------	---

**A=175 (continued)**

$^{175}\text{Ir}$	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
	2004RA28	RADIOACTIVITY $^{183}\text{Tl}$ , $^{179}\text{Au}(\alpha)$ [from $^{144}\text{Sm}(^{42}\text{Ca}, 2\text{np})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{179}\text{Au}$ , $^{175}\text{Ir}$ deduced levels, J, $\pi$ . JOUR PRVCA 70 064308
$^{175}\text{Pt}$	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{175}\text{Au}$	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{175}\text{Hg}$	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=176**

$^{176}\text{Yb}$	2005AM04	RADIOACTIVITY $^{176}\text{Lu}(\beta^-)$ , $(\beta^+)$ ; measured isotope ratios; deduced decay branch upper limit. JOUR GCACA 69 465
$^{176}\text{Lu}$	2005AM04	RADIOACTIVITY $^{176}\text{Lu}(\beta^-)$ , $(\beta^+)$ ; measured isotope ratios; deduced decay branch upper limit. JOUR GCACA 69 465
$^{176}\text{Hf}$	2004C026	RADIOACTIVITY $^{180}\text{W}(\alpha)$ ; measured $E\alpha$ , $T_{1/2}$ , Q-value. $^{182,183,184,186}\text{W}(\alpha)$ ; measured $T_{1/2}$ lower limits. $\text{CaWO}_4$ crystals. JOUR PRVCA 70 064606
	2005AM04	RADIOACTIVITY $^{176}\text{Lu}(\beta^-)$ , $(\beta^+)$ ; measured isotope ratios; deduced decay branch upper limit. JOUR GCACA 69 465
	2005ME01	NUCLEAR REACTIONS $\text{Hf}(n, X)$ , $E=0.1\text{-}100$ eV; measured total neutron $\sigma$ . $^{174,176,177,178,179,180}\text{Hf}$ deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
$^{176}\text{Pt}$	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=176 (continued)**

$^{176}\text{Au}$	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{176}\text{Hg}$	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=177**

$^{177}\text{Hf}$	2005ME01	NUCLEAR REACTIONS $\text{Hf}(n, X)$ , $E=0.1-100$ eV; measured total neutron $\sigma$ . $^{174,176,177,178,179,180}\text{Hf}$ deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
$^{177}\text{Pt}$	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{177}\text{Au}$	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee
$^{177}\text{Hg}$	2004CAZW	RADIOACTIVITY $^{181}\text{Pb}(\alpha)$ [from $^{92}\text{Mo}(^{90}\text{Zr}, p)$ ]; measured $E\alpha$ , $T_{1/2}$ . $^{181}\text{Pb}$ deduced ground-state J, $\pi$ . REPT ANL-04/22,P43,Carpenter
	2004G0ZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, J, $\pi$ . THESIS J Goon, University of Tennessee

**A=178**

$^{178}\text{Hf}$	2004C026	RADIOACTIVITY $^{180}\text{W}(\alpha)$ ; measured $E\alpha$ , $T_{1/2}$ , Q-value. $^{182,183,184,186}\text{W}(\alpha)$ ; measured $T_{1/2}$ lower limits. $\text{CaWO}_4$ crystals. JOUR PRVCA 70 064606
	2005ME01	NUCLEAR REACTIONS $\text{Hf}(n, X)$ , $E=0.1-100$ eV; measured total neutron $\sigma$ . $^{174,176,177,178,179,180}\text{Hf}$ deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401

**A=178 (*continued*)**

- <sup>178</sup>Hg      2004G0ZZ      RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=179**

- <sup>179</sup>Hf      2004C026      RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- 2005BU07      NUCLEAR REACTIONS <sup>163</sup>Dy, <sup>177</sup>Hf(t, p), E=17 MeV; measured  $\sigma$ (Ep,  $\theta$ ). <sup>165</sup>Dy, <sup>179</sup>Hf deduced levels, L-values, L=0 strengths. Enriched targets, magnetic spectrograph. Systematic trends in neighboring nuclides discussed. JOUR NUPAB 750 185
- 2005ME01      NUCLEAR REACTIONS Hf(n, X), E=0.1-100 eV; measured total neutron  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
- <sup>179</sup>Pt      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- <sup>179</sup>Au      2004RA28      RADIOACTIVITY <sup>183</sup>Tl, <sup>179</sup>Au( $\alpha$ ) [from <sup>144</sup>Sm(<sup>42</sup>Ca, 2np) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>179</sup>Au, <sup>175</sup>Ir deduced levels, J,  $\pi$ . JOUR PRVCA 70 064308

**A=180**

- <sup>180</sup>Hf      2004C026      RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- 2005ME01      NUCLEAR REACTIONS Hf(n, X), E=0.1-100 eV; measured total neutron  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
- <sup>180</sup>W      2004C026      RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- <sup>180</sup>Pt      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631

**A=181**

- <sup>181</sup>Pt      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631

**A=181 (*continued*)**

<sup>181</sup>Pb      2004CAZW      RADIOACTIVITY <sup>181</sup>Pb( $\alpha$ ) [from <sup>92</sup>Mo(<sup>90</sup>Zr, p)]; measured E $\alpha$ , T<sub>1/2</sub>.  
<sup>181</sup>Pb deduced ground-state J,  $\pi$ . REPT ANL-04/22,P43,Carpenter

**A=182**

<sup>182</sup>Hf      2004C026      RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value.  
<sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals.  
JOUR PRVCA 70 064606

<sup>182</sup>W      2004C026      RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value.  
<sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals.  
JOUR PRVCA 70 064606

**A=183**

<sup>183</sup>W      2004C026      RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value.  
<sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals.  
JOUR PRVCA 70 064606

<sup>183</sup>Au      2005S001      NUCLEAR REACTIONS <sup>159</sup>Tb(<sup>29</sup>Si, 5n), E=140 MeV; measured E $\gamma$ ,  
I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>183</sup>Au deduced high-spin levels, J,  $\pi$ , configurations.  
GASP array. JOUR PRVCA 71 017302

<sup>183</sup>Hg      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from  
<sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured  
E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631

<sup>183</sup>Tl      2004RA28      NUCLEAR REACTIONS <sup>144</sup>Sm(<sup>42</sup>Ca, 2np), E=195, 200 MeV;  
measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>183</sup>Tl deduced high-spin levels, J,  
 $\pi$ , configurations. Jurosphere array, recoil-decay tagging. JOUR  
PRVCA 70 064308

                 2004RA28      RADIOACTIVITY <sup>183</sup>Tl, <sup>179</sup>Au( $\alpha$ ) [from <sup>144</sup>Sm(<sup>42</sup>Ca, 2np) and  
subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. <sup>179</sup>Au, <sup>175</sup>Ir  
deduced levels, J,  $\pi$ . JOUR PRVCA 70 064308

**A=184**

<sup>184</sup>W      2004C026      RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value.  
<sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals.  
JOUR PRVCA 70 064606

<sup>184</sup>Re      2004GA57      NUCLEAR REACTIONS <sup>185</sup>Re, <sup>191</sup>Ir, <sup>197</sup>Au( $\gamma$ , n), E=22 MeV  
bremsstrahlung; <sup>185</sup>Re, <sup>191</sup>Ir, <sup>197</sup>Au(n, 2n), E=14.7 MeV; <sup>181</sup>Ta( $\alpha$ , n),  
E=18 MeV; <sup>190</sup>Os, <sup>196</sup>Pt(d, n), E=13, 14 MeV; measured E $\gamma$ , I $\gamma$ ;  
deduced isomer production ratios. Activation method. JOUR BRSPE  
68 187

<sup>184</sup>Hg      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from  
<sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured  
E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631

**A=184 (*continued*)**

- <sup>184</sup>Tl      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=185**

- <sup>185</sup>Hf      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>185</sup>W      2002B067      NUCLEAR REACTIONS <sup>184</sup>W(n,  $\gamma$ ), E=thermal; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>185</sup>W deduced level energies, two-step cascade intensities, level density features. JOUR FIZBE 11 201
- <sup>185</sup>Re      2004MB03      NUCLEAR MOMENTS <sup>113,115</sup>In, <sup>153,155</sup>Eu, <sup>185,187</sup>Re, <sup>203,205</sup>Tl, <sup>209,211</sup>Fr; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
- <sup>185</sup>Hg      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- <sup>185</sup>Tl      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- <sup>185</sup>Pb      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=186**

- <sup>186</sup>W      2004C026      RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- <sup>186</sup>Re      2005HAZZ      NUCLEAR REACTIONS <sup>185</sup>Re(n,  $\gamma$ ), E=thermal; measured capture  $\sigma$  to ground and isomeric states. Astrophysical implications discussed. CONF Riken(Origin of Matter) Proc,P208,Hayakawa

**A=186 (*continued*)**

- <sup>186</sup>Tl      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- <sup>186</sup>Pb      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=187**

- <sup>187</sup>Re      2004MB03      NUCLEAR MOMENTS <sup>113,115</sup>In, <sup>153,155</sup>Eu, <sup>185,187</sup>Re, <sup>203,205</sup>Tl, <sup>209,211</sup>Fr; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPPE 68 157
- <sup>187</sup>Tl      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=188**

- <sup>188</sup>Ta      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>188</sup>Bi      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=189**

- <sup>189</sup>Tl      2005DE01      RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J,  $\pi$ . JOUR ZAANE 23 243



**A=189 (*continued*)**

- <sup>189</sup>Pb      2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>189</sup>Bi      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- <sup>189</sup>Po      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=190**

- <sup>190</sup>W      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>190</sup>Pb      2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>190</sup>Bi      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- <sup>190</sup>Po      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57



**A=191**

- <sup>191</sup>Re      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>191</sup>Pt      2005KU01      NUCLEAR REACTIONS <sup>186</sup>W(<sup>11</sup>B, 5np), E=85 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>191</sup>Pt deduced high-spin levels, J,  $\pi$ , configurations, shape coexistence. Eurogam-II array, cranked mean-field calculations. JOUR ZAANE 23 69
- <sup>191</sup>Au      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005AD01      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- <sup>191</sup>Pb      2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>191</sup>Bi      2005VA04      RADIOACTIVITY <sup>189</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, 5n), (<sup>50</sup>Cr, 3n)]; measured E $\alpha$ , E $\gamma$ , E(ce),  $\alpha\gamma$ -coin. <sup>185</sup>Pb deduced levels, J,  $\pi$ , ICC, T<sub>1/2</sub>, configurations. <sup>188,189,190,191</sup>Bi, <sup>189,190</sup>Po( $\alpha$ ) [from <sup>142</sup>Nd(<sup>52</sup>Cr, X), (<sup>50</sup>Cr, X)]; measured E $\alpha$ , I $\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=192**

- <sup>192</sup>Re      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>192</sup>Ir      2004HIZZ      NUCLEAR REACTIONS <sup>102</sup>Ru(<sup>3</sup>He, 2n), <sup>100</sup>Ru( $\alpha$ , n), <sup>103</sup>Rh(d, 2n), (p, n), E  $\approx$  5-35 MeV; analyzed excitation functions, yields. Ce(<sup>3</sup>He, xn)<sup>140</sup>Nd, E < 27 MeV; <sup>141</sup>Pr(p, 2n), E < 23 MeV; measured yields. <sup>192</sup>Os(p, n), E  $\approx$  6-20; measured  $\sigma$ . REPT NEA/NSC/DOC(2004)14,P15,Hilgers

**A=192 (continued)**

$^{192}\text{Au}$	2004ADZW	NUCLEAR REACTIONS $^{209}\text{Bi}(\text{n}, 4\text{n})$ , $(\text{n}, 5\text{n})$ , $(\text{n}, 6\text{n})$ , $(\text{n}, 7\text{n})$ , $(\text{n}, 9\text{n})$ , $^{232}\text{Th}(\text{n}, \gamma)$ , $^{197}\text{Au}(\text{n}, 2\text{n})$ , $(\text{n}, 4\text{n})$ , $(\text{n}, 6\text{n})$ , $(\text{n}, 7\text{n})$ , $(\text{n}, \gamma)$ , $^{115}\text{In}(\text{n}, 5\text{n})$ , $(\text{n}, 6\text{n})$ , $(\text{n}, 7\text{n})$ , $^{59}\text{Co}(\text{n}, 2\text{n})$ , $(\text{n}, 3\text{n})$ , $(\text{n}, 4\text{n})$ , $(\text{n}, 5\text{n})$ , $(\text{n}, \gamma)$ , $(\text{n}, \text{p})$ , $(\text{n}, 6\text{n}2\text{p})$ , E=spectrum; measured $E\gamma$ , $I\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
	2005AD01	NUCLEAR REACTIONS $^{209}\text{Bi}(\text{n}, 4\text{n})$ , $(\text{n}, 5\text{n})$ , $(\text{n}, 6\text{n})$ , $(\text{n}, 7\text{n})$ , $(\text{n}, 9\text{n})$ , $^{232}\text{Th}(\text{n}, \gamma)$ , $^{197}\text{Au}(\text{n}, 2\text{n})$ , $(\text{n}, 4\text{n})$ , $(\text{n}, 6\text{n})$ , $(\text{n}, 7\text{n})$ , $(\text{n}, \gamma)$ , $^{59}\text{Co}(\text{n}, 2\text{n})$ , $(\text{n}, 3\text{n})$ , $(\text{n}, 4\text{n})$ , $(\text{n}, 5\text{n})$ , $(\text{n}, \text{p})$ , $(\text{n}, 6\text{n}2\text{p})$ , $^{115}\text{In}(\text{n}, 5\text{n})$ , $(\text{n}, 6\text{n})$ , $(\text{n}, 7\text{n})$ , E=spectrum; measured $E\gamma$ , $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
$^{192}\text{Pb}$	2004WIZX	NUCLEAR REACTIONS $^{168}\text{Er}(^{29}\text{Si}, 5\text{n})$ , E=154 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin, DSA. $^{192}\text{Pb}$ deduced superdeformed band levels $T_{1/2}$ , quadrupole moment. Gammasphere array, total Routhian surface calculations. PREPRINT ANU-P/1610, Wilson
	2005UU02	RADIOACTIVITY $^{201,202,203,204}\text{Ra}$ , $^{197,198,199,200}\text{Rn}$ , $^{193,194,195,196}\text{Po}$ , $^{201,202,203,204}\text{Fr}$ , $^{197,198,199,200}\text{At}(\alpha)$ [from $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xnpz}\alpha)$ , $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnpz}\alpha)$ , and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ , $\alpha\alpha$ -coin for ground and metastable state decay. $^{193,195}\text{Bi}$ , $^{197,199}\text{At}$ , $^{201,203}\text{Fr}$ deduced levels, J, $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
	2005WI01	NUCLEAR REACTIONS $^{168}\text{Er}(^{29}\text{Si}, 5\text{n})$ , E=154 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin, DSA. $^{192}\text{Pb}$ deduced superdeformed band levels $T_{1/2}$ , quadrupole moment. Gammasphere array, total Routhian surface calculations. JOUR NUPAB 748 12
$^{192}\text{Bi}$	2005DE01	RADIOACTIVITY $^{200,201,203,205}\text{Fr}$ , $^{196,197,199,201}\text{At}$ , $^{193}\text{Bi}(\alpha)$ [from Th(p, X) and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . $^{201}\text{Fr}$ , $^{197}\text{At}$ , $^{193}\text{Bi}$ , $^{189}\text{Tl}$ deduced levels, J, $\pi$ . JOUR ZAANE 23 243

**A=193**

$^{193}\text{Re}$	2005CA02	RADIOACTIVITY $^{188}\text{Ta}$ , $^{190}\text{W}$ , $^{192,193}\text{Re}$ , $^{195}\text{Os}$ , $^{197,198}\text{Ir}$ , $^{200,201,202}\text{Pt}$ , $^{203}\text{Au}(\text{IT})$ [from Be( $^{208}\text{Pb}$ , X)]; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin, $T_{1/2}$ . $^{188}\text{Ta}$ , $^{190}\text{W}$ , $^{192,193}\text{Re}$ , $^{195}\text{Os}$ , $^{197,198}\text{Ir}$ , $^{200,201,202}\text{Pt}$ , $^{203}\text{Au}$ deduced transitions. $^{190}\text{W}$ , $^{200,201,202}\text{Pt}$ deduced levels, J, $\pi$ . $^{174,175}\text{Er}$ , $^{185}\text{Hf}$ , $^{191,194}\text{Re}$ , $^{199}\text{Ir}(\text{IT})$ [from Be( $^{208}\text{Pb}$ , X)]; measured $E\gamma$ , $I\gamma$ . JOUR ZAANE 23 201
$^{193}\text{Os}$	2002B066	NUCLEAR REACTIONS $^{192}\text{Os}(\text{n}, \gamma)$ , E=thermal; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{193}\text{Os}$ deduced level energies, two-step cascade intensities, level density features. JOUR FIZBE 11 83
$^{193}\text{Ir}$	2005KI01	NUCLEAR REACTIONS $^{193}\text{Ir}(\text{X-ray}, \text{X-ray})$ , $(\text{X-ray}, \gamma)$ , E=low; measured $\gamma$ -spectra, X-ray spectra. $^{193}\text{Ir}$ deduced probability for nuclear excitation by electron transition. Synchrotron radiation, silicon avalanche photodiode. JOUR NUPAB 748 3
$^{193}\text{Pb}$	2002DU22	RADIOACTIVITY $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ; $^{172,173}\text{Os}(\alpha)$ [from $^{156}\text{Dy}(^{22}\text{Ne}, \text{xn})$ ]; $^{183,184,185}\text{Hg}(\alpha)$ [from $^{168}\text{Yb}(^{22}\text{Ne}, \text{xn})$ ]; measured $E\alpha$ , $T_{1/2}$ . JOUR NIMAE 479 631

**A=193 (continued)**

- <sup>193</sup>Bi      2004KE15      NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005DE01      RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J,  $\pi$ . JOUR ZAANE 23 243
- 2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>193</sup>Po      2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=194**

- <sup>194</sup>Re      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ . <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured  $E\gamma$ ,  $I\gamma$ . JOUR ZAANE 23 201
- <sup>194</sup>Au      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2005AD01      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- <sup>194</sup>Hg      2004KHZX      NUCLEAR REACTIONS <sup>150</sup>Nd(<sup>48</sup>Ca, 4n), E not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin. <sup>194</sup>Hg deduced spreading widths for excited superdeformed quasicontinuum transitions. Gammasphere array. REPT ANL-04/22,P61,Khoo

**A=194 (*continued*)**

- <sup>194</sup>Pb      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- <sup>194</sup>Bi      2004KE15      NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnyp $\alpha$ )], <sup>170</sup>Yb(<sup>36</sup>Ar, xnyp $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>194</sup>Po      2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnyp $\alpha$ )], <sup>170</sup>Yb(<sup>36</sup>Ar, xnyp $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=195**

- <sup>195</sup>Os      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>195</sup>Au      2003HI23      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>208</sup>Pb, X)<sup>195</sup>Au / <sup>196</sup>Au, E=40, 158 GeV / nucleon; measured electromagnetic dissociation  $\sigma$  for one- and two-neutron removal. JOUR UKPJA 48 1165
- <sup>195</sup>Pb      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- <sup>195</sup>Bi      2004KE15      NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005DE01      RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J,  $\pi$ . JOUR ZAANE 23 243

**A=195 (*continued*)**

- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>195</sup>Po 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=196**

- <sup>196</sup>Au 2003HI23 NUCLEAR REACTIONS <sup>197</sup>Au(<sup>208</sup>Pb, X)<sup>195</sup>Au / <sup>196</sup>Au, E=40, 158 GeV / nucleon; measured electromagnetic dissociation  $\sigma$  for one- and two-neutron removal. JOUR UKPJA 48 1165
- 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2004GA57 NUCLEAR REACTIONS <sup>185</sup>Re, <sup>191</sup>Ir, <sup>197</sup>Au( $\gamma$ , n), E=22 MeV bremsstrahlung; <sup>185</sup>Re, <sup>191</sup>Ir, <sup>197</sup>Au(n, 2n), E=14.7 MeV; <sup>181</sup>Ta( $\alpha$ , n), E=18 MeV; <sup>190</sup>Os, <sup>196</sup>Pt(d, n), E=13, 14 MeV; measured E $\gamma$ , I $\gamma$ ; deduced isomer production ratios. Activation method. JOUR BRSPE 68 187
- 2004MIZS NUCLEAR REACTIONS Fe(p, X)<sup>52</sup>Mn, E < 2.6 GeV; Pb(p, X)<sup>10</sup>Be, E < 2.6 GeV; <sup>209</sup>Bi(p, 4np), E < 2.6 GeV; Pb(n, X)<sup>196</sup>Au / <sup>95</sup>Zr, E  $\approx$  70-180 MeV; measured excitation functions. Comparison with model predictions. REPT NEA/NSC/DOC(2004)14,P28,Michel
- 2005AD01 NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- <sup>196</sup>Pb 2002DU22 RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- <sup>196</sup>Bi 2004KE15 NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608

**A=196 (*continued*)**

- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>196</sup>Po 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>196</sup>At 2005DE01 RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J,  $\pi$ . JOUR ZAANE 23 243

**A=197**

- <sup>197</sup>Ir 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>197</sup>Au 2004GA57 NUCLEAR REACTIONS <sup>185</sup>Re, <sup>191</sup>Ir, <sup>197</sup>Au( $\gamma$ , n), E=22 MeV bremsstrahlung; <sup>185</sup>Re, <sup>191</sup>Ir, <sup>197</sup>Au(n, 2n), E=14.7 MeV; <sup>181</sup>Ta( $\alpha$ , n), E=18 MeV; <sup>190</sup>Os, <sup>196</sup>Pt(d, n), E=13, 14 MeV; measured E $\gamma$ , I $\gamma$ ; deduced isomer production ratios. Activation method. JOUR BRSPE 68 187
- 2004YU11 NUCLEAR REACTIONS <sup>197</sup>Au(<sup>55</sup>Ni, <sup>55</sup>Ni'), E=84.8 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>55</sup>Ni deduced level, transition B(E2). Comparison with model predictions. JOUR PRVCA 70 064321
- 2005W001 NUCLEAR REACTIONS <sup>197</sup>Au(<sup>84</sup>Kr, <sup>84</sup>Kr'), (<sup>56</sup>Cr, <sup>56</sup>Cr'), (<sup>108</sup>Sn, <sup>108</sup>Sn'), E=113-142 MeV / nucleon; measured E $\gamma$ , I $\gamma$  following projectile Coulomb excitation. <sup>84</sup>Kr, <sup>56</sup>Cr, <sup>108</sup>Sn deduced transitions. <sup>9</sup>Be(<sup>55</sup>Ni, X) <sup>54</sup>Co / <sup>52</sup>Fe / <sup>50</sup>Cr, E=171 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637
- <sup>197</sup>Hg 2003MB03 NUCLEAR REACTIONS <sup>198</sup>Pt, <sup>198</sup>Hg( $\gamma$ , n), E=8-17 MeV; measured E $\gamma$ , I $\gamma$ , isomer yield ratios. Comparison with model predictions. JOUR UKPJA 48 403
- <sup>197</sup>Pb 2002DU22 RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631



**A=197 (continued)**

<sup>197</sup> Bi	2004KE15	NUCLEAR REACTIONS <sup>1,2</sup> H, Ti( <sup>208</sup> Pb, X) <sup>193</sup> Bi / <sup>194</sup> Bi / <sup>195</sup> Bi / <sup>196</sup> Bi / <sup>197</sup> Bi / <sup>198</sup> Bi / <sup>199</sup> Bi / <sup>200</sup> Bi / <sup>201</sup> Bi / <sup>202</sup> Bi / <sup>203</sup> Bi / <sup>204</sup> Bi / <sup>205</sup> Bi / <sup>206</sup> Bi / <sup>207</sup> Bi / <sup>208</sup> Bi, E=1 GeV / nucleon; measured charge-pickup $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
	2005DE01	RADIOACTIVITY <sup>200,201,203,205</sup> Fr, <sup>196,197,199,201</sup> At, <sup>193</sup> Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . <sup>201</sup> Fr, <sup>197</sup> At, <sup>193</sup> Bi, <sup>189</sup> Tl deduced levels, J, $\pi$ . JOUR ZAANE 23 243
<sup>197</sup> Po	2002DU22	RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup> Po( $\alpha$ ); <sup>172,173</sup> Os( $\alpha$ ) [from <sup>156</sup> Dy( <sup>22</sup> Ne, xn)]; <sup>183,184,185</sup> Hg( $\alpha$ ) [from <sup>168</sup> Yb( <sup>22</sup> Ne, xn)]; measured $E\alpha$ , $T_{1/2}$ . JOUR NIMAE 479 631
<sup>197</sup> At	2005DE01	RADIOACTIVITY <sup>200,201,203,205</sup> Fr, <sup>196,197,199,201</sup> At, <sup>193</sup> Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . <sup>201</sup> Fr, <sup>197</sup> At, <sup>193</sup> Bi, <sup>189</sup> Tl deduced levels, J, $\pi$ . JOUR ZAANE 23 243
	2005UU02	RADIOACTIVITY <sup>201,202,203,204</sup> Ra, <sup>197,198,199,200</sup> Rn, <sup>193,194,195,196</sup> Po, <sup>201,202,203,204</sup> Fr, <sup>197,198,199,200</sup> At( $\alpha$ ) [from <sup>141</sup> Pr( <sup>63,65</sup> Cu, xnyp $\alpha$ ), <sup>170</sup> Yb( <sup>36</sup> Ar, xnyp $\alpha$ ), and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ , $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup> Bi, <sup>197,199</sup> At, <sup>201,203</sup> Fr deduced levels, J, $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
<sup>197</sup> Rn	2005UU02	RADIOACTIVITY <sup>201,202,203,204</sup> Ra, <sup>197,198,199,200</sup> Rn, <sup>193,194,195,196</sup> Po, <sup>201,202,203,204</sup> Fr, <sup>197,198,199,200</sup> At( $\alpha$ ) [from <sup>141</sup> Pr( <sup>63,65</sup> Cu, xnyp $\alpha$ ), <sup>170</sup> Yb( <sup>36</sup> Ar, xnyp $\alpha$ ), and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ , $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup> Bi, <sup>197,199</sup> At, <sup>201,203</sup> Fr deduced levels, J, $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=198**

<sup>198</sup> Ir	2005CA02	RADIOACTIVITY <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au(IT) [from Be( <sup>208</sup> Pb, X)]; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin, $T_{1/2}$ . <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au deduced transitions. <sup>190</sup> W, <sup>200,201,202</sup> Pt deduced levels, J, $\pi$ . <sup>174,175</sup> Er, <sup>185</sup> Hf, <sup>191,194</sup> Re, <sup>199</sup> Ir(IT) [from Be( <sup>208</sup> Pb, X)]; measured $E\gamma$ , $I\gamma$ . JOUR ZAANE 23 201
<sup>198</sup> Au	2004ADZW	NUCLEAR REACTIONS <sup>209</sup> Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup> Th(n, $\gamma$ ), <sup>197</sup> Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, $\gamma$ ), <sup>115</sup> In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup> Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured $E\gamma$ , $I\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
	2005AD01	NUCLEAR REACTIONS <sup>209</sup> Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup> Th(n, $\gamma$ ), <sup>197</sup> Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, $\gamma$ ), <sup>59</sup> Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup> In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured $E\gamma$ , $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61

**A=198 (*continued*)**

- <sup>198</sup>Bi      2004KE15      NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- <sup>198</sup>Po      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- 2005J003      NUCLEAR REACTIONS <sup>174</sup>Yb(<sup>29</sup>Si, 5n), E=148 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>198</sup>Po deduced spin-energy entry distributions for superdeformed and normal-deformed rotational bands. Gammasphere array. JOUR PRVCA 71 024317
- <sup>198</sup>At      2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnyp $\alpha$ )], <sup>170</sup>Yb(<sup>36</sup>Ar, xnyp $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>198</sup>Rn      2005UU02      NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnyp $\alpha$ ), E=283-293 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnyp $\alpha$ ), E=278-288 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnyp $\alpha$ ), E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnyp $\alpha$ )], <sup>170</sup>Yb(<sup>36</sup>Ar, xnyp $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=199**

- <sup>199</sup>Ir      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>199</sup>Bi      2004KE15      NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608



**A=199 (continued)**

<sup>199</sup> Po	2002DU22	RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup> Po( $\alpha$ ); <sup>172,173</sup> Os( $\alpha$ ) [from <sup>156</sup> Dy( <sup>22</sup> Ne, xn)]; <sup>183,184,185</sup> Hg( $\alpha$ ) [from <sup>168</sup> Yb( <sup>22</sup> Ne, xn)]; measured E $\alpha$ , T <sub>1/2</sub> . JOUR NIMAE 479 631
<sup>199</sup> At	2005DE01	RADIOACTIVITY <sup>200,201,203,205</sup> Fr, <sup>196,197,199,201</sup> At, <sup>193</sup> Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . <sup>201</sup> Fr, <sup>197</sup> At, <sup>193</sup> Bi, <sup>189</sup> Tl deduced levels, J, $\pi$ . JOUR ZAANE 23 243
	2005UU02	RADIOACTIVITY <sup>201,202,203,204</sup> Ra, <sup>197,198,199,200</sup> Rn, <sup>193,194,195,196</sup> Po, <sup>201,202,203,204</sup> Fr, <sup>197,198,199,200</sup> At( $\alpha$ ) [from <sup>141</sup> Pr( <sup>63,65</sup> Cu, xnypz $\alpha$ ), <sup>170</sup> Yb( <sup>36</sup> Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> , $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup> Bi, <sup>197,199</sup> At, <sup>201,203</sup> Fr deduced levels, J, $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
<sup>199</sup> Rn	2005UU02	NUCLEAR REACTIONS <sup>141</sup> Pr( <sup>65</sup> Cu, xnypz $\alpha$ ), E=283-293 MeV; measured delayed E $\alpha$ , I $\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>199,200,201</sup> Rn, <sup>202,203,204</sup> Fr, <sup>203,204</sup> Ra. <sup>141</sup> Pr( <sup>63</sup> Cu, xnypz $\alpha$ ), E=278-288 MeV; measured delayed E $\alpha$ , I $\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>198,199,200,201,202</sup> Rn, <sup>201,202</sup> Fr, <sup>201,202</sup> Ra. <sup>170</sup> Yb( <sup>36</sup> Ar, xnypz $\alpha$ ), E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>201</sup> Fr, <sup>203</sup> Ra. Gas-filled recoil separator. JOUR PRVCA 71 024306
	2005UU02	RADIOACTIVITY <sup>201,202,203,204</sup> Ra, <sup>197,198,199,200</sup> Rn, <sup>193,194,195,196</sup> Po, <sup>201,202,203,204</sup> Fr, <sup>197,198,199,200</sup> At( $\alpha$ ) [from <sup>141</sup> Pr( <sup>63,65</sup> Cu, xnypz $\alpha$ ), <sup>170</sup> Yb( <sup>36</sup> Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> , $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup> Bi, <sup>197,199</sup> At, <sup>201,203</sup> Fr deduced levels, J, $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=200**

<sup>200</sup> Pt	2005CA02	RADIOACTIVITY <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au(IT) [from Be( <sup>208</sup> Pb, X)]; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin, T <sub>1/2</sub> . <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au deduced transitions. <sup>190</sup> W, <sup>200,201,202</sup> Pt deduced levels, J, $\pi$ . <sup>174,175</sup> Er, <sup>185</sup> Hf, <sup>191,194</sup> Re, <sup>199</sup> Ir(IT) [from Be( <sup>208</sup> Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
<sup>200</sup> Bi	2004KE15	NUCLEAR REACTIONS <sup>1,2</sup> H, Ti( <sup>208</sup> Pb, X) <sup>193</sup> Bi / <sup>194</sup> Bi / <sup>195</sup> Bi / <sup>196</sup> Bi / <sup>197</sup> Bi / <sup>198</sup> Bi / <sup>199</sup> Bi / <sup>200</sup> Bi / <sup>201</sup> Bi / <sup>202</sup> Bi / <sup>203</sup> Bi / <sup>204</sup> Bi / <sup>205</sup> Bi / <sup>206</sup> Bi / <sup>207</sup> Bi / <sup>208</sup> Bi, E=1 GeV / nucleon; measured charge-pickup $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
<sup>200</sup> Po	2002DU22	RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup> Po( $\alpha$ ); <sup>172,173</sup> Os( $\alpha$ ) [from <sup>156</sup> Dy( <sup>22</sup> Ne, xn)]; <sup>183,184,185</sup> Hg( $\alpha$ ) [from <sup>168</sup> Yb( <sup>22</sup> Ne, xn)]; measured E $\alpha$ , T <sub>1/2</sub> . JOUR NIMAE 479 631

**A=200 (continued)**

<sup>200</sup> At	2005UU02	RADIOACTIVITY <sup>201,202,203,204</sup> Ra, <sup>197,198,199,200</sup> Rn, <sup>193,194,195,196</sup> Po, <sup>201,202,203,204</sup> Fr, <sup>197,198,199,200</sup> At( $\alpha$ ) [from <sup>141</sup> Pr( <sup>63,65</sup> Cu, xnypz $\alpha$ ), <sup>170</sup> Yb( <sup>36</sup> Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> , $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup> Bi, <sup>197,199</sup> At, <sup>201,203</sup> Fr deduced levels, J, $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
<sup>200</sup> Rn	2005UU02	NUCLEAR REACTIONS <sup>141</sup> Pr( <sup>65</sup> Cu, xnypz $\alpha$ ), E=283-293 MeV; measured delayed E $\alpha$ , I $\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>199,200,201</sup> Rn, <sup>202,203,204</sup> Fr, <sup>203,204</sup> Ra. <sup>141</sup> Pr( <sup>63</sup> Cu, xnypz $\alpha$ ), E=278-288 MeV; measured delayed E $\alpha$ , I $\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>198,199,200,201,202</sup> Rn, <sup>201,202</sup> Fr, <sup>201,202</sup> Ra. <sup>170</sup> Yb( <sup>36</sup> Ar, xnypz $\alpha$ ), E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>201</sup> Fr, <sup>203</sup> Ra. Gas-filled recoil separator. JOUR PRVCA 71 024306
	2005UU02	RADIOACTIVITY <sup>201,202,203,204</sup> Ra, <sup>197,198,199,200</sup> Rn, <sup>193,194,195,196</sup> Po, <sup>201,202,203,204</sup> Fr, <sup>197,198,199,200</sup> At( $\alpha$ ) [from <sup>141</sup> Pr( <sup>63,65</sup> Cu, xnypz $\alpha$ ), <sup>170</sup> Yb( <sup>36</sup> Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> , $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup> Bi, <sup>197,199</sup> At, <sup>201,203</sup> Fr deduced levels, J, $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
<sup>200</sup> Fr	2005DE01	RADIOACTIVITY <sup>200,201,203,205</sup> Fr, <sup>196,197,199,201</sup> At, <sup>193</sup> Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . <sup>201</sup> Fr, <sup>197</sup> At, <sup>193</sup> Bi, <sup>189</sup> Tl deduced levels, J, $\pi$ . JOUR ZAANE 23 243

**A=201**

<sup>201</sup> Pt	2005CA02	RADIOACTIVITY <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au(IT) [from Be( <sup>208</sup> Pb, X)]; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin, T <sub>1/2</sub> . <sup>188</sup> Ta, <sup>190</sup> W, <sup>192,193</sup> Re, <sup>195</sup> Os, <sup>197,198</sup> Ir, <sup>200,201,202</sup> Pt, <sup>203</sup> Au deduced transitions. <sup>190</sup> W, <sup>200,201,202</sup> Pt deduced levels, J, $\pi$ . <sup>174,175</sup> Er, <sup>185</sup> Hf, <sup>191,194</sup> Re, <sup>199</sup> Ir(IT) [from Be( <sup>208</sup> Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
<sup>201</sup> Bi	2004ADZW	NUCLEAR REACTIONS <sup>209</sup> Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup> Th(n, $\gamma$ ), <sup>197</sup> Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, $\gamma$ ), <sup>115</sup> In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup> Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
	2004KE15	NUCLEAR REACTIONS <sup>1,2</sup> H, Ti( <sup>208</sup> Pb, X) <sup>193</sup> Bi / <sup>194</sup> Bi / <sup>195</sup> Bi / <sup>196</sup> Bi / <sup>197</sup> Bi / <sup>198</sup> Bi / <sup>199</sup> Bi / <sup>200</sup> Bi / <sup>201</sup> Bi / <sup>202</sup> Bi / <sup>203</sup> Bi / <sup>204</sup> Bi / <sup>205</sup> Bi / <sup>206</sup> Bi / <sup>207</sup> Bi / <sup>208</sup> Bi, E=1 GeV / nucleon; measured charge-pickup $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608

**A=201 (continued)**

	2005AD01	NUCLEAR REACTIONS $^{209}\text{Bi}(n, 4n)$ , $(n, 5n)$ , $(n, 6n)$ , $(n, 7n)$ , $(n, 9n)$ , $^{232}\text{Th}(n, \gamma)$ , $^{197}\text{Au}(n, 2n)$ , $(n, 4n)$ , $(n, 6n)$ , $(n, 7n)$ , $(n, \gamma)$ , $^{59}\text{Co}(n, 2n)$ , $(n, 3n)$ , $(n, 4n)$ , $(n, 5n)$ , $(n, p)$ , $(n, 6n2p)$ , $^{115}\text{In}(n, 5n)$ , $(n, 6n)$ , $(n, 7n)$ , E=spectrum; measured $E\gamma$ , $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
$^{201}\text{Po}$	2002DU22	RADIOACTIVITY $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ; $^{172,173}\text{Os}(\alpha)$ [from $^{156}\text{Dy}(^{22}\text{Ne}, xn)$ ]; $^{183,184,185}\text{Hg}(\alpha)$ [from $^{168}\text{Yb}(^{22}\text{Ne}, xn)$ ]; measured $E\alpha$ , $T_{1/2}$ . JOUR NIMAE 479 631
$^{201}\text{At}$	2005DE01	RADIOACTIVITY $^{200,201,203,205}\text{Fr}$ , $^{196,197,199,201}\text{At}$ , $^{193}\text{Bi}(\alpha)$ [from $\text{Th}(p, X)$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . $^{201}\text{Fr}$ , $^{197}\text{At}$ , $^{193}\text{Bi}$ , $^{189}\text{Tl}$ deduced levels, $J$ , $\pi$ . JOUR ZAANE 23 243
$^{201}\text{Rn}$	2005UU02	NUCLEAR REACTIONS $^{141}\text{Pr}(^{65}\text{Cu}, xnypz\alpha)$ , $E=283\text{--}293$ MeV; measured delayed $E\alpha$ , $I\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for $^{199,200,201}\text{Rn}$ , $^{202,203,204}\text{Fr}$ , $^{203,204}\text{Ra}$ . $^{141}\text{Pr}(^{63}\text{Cu}, xnypz\alpha)$ , $E=278\text{--}288$ MeV; measured delayed $E\alpha$ , $I\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for $^{198,199,200,201,202}\text{Rn}$ , $^{201,202}\text{Fr}$ , $^{201,202}\text{Ra}$ . $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ , $E=180\text{--}185$ MeV; measured delayed $E\alpha$ , $I\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for $^{201}\text{Fr}$ , $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
$^{201}\text{Fr}$	2005DE01	RADIOACTIVITY $^{200,201,203,205}\text{Fr}$ , $^{196,197,199,201}\text{At}$ , $^{193}\text{Bi}(\alpha)$ [from $\text{Th}(p, X)$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . $^{201}\text{Fr}$ , $^{197}\text{At}$ , $^{193}\text{Bi}$ , $^{189}\text{Tl}$ deduced levels, $J$ , $\pi$ . JOUR ZAANE 23 243
	2005UU02	NUCLEAR REACTIONS $^{141}\text{Pr}(^{65}\text{Cu}, xnypz\alpha)$ , $E=283\text{--}293$ MeV; measured delayed $E\alpha$ , $I\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for $^{199,200,201}\text{Rn}$ , $^{202,203,204}\text{Fr}$ , $^{203,204}\text{Ra}$ . $^{141}\text{Pr}(^{63}\text{Cu}, xnypz\alpha)$ , $E=278\text{--}288$ MeV; measured delayed $E\alpha$ , $I\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for $^{198,199,200,201,202}\text{Rn}$ , $^{201,202}\text{Fr}$ , $^{201,202}\text{Ra}$ . $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ , $E=180\text{--}185$ MeV; measured delayed $E\alpha$ , $I\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for $^{201}\text{Fr}$ , $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
	2005UU02	RADIOACTIVITY $^{201,202,203,204}\text{Ra}$ , $^{197,198,199,200}\text{Rn}$ , $^{193,194,195,196}\text{Po}$ , $^{201,202,203,204}\text{Fr}$ , $^{197,198,199,200}\text{At}(\alpha)$ [from $^{141}\text{Pr}(^{63,65}\text{Cu}, xnypz\alpha)$ , $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ , and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ , $\alpha\alpha$ -coin for ground and metastable state decay. $^{193,195}\text{Bi}$ , $^{197,199}\text{At}$ , $^{201,203}\text{Fr}$ deduced levels, $J$ , $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
$^{201}\text{Ra}$	2005UU02	NUCLEAR REACTIONS $^{141}\text{Pr}(^{65}\text{Cu}, xnypz\alpha)$ , $E=283\text{--}293$ MeV; measured delayed $E\alpha$ , $I\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for $^{199,200,201}\text{Rn}$ , $^{202,203,204}\text{Fr}$ , $^{203,204}\text{Ra}$ . $^{141}\text{Pr}(^{63}\text{Cu}, xnypz\alpha)$ , $E=278\text{--}288$ MeV; measured delayed $E\alpha$ , $I\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for $^{198,199,200,201,202}\text{Rn}$ , $^{201,202}\text{Fr}$ , $^{201,202}\text{Ra}$ . $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ , $E=180\text{--}185$ MeV; measured delayed $E\alpha$ , $I\alpha$ , $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for $^{201}\text{Fr}$ , $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306

**A=201 (*continued*)**

2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=202**

<sup>202</sup>Pt 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201

<sup>202</sup>Bi 2004KE15 NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608

<sup>202</sup>Rn 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypz $\alpha$ ), E=283-293 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypz $\alpha$ ), E=278-288 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR PRVCA 71 024306

<sup>202</sup>Fr 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypz $\alpha$ ), E=283-293 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypz $\alpha$ ), E=278-288 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR PRVCA 71 024306

2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=202 (continued)**

- <sup>202</sup>Ra      2005UU02      NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypzα), E=283-293 MeV; measured delayed Eα, Iα, αα-, (recoil)α-coin; deduced evidence for <sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypzα), E=278-288 MeV; measured delayed Eα, Iα, αα-, (recoil)α-coin; deduced evidence for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypzα), E=180-185 MeV; measured delayed Eα, Iα, αα-, (recoil)α-coin; deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02      RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At(α) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypzα), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypzα), and subsequent decay]; measured Eα, T<sub>1/2</sub>, αα-coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J, π. Comparisons with previous results. JOUR PRVCA 71 024306

**A=203**

- <sup>203</sup>Au      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured Eγ, Iγ, γγ-coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J, π. <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured Eγ, Iγ. JOUR ZAANE 23 201
- <sup>203</sup>Tl      2004MB03      NUCLEAR MOMENTS <sup>113,115</sup>In, <sup>153,155</sup>Eu, <sup>185,187</sup>Re, <sup>203,205</sup>Tl, <sup>209,211</sup>Fr; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPPE 68 157
- <sup>203</sup>Bi      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n, γ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, γ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, γ), (n, p), (n, 6n2p), E=spectrum; measured Eγ, Iγ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2004KE15      NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup σ, velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005AD01      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n, γ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, γ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured Eγ, Iγ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- <sup>203</sup>Fr      2005DE01      RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi(α) [from Th(p, X) and subsequent decay]; measured Eα, T<sub>1/2</sub>. <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J, π. JOUR ZAANE 23 243

**A=203 (continued)**

- 2005UU02 NUCLEAR REACTIONS  $^{141}\text{Pr}(^{65}\text{Cu}, \text{xnypz}\alpha)$ , E=283-293 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  $^{199,200,201}\text{Rn}$ ,  $^{202,203,204}\text{Fr}$ ,  $^{203,204}\text{Ra}$ .  $^{141}\text{Pr}(^{63}\text{Cu}, \text{xnypz}\alpha)$ , E=278-288 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  $^{198,199,200,201,202}\text{Rn}$ ,  $^{201,202}\text{Fr}$ ,  $^{201,202}\text{Ra}$ .  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnypz}\alpha)$ , E=180-185 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  $^{201}\text{Fr}$ ,  $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xnypz}\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnypz}\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- $^{203}\text{Ra}$  2005UU02 NUCLEAR REACTIONS  $^{141}\text{Pr}(^{65}\text{Cu}, \text{xnypz}\alpha)$ , E=283-293 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  $^{199,200,201}\text{Rn}$ ,  $^{202,203,204}\text{Fr}$ ,  $^{203,204}\text{Ra}$ .  $^{141}\text{Pr}(^{63}\text{Cu}, \text{xnypz}\alpha)$ , E=278-288 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  $^{198,199,200,201,202}\text{Rn}$ ,  $^{201,202}\text{Fr}$ ,  $^{201,202}\text{Ra}$ .  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnypz}\alpha)$ , E=180-185 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  $^{201}\text{Fr}$ ,  $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xnypz}\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnypz}\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=204**

- $^{204}\text{Bi}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, \gamma)$ ,  $(n, p)$ ,  $(n, 6n2p)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates.  $\text{Pb}(p, nX)$ , E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2004KE15 NUCLEAR REACTIONS  $^1\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, X)^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} / ^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} / ^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ , E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608

**A=204 (continued)**

- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{n}, 4\text{n}), (\text{n}, 5\text{n}), (\text{n}, 6\text{n}), (\text{n}, 7\text{n}), (\text{n}, 9\text{n}), ^{232}\text{Th}(\text{n}, \gamma), ^{197}\text{Au}(\text{n}, 2\text{n}), (\text{n}, 4\text{n}), (\text{n}, 6\text{n}), (\text{n}, 7\text{n}), (\text{n}, \gamma), ^{59}\text{Co}(\text{n}, 2\text{n}), (\text{n}, 3\text{n}), (\text{n}, 4\text{n}), (\text{n}, 5\text{n}), (\text{n}, \text{p}), (\text{n}, 6\text{n}2\text{p}), ^{115}\text{In}(\text{n}, 5\text{n}), (\text{n}, 6\text{n}), (\text{n}, 7\text{n}), \text{E=spectrum}; measured  $\text{E}\gamma, \text{I}\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61$
- $^{204}\text{Fr}$  2005UU02 NUCLEAR REACTIONS  $^{141}\text{Pr}(^{65}\text{Cu}, \text{xnpz}\alpha), \text{E}=283\text{-}293 \text{ MeV}$ ; measured delayed  $\text{E}\alpha, \text{I}\alpha, \alpha\alpha\text{-}, (\text{recoil})\alpha\text{-coin}$ ; deduced evidence for  $^{199,200,201}\text{Rn}, ^{202,203,204}\text{Fr}, ^{203,204}\text{Ra}$ .  $^{141}\text{Pr}(^{63}\text{Cu}, \text{xnpz}\alpha), \text{E}=278\text{-}288 \text{ MeV}$ ; measured delayed  $\text{E}\alpha, \text{I}\alpha, \alpha\alpha\text{-}, (\text{recoil})\alpha\text{-coin}$ ; deduced evidence for  $^{198,199,200,201,202}\text{Rn}, ^{201,202}\text{Fr}, ^{201,202}\text{Ra}$ .  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnpz}\alpha), \text{E}=180\text{-}185 \text{ MeV}$ ; measured delayed  $\text{E}\alpha, \text{I}\alpha, \alpha\alpha\text{-}, (\text{recoil})\alpha\text{-coin}$ ; deduced evidence for  $^{201}\text{Fr}, ^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}, ^{197,198,199,200}\text{Rn}, ^{193,194,195,196}\text{Po}, ^{201,202,203,204}\text{Fr}, ^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xnpz}\alpha), ^{170}\text{Yb}(^{36}\text{Ar}, \text{xnpz}\alpha)$ , and subsequent decay]; measured  $\text{E}\alpha, \text{T}_{1/2}, \alpha\alpha\text{-coin}$  for ground and metastable state decay.  $^{193,195}\text{Bi}, ^{197,199}\text{At}, ^{201,203}\text{Fr}$  deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- $^{204}\text{Ra}$  2005UU02 NUCLEAR REACTIONS  $^{141}\text{Pr}(^{65}\text{Cu}, \text{xnpz}\alpha), \text{E}=283\text{-}293 \text{ MeV}$ ; measured delayed  $\text{E}\alpha, \text{I}\alpha, \alpha\alpha\text{-}, (\text{recoil})\alpha\text{-coin}$ ; deduced evidence for  $^{199,200,201}\text{Rn}, ^{202,203,204}\text{Fr}, ^{203,204}\text{Ra}$ .  $^{141}\text{Pr}(^{63}\text{Cu}, \text{xnpz}\alpha), \text{E}=278\text{-}288 \text{ MeV}$ ; measured delayed  $\text{E}\alpha, \text{I}\alpha, \alpha\alpha\text{-}, (\text{recoil})\alpha\text{-coin}$ ; deduced evidence for  $^{198,199,200,201,202}\text{Rn}, ^{201,202}\text{Fr}, ^{201,202}\text{Ra}$ .  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnpz}\alpha), \text{E}=180\text{-}185 \text{ MeV}$ ; measured delayed  $\text{E}\alpha, \text{I}\alpha, \alpha\alpha\text{-}, (\text{recoil})\alpha\text{-coin}$ ; deduced evidence for  $^{201}\text{Fr}, ^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}, ^{197,198,199,200}\text{Rn}, ^{193,194,195,196}\text{Po}, ^{201,202,203,204}\text{Fr}, ^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xnpz}\alpha), ^{170}\text{Yb}(^{36}\text{Ar}, \text{xnpz}\alpha)$ , and subsequent decay]; measured  $\text{E}\alpha, \text{T}_{1/2}, \alpha\alpha\text{-coin}$  for ground and metastable state decay.  $^{193,195}\text{Bi}, ^{197,199}\text{At}, ^{201,203}\text{Fr}$  deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=205**

- $^{205}\text{Tl}$  2004MB03 NUCLEAR MOMENTS  $^{113,115}\text{In}, ^{153,155}\text{Eu}, ^{185,187}\text{Re}, ^{203,205}\text{Tl}, ^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
- $^{205}\text{Bi}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{n}, 4\text{n}), (\text{n}, 5\text{n}), (\text{n}, 6\text{n}), (\text{n}, 7\text{n}), (\text{n}, 9\text{n}), ^{232}\text{Th}(\text{n}, \gamma), ^{197}\text{Au}(\text{n}, 2\text{n}), (\text{n}, 4\text{n}), (\text{n}, 6\text{n}), (\text{n}, 7\text{n}), (\text{n}, \gamma), ^{115}\text{In}(\text{n}, 5\text{n}), (\text{n}, 6\text{n}), (\text{n}, 7\text{n}), ^{59}\text{Co}(\text{n}, 2\text{n}), (\text{n}, 3\text{n}), (\text{n}, 4\text{n}), (\text{n}, 5\text{n}), (\text{n}, \gamma), (\text{n}, \text{p}), (\text{n}, 6\text{n}2\text{p}), \text{E=spectrum}; measured  $\text{E}\gamma, \text{I}\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam$



**A=205 (continued)**

- 2004KE15 NUCLEAR REACTIONS  $^1,^2\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, \text{X})^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} / ^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} / ^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2004MIZS NUCLEAR REACTIONS  $\text{Fe}(\text{p}, \text{X})^{52}\text{Mn}$ ,  $E < 2.6$  GeV;  $\text{Pb}(\text{p}, \text{X})^{10}\text{Be}$ ,  $E < 2.6$  GeV;  $^{209}\text{Bi}(\text{p}, 4\text{np})$ ,  $E < 2.6$  GeV;  $\text{Pb}(\text{n}, \text{X})^{196}\text{Au} / ^{95}\text{Zr}$ ,  $E \approx 70\text{-}180$  MeV; measured excitation functions. Comparison with model predictions. REPT NEA/NSC/DOC(2004)14,P28,Michel
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, 9\text{n})$ ,  $^{232}\text{Th}(\text{n}, \gamma)$ ,  $^{197}\text{Au}(\text{n}, 2\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, \gamma)$ ,  $^{59}\text{Co}(\text{n}, 2\text{n})$ ,  $(\text{n}, 3\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, \text{p})$ ,  $(\text{n}, 6\text{n}2\text{p})$ ,  $^{115}\text{In}(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- $^{205}\text{Fr}$  2005DE01 RADIOACTIVITY  $^{200,201,203,205}\text{Fr}$ ,  $^{196,197,199,201}\text{At}$ ,  $^{193}\text{Bi}(\alpha)$  [from  $\text{Th}(\text{p}, \text{X})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{201}\text{Fr}$ ,  $^{197}\text{At}$ ,  $^{193}\text{Bi}$ ,  $^{189}\text{Tl}$  deduced levels,  $J$ ,  $\pi$ . JOUR ZAANE 23 243

**A=206**

- $^{206}\text{Bi}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, 9\text{n})$ ,  $^{232}\text{Th}(\text{n}, \gamma)$ ,  $^{197}\text{Au}(\text{n}, 2\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, \gamma)$ ,  $^{115}\text{In}(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $^{59}\text{Co}(\text{n}, 2\text{n})$ ,  $(\text{n}, 3\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, \gamma)$ ,  $(\text{n}, \text{p})$ ,  $(\text{n}, 6\text{n}2\text{p})$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates.  $\text{Pb}(\text{p}, \text{nX})$ ,  $E=1$  GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2004KE15 NUCLEAR REACTIONS  $^1,^2\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, \text{X})^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} / ^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} / ^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, 9\text{n})$ ,  $^{232}\text{Th}(\text{n}, \gamma)$ ,  $^{197}\text{Au}(\text{n}, 2\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, \gamma)$ ,  $^{59}\text{Co}(\text{n}, 2\text{n})$ ,  $(\text{n}, 3\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, \text{p})$ ,  $(\text{n}, 6\text{n}2\text{p})$ ,  $^{115}\text{In}(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- $^{206}\text{At}$  2005KU06 RADIOACTIVITY  $^{210,211,212,213,214}\text{Fr}(\alpha)$  [from  $^{209}\text{Bi}(^{12}\text{C}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $I\alpha$ ,  $E\gamma$ ,  $I\gamma$ ,  $\alpha\gamma\text{-coin}$ ,  $T_{1/2}$ ; deduced hindrance factors.  $^{206,207,208,209,210}\text{At}$  deduced levels,  $J$ ,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417



**A=207**

$^{207}\text{Pb}$	2005WA06	NUCLEAR MOMENTS $^{207}\text{Pb}$ ; measured hfs. Comparison with previous results and model predictions. JOUR PHSTB 71 274
$^{207}\text{Bi}$	2004KE15	NUCLEAR REACTIONS $^1\text{H}$ , $\text{Ti}(^{208}\text{Pb}, \text{X})^{193}\text{Bi}$ / $^{194}\text{Bi}$ / $^{195}\text{Bi}$ / $^{196}\text{Bi}$ / $^{197}\text{Bi}$ / $^{198}\text{Bi}$ / $^{199}\text{Bi}$ / $^{200}\text{Bi}$ / $^{201}\text{Bi}$ / $^{202}\text{Bi}$ / $^{203}\text{Bi}$ / $^{204}\text{Bi}$ / $^{205}\text{Bi}$ / $^{206}\text{Bi}$ / $^{207}\text{Bi}$ / $^{208}\text{Bi}$ , $E=1$ GeV / nucleon; measured charge-pickup $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
$^{207}\text{At}$	2005KU06	RADIOACTIVITY $^{210,211,212,213,214}\text{Fr}(\alpha)$ [from $^{209}\text{Bi}(^{12}\text{C}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $I\alpha$ , $E\gamma$ , $I\gamma$ , $\alpha\gamma$ -coin, $T_{1/2}$ ; deduced hindrance factors. $^{206,207,208,209,210}\text{At}$ deduced levels, $J$ , $\pi$ . Comparison with previous results. JOUR ZAANE 23 417

**A=208**

$^{208}\text{Pb}$	2002LI68	NUCLEAR REACTIONS $^{208}\text{Pb}(^{19}\text{F}, ^{19}\text{F})$ , $E=88\text{--}102$ MeV; measured $\sigma(\theta)$ ; deduced parameters, role of deformation in fusion reactions, threshold anomaly. JOUR JNRS 3, No 1, 27
	2005TOZZ	NUCLEAR REACTIONS $^{208}\text{Pb}(^{27}\text{P}, \text{p}^{26}\text{Si})$ , $E=57$ MeV / nucleon; measured relative energy spectrum, $\sigma(E)$ . $^{27}\text{P}$ deduced gamma decay width of first excited state. CONF Riken(Origin of Matter) Proc, P549, Togano
$^{208}\text{Bi}$	2004KE15	NUCLEAR REACTIONS $^1\text{H}$ , $\text{Ti}(^{208}\text{Pb}, \text{X})^{193}\text{Bi}$ / $^{194}\text{Bi}$ / $^{195}\text{Bi}$ / $^{196}\text{Bi}$ / $^{197}\text{Bi}$ / $^{198}\text{Bi}$ / $^{199}\text{Bi}$ / $^{200}\text{Bi}$ / $^{201}\text{Bi}$ / $^{202}\text{Bi}$ / $^{203}\text{Bi}$ / $^{204}\text{Bi}$ / $^{205}\text{Bi}$ / $^{206}\text{Bi}$ / $^{207}\text{Bi}$ / $^{208}\text{Bi}$ , $E=1$ GeV / nucleon; measured charge-pickup $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
$^{208}\text{At}$	2005KU06	RADIOACTIVITY $^{210,211,212,213,214}\text{Fr}(\alpha)$ [from $^{209}\text{Bi}(^{12}\text{C}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $I\alpha$ , $E\gamma$ , $I\gamma$ , $\alpha\gamma$ -coin, $T_{1/2}$ ; deduced hindrance factors. $^{206,207,208,209,210}\text{At}$ deduced levels, $J$ , $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
$^{208}\text{Fr}$	2005C002	NUCLEAR REACTIONS $^{197}\text{Au}(^{18}\text{O}, 4\text{n})$ , $(^{18}\text{O}, 5\text{n})$ , $(^{18}\text{O}, 6\text{n})$ , $(^{18}\text{O}, 7\text{n})$ , $E=75\text{--}130$ MeV; measured delayed $E\alpha$ , excitation functions. Comparison with model predictions. JOUR PRVCA 71 014609
$^{208}\text{Ra}$	2005RE02	NUCLEAR REACTIONS $^{182}\text{W}(^{30}\text{Si}, 4\text{n})$ , $E=151$ MeV; measured delayed $E\gamma$ , $I\gamma$ , (recoil) $\gamma$ -coin. $^{208}\text{Ra}$ deduced levels, $J$ , $\pi$ , isomeric state $T_{1/2}$ . $^{182,183,184,186}\text{W}(^{30}\text{Si}, \text{X})^{210}\text{Ra}$ / $^{209}\text{Ra}$ / $^{208}\text{Ra}$ / $^{209}\text{Fr}$ , $E=151$ MeV; measured delayed $E\gamma$ , $I\gamma$ , (recoil) $\gamma$ -coin. $^{209}\text{Fr}$ , $^{209,210}\text{Ra}$ deduced transitions. Level systematics in neighboring nuclides discussed. JOUR PRVCA 71 014302

**A=209**

<sup>209</sup> At	2005KU06	RADIOACTIVITY <sup>210,211,212,213,214</sup> Fr( $\alpha$ ) [from <sup>209</sup> Bi( <sup>12</sup> C, xn) and subsequent decay]; measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ , $\alpha\gamma$ -coin, T <sub>1/2</sub> ; deduced hindrance factors. <sup>206,207,208,209,210</sup> At deduced levels, J, $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
<sup>209</sup> Fr	2004MB03	NUCLEAR MOMENTS <sup>113,115</sup> In, <sup>153,155</sup> Eu, <sup>185,187</sup> Re, <sup>203,205</sup> Tl, <sup>209,211</sup> Fr; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
	2005C002	NUCLEAR REACTIONS <sup>197</sup> Au( <sup>18</sup> O, 4n), ( <sup>18</sup> O, 5n), ( <sup>18</sup> O, 6n), ( <sup>18</sup> O, 7n), E=75-130 MeV; measured delayed E $\alpha$ , excitation functions. Comparison with model predictions. JOUR PRVCA 71 014609
	2005RE02	NUCLEAR REACTIONS <sup>182</sup> W( <sup>30</sup> Si, 4n), E=151 MeV; measured delayed E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>208</sup> Ra deduced levels, J, $\pi$ , isomeric state T <sub>1/2</sub> . <sup>182,183,184,186</sup> W( <sup>30</sup> Si, X) <sup>210</sup> Ra / <sup>209</sup> Ra / <sup>208</sup> Ra / <sup>209</sup> Fr, E=151 MeV; measured delayed E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>209</sup> Fr, <sup>209,210</sup> Ra deduced transitions. Level systematics in neighboring nuclides discussed. JOUR PRVCA 71 014302
<sup>209</sup> Ra	2005RE02	NUCLEAR REACTIONS <sup>182</sup> W( <sup>30</sup> Si, 4n), E=151 MeV; measured delayed E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>208</sup> Ra deduced levels, J, $\pi$ , isomeric state T <sub>1/2</sub> . <sup>182,183,184,186</sup> W( <sup>30</sup> Si, X) <sup>210</sup> Ra / <sup>209</sup> Ra / <sup>208</sup> Ra / <sup>209</sup> Fr, E=151 MeV; measured delayed E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>209</sup> Fr, <sup>209,210</sup> Ra deduced transitions. Level systematics in neighboring nuclides discussed. JOUR PRVCA 71 014302

**A=210**

<sup>210</sup> Bi	2004RA29	NUCLEAR REACTIONS <sup>208</sup> Pb, <sup>209</sup> Bi(n, $\gamma$ ), E=spectrum; measured $\sigma$ . Astrophysical implications discussed. Activation technique. JOUR PRVCA 70 065803
<sup>210</sup> At	2005KU06	RADIOACTIVITY <sup>210,211,212,213,214</sup> Fr( $\alpha$ ) [from <sup>209</sup> Bi( <sup>12</sup> C, xn) and subsequent decay]; measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ , $\alpha\gamma$ -coin, T <sub>1/2</sub> ; deduced hindrance factors. <sup>206,207,208,209,210</sup> At deduced levels, J, $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
<sup>210</sup> Fr	2005C002	NUCLEAR REACTIONS <sup>197</sup> Au( <sup>18</sup> O, 4n), ( <sup>18</sup> O, 5n), ( <sup>18</sup> O, 6n), ( <sup>18</sup> O, 7n), E=75-130 MeV; measured delayed E $\alpha$ , excitation functions. Comparison with model predictions. JOUR PRVCA 71 014609
	2005KU06	RADIOACTIVITY <sup>210,211,212,213,214</sup> Fr( $\alpha$ ) [from <sup>209</sup> Bi( <sup>12</sup> C, xn) and subsequent decay]; measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ , $\alpha\gamma$ -coin, T <sub>1/2</sub> ; deduced hindrance factors. <sup>206,207,208,209,210</sup> At deduced levels, J, $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
<sup>210</sup> Ra	2005RE02	NUCLEAR REACTIONS <sup>182</sup> W( <sup>30</sup> Si, 4n), E=151 MeV; measured delayed E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>208</sup> Ra deduced levels, J, $\pi$ , isomeric state T <sub>1/2</sub> . <sup>182,183,184,186</sup> W( <sup>30</sup> Si, X) <sup>210</sup> Ra / <sup>209</sup> Ra / <sup>208</sup> Ra / <sup>209</sup> Fr, E=151 MeV; measured delayed E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>209</sup> Fr, <sup>209,210</sup> Ra deduced transitions. Level systematics in neighboring nuclides discussed. JOUR PRVCA 71 014302

**A=211**

$^{211}\text{Pb}$	2004LAZV	NUCLEAR REACTIONS $^{238}\text{U}(^{208}\text{Pb}, \text{X})^{211}\text{Pb}$ , E=1360 MeV; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{211}\text{Pb}$ deduced high-spin levels, J, $\pi$ , configurations, isomeric states $T_{1/2}$ . Gammasphere array. PREPRINT ANU-P/1637,Lane
	2005LA01	NUCLEAR REACTIONS $^{238}\text{U}(^{208}\text{Pb}, \text{X})^{211}\text{Pb}$ , E=1360 MeV; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{211}\text{Pb}$ deduced high-spin levels, J, $\pi$ , configurations, isomeric states $T_{1/2}$ . Gammasphere array. JOUR PYLBB 606 34
$^{211}\text{Fr}$	2004MB03	NUCLEAR MOMENTS $^{113,115}\text{In}$ , $^{153,155}\text{Eu}$ , $^{185,187}\text{Re}$ , $^{203,205}\text{Tl}$ , $^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
	2005C002	NUCLEAR REACTIONS $^{197}\text{Au}(^{18}\text{O}, 4\text{n})$ , $(^{18}\text{O}, 5\text{n})$ , $(^{18}\text{O}, 6\text{n})$ , $(^{18}\text{O}, 7\text{n})$ , E=75-130 MeV; measured delayed $E\alpha$ , excitation functions. Comparison with model predictions. JOUR PRVCA 71 014609
	2005KU06	RADIOACTIVITY $^{210,211,212,213,214}\text{Fr}(\alpha)$ [from $^{209}\text{Bi}(^{12}\text{C}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $I\alpha$ , $E\gamma$ , $I\gamma$ , $\alpha\gamma$ -coin, $T_{1/2}$ ; deduced hindrance factors. $^{206,207,208,209,210}\text{At}$ deduced levels, J, $\pi$ . Comparison with previous results. JOUR ZAANE 23 417

**A=212**

$^{212}\text{Fr}$	2005KU06	RADIOACTIVITY $^{210,211,212,213,214}\text{Fr}(\alpha)$ [from $^{209}\text{Bi}(^{12}\text{C}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $I\alpha$ , $E\gamma$ , $I\gamma$ , $\alpha\gamma$ -coin, $T_{1/2}$ ; deduced hindrance factors. $^{206,207,208,209,210}\text{At}$ deduced levels, J, $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
-------------------	----------	---

**A=213**

$^{213}\text{Fr}$	2005KU06	RADIOACTIVITY $^{210,211,212,213,214}\text{Fr}(\alpha)$ [from $^{209}\text{Bi}(^{12}\text{C}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $I\alpha$ , $E\gamma$ , $I\gamma$ , $\alpha\gamma$ -coin, $T_{1/2}$ ; deduced hindrance factors. $^{206,207,208,209,210}\text{At}$ deduced levels, J, $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
-------------------	----------	---

**A=214**

$^{214}\text{Fr}$	2005KU06	RADIOACTIVITY $^{210,211,212,213,214}\text{Fr}(\alpha)$ [from $^{209}\text{Bi}(^{12}\text{C}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $I\alpha$ , $E\gamma$ , $I\gamma$ , $\alpha\gamma$ -coin, $T_{1/2}$ ; deduced hindrance factors. $^{206,207,208,209,210}\text{At}$ deduced levels, J, $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
-------------------	----------	---

**A=215**

No references found

### A=216

$^{216}\text{Rn}$	2004KM01	NUCLEAR REACTIONS $^{198}\text{Pt}(^{18}\text{O}, \text{X})$ , E=96 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. $^{216}\text{Rn}$ deduced GDR energy, width, deformation features. Hector array, comparison with model predictions. JOUR PRVCA 70 064317
$^{216}\text{Th}$	2002SU35	NUCLEAR REACTIONS $^{206}\text{Pb}(^{48}\text{Ca}, 2\text{n})$ , $^{186}\text{W}(^{34}\text{S}, 4\text{n})$ , E not given; measured yields, focal-plane position spectra in recoil separator. JOUR NIMAE 481 71

### A=217

No references found

### A=218

No references found

### A=219

No references found

### A=220

No references found

### A=221

No references found

### A=222

No references found

### A=223

No references found

**A=224**

<sup>224</sup>Th      2005SE03      NUCLEAR REACTIONS <sup>176</sup>Yb(<sup>48</sup>Ca, X), E=206, 219, 256, 259 MeV; measured E $\gamma$ , I $\gamma$ , (evaporation residue) $\gamma$ -coin,  $\gamma$ -ray multiplicity and sum energy, fusion and evaporation residue  $\sigma$ . <sup>224</sup>Th deduced GDR parameters. Comparison with model predictions. JOUR NUPAB 750 245

**A=225**

No references found

**A=226**

No references found

**A=227**

No references found

**A=228**

No references found

**A=229**

<sup>229</sup>Np      2002AS08      RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS 3, No 1, 187

**A=230**

<sup>230</sup>Th      2005P002      RADIOACTIVITY <sup>234,235,238</sup>U( $\alpha$ ); measured E $\alpha$ , I $\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565

<sup>230</sup>Np      2002AS08      RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS 3, No 1, 187

**A=231**

- $^{231}\text{Th}$  2005P002 RADIOACTIVITY  $^{234,235,238}\text{U}(\alpha)$ ; measured  $E\alpha$ ,  $I\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565
- $^{231}\text{Np}$  2002AS08 RADIOACTIVITY  $^{235,236}\text{Am}(\text{EC})$  [from  $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{235,236}\text{Pu}$  deduced levels, J,  $\pi$ , configurations.  $^{233,234,235,236}\text{Am}$ ,  $^{237,238}\text{Cm}(\alpha)$  [from  $^{233,235}\text{U}$ ,  $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187

**A=232**

- $^{232}\text{Np}$  2002AS08 RADIOACTIVITY  $^{235,236}\text{Am}(\text{EC})$  [from  $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{235,236}\text{Pu}$  deduced levels, J,  $\pi$ , configurations.  $^{233,234,235,236}\text{Am}$ ,  $^{237,238}\text{Cm}(\alpha)$  [from  $^{233,235}\text{U}$ ,  $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187

**A=233**

- $^{233}\text{Th}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, 9\text{n})$ ,  $^{232}\text{Th}(\text{n}, \gamma)$ ,  $^{197}\text{Au}(\text{n}, 2\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, \gamma)$ ,  $^{115}\text{In}(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $^{59}\text{Co}(\text{n}, 2\text{n})$ ,  $(\text{n}, 3\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, \gamma)$ ,  $(\text{n}, \text{p})$ ,  $(\text{n}, 6\text{n}2\text{p})$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates.  $\text{Pb}(\text{p}, \text{nX})$ ,  $E=1\text{ GeV}$ ; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, 9\text{n})$ ,  $^{232}\text{Th}(\text{n}, \gamma)$ ,  $^{197}\text{Au}(\text{n}, 2\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $(\text{n}, \gamma)$ ,  $^{59}\text{Co}(\text{n}, 2\text{n})$ ,  $(\text{n}, 3\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, \text{p})$ ,  $(\text{n}, 6\text{n}2\text{p})$ ,  $^{115}\text{In}(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- $^{233}\text{Pu}$  2002AS08 RADIOACTIVITY  $^{235,236}\text{Am}(\text{EC})$  [from  $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{235,236}\text{Pu}$  deduced levels, J,  $\pi$ , configurations.  $^{233,234,235,236}\text{Am}$ ,  $^{237,238}\text{Cm}(\alpha)$  [from  $^{233,235}\text{U}$ ,  $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187
- $^{233}\text{Am}$  2002AS08 RADIOACTIVITY  $^{235,236}\text{Am}(\text{EC})$  [from  $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{235,236}\text{Pu}$  deduced levels, J,  $\pi$ , configurations.  $^{233,234,235,236}\text{Am}$ ,  $^{237,238}\text{Cm}(\alpha)$  [from  $^{233,235}\text{U}$ ,  $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187

**A=234**

- $^{234}\text{Th}$  2005P002 RADIOACTIVITY  $^{234,235,238}\text{U}(\alpha)$ ; measured  $E\alpha$ ,  $I\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565

**A=234 (continued)**

$^{234}\text{U}$	2005P002	RADIOACTIVITY $^{234,235,238}\text{U}(\alpha)$ ; measured $E\alpha$ , $I\alpha$ from thick source. Comparison with model predictions. JOUR RMEAE 39 565
$^{234}\text{Pu}$	2002AS08	RADIOACTIVITY $^{235,236}\text{Am}(\text{EC})$ [from $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{235,236}\text{Pu}$ deduced levels, J, $\pi$ , configurations. $^{233,234,235,236}\text{Am}$ , $^{237,238}\text{Cm}(\alpha)$ [from $^{233,235}\text{U}$ , $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured $E\alpha$ , $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187
$^{234}\text{Am}$	2002AS08	RADIOACTIVITY $^{235,236}\text{Am}(\text{EC})$ [from $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{235,236}\text{Pu}$ deduced levels, J, $\pi$ , configurations. $^{233,234,235,236}\text{Am}$ , $^{237,238}\text{Cm}(\alpha)$ [from $^{233,235}\text{U}$ , $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured $E\alpha$ , $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187

**A=235**

$^{235}\text{U}$	2005P002	RADIOACTIVITY $^{234,235,238}\text{U}(\alpha)$ ; measured $E\alpha$ , $I\alpha$ from thick source. Comparison with model predictions. JOUR RMEAE 39 565
$^{235}\text{Pu}$	2002AS08	RADIOACTIVITY $^{235,236}\text{Am}(\text{EC})$ [from $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{235,236}\text{Pu}$ deduced levels, J, $\pi$ , configurations. $^{233,234,235,236}\text{Am}$ , $^{237,238}\text{Cm}(\alpha)$ [from $^{233,235}\text{U}$ , $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured $E\alpha$ , $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187
$^{235}\text{Am}$	2002AS08	RADIOACTIVITY $^{235,236}\text{Am}(\text{EC})$ [from $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{235,236}\text{Pu}$ deduced levels, J, $\pi$ , configurations. $^{233,234,235,236}\text{Am}$ , $^{237,238}\text{Cm}(\alpha)$ [from $^{233,235}\text{U}$ , $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured $E\alpha$ , $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187

**A=236**

$^{236}\text{Pu}$	2002AS08	RADIOACTIVITY $^{235,236}\text{Am}(\text{EC})$ [from $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{235,236}\text{Pu}$ deduced levels, J, $\pi$ , configurations. $^{233,234,235,236}\text{Am}$ , $^{237,238}\text{Cm}(\alpha)$ [from $^{233,235}\text{U}$ , $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured $E\alpha$ , $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187
	2005AS01	RADIOACTIVITY $^{236,236m}\text{Am}(\text{EC})$ [from $^{235}\text{U}(^6\text{Li}, 5\text{n})$ ]; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (X-ray) $\gamma$ -coin, $T_{1/2}$ ; deduced log ft. $^{236}\text{Pu}$ deduced levels, J, $\pi$ , configurations, $\beta$ -feeding intensities, B(E1), B(M1). $^{236}\text{Am}$ deduced isomeric state J, $\pi$ , configuration. JOUR ZAANE 23 395
$^{236}\text{Am}$	2002AS08	RADIOACTIVITY $^{235,236}\text{Am}(\text{EC})$ [from $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin; deduced log ft. $^{235,236}\text{Pu}$ deduced levels, J, $\pi$ , configurations. $^{233,234,235,236}\text{Am}$ , $^{237,238}\text{Cm}(\alpha)$ [from $^{233,235}\text{U}$ , $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured $E\alpha$ , $T_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187

**A=236 (continued)**

2005AS01 RADIOACTIVITY  $^{236,236m}\text{Am}(\text{EC})$  [from  $^{235}\text{U}(^6\text{Li}, 5\text{n})$ ]; measured  $\text{E}\gamma$ ,  $\text{I}\gamma$ ,  $\gamma\gamma$ -, (X-ray) $\gamma$ -coin,  $\text{T}_{1/2}$ ; deduced log ft.  $^{236}\text{Pu}$  deduced levels, J,  $\pi$ , configurations,  $\beta$ -feeding intensities, B(E1), B(M1).  $^{236}\text{Am}$  deduced isomeric state J,  $\pi$ , configuration. JOUR ZAANE 23 395

**A=237**

$^{237}\text{Cm}$  2002AS08 RADIOACTIVITY  $^{235,236}\text{Am}(\text{EC})$  [from  $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed  $\text{E}\gamma$ ,  $\text{I}\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{235,236}\text{Pu}$  deduced levels, J,  $\pi$ , configurations.  $^{233,234,235,236}\text{Am}$ ,  $^{237,238}\text{Cm}(\alpha)$  [from  $^{233,235}\text{U}$ ,  $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured  $\text{E}\alpha$ ,  $\text{T}_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187

**A=238**

$^{238}\text{U}$  2005P002 RADIOACTIVITY  $^{234,235,238}\text{U}(\alpha)$ ; measured  $\text{E}\alpha$ ,  $\text{I}\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565

$^{238}\text{Np}$  2004KRZX NUCLEAR REACTIONS  $^{27}\text{Al}(\text{n}, \text{n}3\text{p})$ ,  $^{59}\text{Co}$ ,  $^{139}\text{La}$ ,  $^{129}\text{I}$ ,  $^{197}\text{Au}$ ,  $^{237}\text{Np}(\text{n}, \gamma)$ ,  $^{59}\text{Co}$ ,  $^{127,129}\text{I}$ ,  $^{197}\text{Au}$ ,  $^{209}\text{Bi}(\text{n}, \text{xn})$ ,  $^{235,238}\text{U}(\text{n}, \text{F})$ ,  $\text{E}=\text{spectrum}$ ; measured yields; deduced reaction rates.  $\text{Pb}(\text{p}, \text{nX})$ ,  $\text{E}=1.5\text{ GeV}$ ; deduced neutron spectrum. REPT JINR-E1-2004-79, Krivopustov

$^{238}\text{Cm}$  2002AS08 RADIOACTIVITY  $^{235,236}\text{Am}(\text{EC})$  [from  $^{233,235}\text{U}(^6\text{Li}, \text{xn})$ ]; measured prompt and delayed  $\text{E}\gamma$ ,  $\text{I}\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{235,236}\text{Pu}$  deduced levels, J,  $\pi$ , configurations.  $^{233,234,235,236}\text{Am}$ ,  $^{237,238}\text{Cm}(\alpha)$  [from  $^{233,235}\text{U}$ ,  $^{237}\text{Np}(^6\text{Li}, \text{xn})$ ]; measured  $\text{E}\alpha$ ,  $\text{T}_{1/2}$ . Isotope separator. JOUR JNRSa 3, No 1, 187

**A=239**

No references found

**A=240**

No references found

**A=241**

$^{241}\text{Cm}$  2003ASZY RADIOACTIVITY  $^{241}\text{Bk}(\text{EC})$  [from  $^{239}\text{Pu}(^6\text{Li}, 4\text{n})$ ]; measured  $\text{E}\gamma$ ,  $\text{I}\gamma$ , (X-ray) $\gamma$ -coin,  $\text{T}_{1/2}$ ; deduced log ft.  $^{241}\text{Bk}$  deduced ground-state configuration.  $^{241}\text{Cm}$  deduced levels, J,  $\pi$ . REPT JAERI-TV 2002 Annual, P29, Asai



**A=241 (*continued*)**

<sup>241</sup> Bk	2003ASZY	NUCLEAR REACTIONS <sup>239</sup> Pu( <sup>6</sup> Li, 4n), E=34-42 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ , (X-ray) $\gamma$ -, (recoil) $\gamma$ -coin; deduced evidence for <sup>241</sup> Bk. Isotope separator. REPT JAERI-TV 2002 Annual,P29,Asai
	2003ASZY	RADIOACTIVITY <sup>241</sup> Bk(EC) [from <sup>239</sup> Pu( <sup>6</sup> Li, 4n)]; measured E $\gamma$ , I $\gamma$ , (X-ray) $\gamma$ -coin, T <sub>1/2</sub> ; deduced log ft. <sup>241</sup> Bk deduced ground-state configuration. <sup>241</sup> Cm deduced levels, J, $\pi$ . REPT JAERI-TV 2002 Annual,P29,Asai

**A=242**

No references found

**A=243**

No references found

**A=244**

<sup>244</sup> Cm	2005RE06	RADIOACTIVITY <sup>244</sup> Cm, <sup>252</sup> Cf(SF); measured E $\gamma$ , I $\gamma$ ; deduced fission fragments isotopic yields. JOUR JRNCD 264 243
-------------------	----------	--

**A=245**

No references found

**A=246**

No references found

**A=247**

No references found

**A=248**

No references found

**A=249**

$^{249}\text{Cm}$	2004AHZY	RADIOACTIVITY $^{253}\text{Es}(\alpha)$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{249}\text{Cm}(\beta^-)$ [from $^{248}\text{Cm}(n, \gamma)$ ]; measured $E\gamma$ , $I\gamma$ . $^{249}\text{Bk}$ deduced transitions, proton single-particle states J, $\pi$ , configurations. REPT ANL-04/22,P45,Ahmad
$^{249}\text{Bk}$	2002AH06	RADIOACTIVITY $^{255}\text{Fm}$ , $^{253}\text{Es}(\alpha)$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{251}\text{Cf}$ , $^{249}\text{Bk}$ deduced levels, J, $\pi$ , single-particle states. JOUR JNRSa 3,No 1,179
	2004AHZY	RADIOACTIVITY $^{253}\text{Es}(\alpha)$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{249}\text{Cm}(\beta^-)$ [from $^{248}\text{Cm}(n, \gamma)$ ]; measured $E\gamma$ , $I\gamma$ . $^{249}\text{Bk}$ deduced transitions, proton single-particle states J, $\pi$ , configurations. REPT ANL-04/22,P45,Ahmad

**A=250**

No references found

**A=251**

$^{251}\text{Cf}$	2002AH06	RADIOACTIVITY $^{255}\text{Fm}$ , $^{253}\text{Es}(\alpha)$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{251}\text{Cf}$ , $^{249}\text{Bk}$ deduced levels, J, $\pi$ , single-particle states. JOUR JNRSa 3,No 1,179
$^{251}\text{Md}$	2002GU33	RADIOACTIVITY $^{259}\text{Db}$ , $^{255}\text{Lr}(\alpha)$ [from $^{241}\text{Am}(^{22}\text{Ne}, 4n)$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . JOUR JNRSa 3,No 1,183

**A=252**

$^{252}\text{Cf}$	2004PYZZ	RADIOACTIVITY $^{252}\text{Cf}(\text{SF})$ ; measured fission fragment mass distributions, neutron multiplicity; deduced ternary decay mode. REPT JINR-E15-2004-65,Pyatkov
	2005BI02	RADIOACTIVITY $^{252}\text{Cf}(\text{SF})$ ; measured Doppler-shifted $E\gamma$ , $I\gamma$ , (particle) $\gamma$ -, $\gamma\gamma$ -coin. $^{142,144}\text{Ba}$ levels deduced $T_{1/2}$ , transition quadrupole moments. Euroball, Saphir arrays, differential Doppler shift method. JOUR PRVCA 71 011301
	2005RE06	RADIOACTIVITY $^{244}\text{Cm}$ , $^{252}\text{Cf}(\text{SF})$ ; measured $E\gamma$ , $I\gamma$ ; deduced fission fragments isotopic yields. JOUR JRNCD 264 243
$^{252}\text{No}$	2002SU35	NUCLEAR REACTIONS $^{206}\text{Pb}(^{48}\text{Ca}, 2n)$ , $^{186}\text{W}(^{34}\text{S}, 4n)$ , E not given; measured yields, focal-plane position spectra in recoil separator. JOUR NIMAE 481 71
	2005YE02	RADIOACTIVITY $^{252}\text{No}(\text{SF})$ [from $^{206}\text{Pb}(^{48}\text{Ca}, 2n)$ ]; measured fission fragments spectra, prompt neutron multiplicity. Recoil separator. JOUR NIMAE 539 441

**A=253**

$^{253}\text{Es}$	2002AH06	RADIOACTIVITY $^{255}\text{Fm}$ , $^{253}\text{Es}(\alpha)$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{251}\text{Cf}$ , $^{249}\text{Bk}$ deduced levels, J, $\pi$ , single-particle states. JOUR JNRSa 3, No 1, 179
	2004AHZY	RADIOACTIVITY $^{253}\text{Es}(\alpha)$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{249}\text{Cm}(\beta^-)$ [from $^{248}\text{Cm}(n, \gamma)$ ]; measured $E\gamma$ , $I\gamma$ . $^{249}\text{Bk}$ deduced transitions, proton single-particle states J, $\pi$ , configurations. REPT ANL-04/22,P45,Ahmad
$^{253}\text{Fm}$	2004V024	RADIOACTIVITY $^{269,270}\text{Hs}$ , $^{265,266}\text{Sg}$ , $^{257}\text{No}(\alpha)$ ; $^{261,262}\text{Rf}(\text{SF})$ [from $^{248}\text{Cm}(^{26}\text{Mg}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . JOUR RAACA 92 855

**A=254**

$^{254}\text{No}$	2004KHZY	RADIOACTIVITY $^{254m}\text{No}(\text{IT})$ [from $^{208}\text{Pb}(^{48}\text{Ca}, 2n)$ ]; measured $E(\text{ce})$ , $I(\text{ce})$ following decay of high-spin isomer. $^{254}\text{No}$ level deduced J, $\pi$ , configuration. REPT ANL-04/22,P47,Khoo
-------------------	----------	--

**A=255**

$^{255}\text{Fm}$	2002AH06	RADIOACTIVITY $^{255}\text{Fm}$ , $^{253}\text{Es}(\alpha)$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{251}\text{Cf}$ , $^{249}\text{Bk}$ deduced levels, J, $\pi$ , single-particle states. JOUR JNRSa 3, No 1, 179
$^{255}\text{Lr}$	2002GU33	RADIOACTIVITY $^{259}\text{Db}$ , $^{255}\text{Lr}(\alpha)$ [from $^{241}\text{Am}(^{22}\text{Ne}, 4n)$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . JOUR JNRSa 3, No 1, 183

**A=256**

No references found

**A=257**

$^{257}\text{No}$	2004V024	RADIOACTIVITY $^{269,270}\text{Hs}$ , $^{265,266}\text{Sg}$ , $^{257}\text{No}(\alpha)$ ; $^{261,262}\text{Rf}(\text{SF})$ [from $^{248}\text{Cm}(^{26}\text{Mg}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . JOUR RAACA 92 855
-------------------	----------	---

**A=258**

No references found

**A=259**

<sup>259</sup> Db	2002GU33	NUCLEAR REACTIONS <sup>241</sup> Am( <sup>22</sup> Ne, 4n), E=118 MeV; measured delayed E $\alpha$ , $\alpha\alpha$ -coin; deduced evidence for <sup>259</sup> Db. JOUR JNRS A 3, No 1, 183
	2002GU33	RADIOACTIVITY <sup>259</sup> Db, <sup>255</sup> Lr( $\alpha$ ) [from <sup>241</sup> Am( <sup>22</sup> Ne, 4n) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . JOUR JNRS A 3, No 1, 183

**A=260**

No references found

**A=261**

<sup>261</sup> Rf	2002NA37	NUCLEAR REACTIONS <sup>248</sup> Cm( <sup>18</sup> O, 5n), E=91, 94, 99 MeV; <sup>248</sup> Cm( <sup>19</sup> F, 5n), E=106 MeV; measured delayed E $\alpha$ , $\alpha\alpha$ -coin; deduced production $\sigma$ . JOUR JNRS A 3, No 1, 85
	2004V024	RADIOACTIVITY <sup>269,270</sup> Hs, <sup>265,266</sup> Sg, <sup>257</sup> No( $\alpha$ ); <sup>261,262</sup> Rf(SF) [from <sup>248</sup> Cm( <sup>26</sup> Mg, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . JOUR RAACA 92 855

**A=262**

<sup>262</sup> Rf	2004V024	RADIOACTIVITY <sup>269,270</sup> Hs, <sup>265,266</sup> Sg, <sup>257</sup> No( $\alpha$ ); <sup>261,262</sup> Rf(SF) [from <sup>248</sup> Cm( <sup>26</sup> Mg, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . JOUR RAACA 92 855
<sup>262</sup> Db	2002NA37	NUCLEAR REACTIONS <sup>248</sup> Cm( <sup>18</sup> O, 5n), E=91, 94, 99 MeV; <sup>248</sup> Cm( <sup>19</sup> F, 5n), E=106 MeV; measured delayed E $\alpha$ , $\alpha\alpha$ -coin; deduced production $\sigma$ . JOUR JNRS A 3, No 1, 85

**A=263**

No references found

**A=264**

No references found

**A=265**

<sup>265</sup> Sg	2004V024	RADIOACTIVITY <sup>269,270</sup> Hs, <sup>265,266</sup> Sg, <sup>257</sup> No( $\alpha$ ); <sup>261,262</sup> Rf(SF) [from <sup>248</sup> Cm( <sup>26</sup> Mg, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . JOUR RAACA 92 855
-------------------	----------	---

**A=266**

<sup>266</sup>Sg      2004V024      RADIOACTIVITY <sup>269,270</sup>Hs, <sup>265,266</sup>Sg, <sup>257</sup>No( $\alpha$ ); <sup>261,262</sup>Rf(SF) [from <sup>248</sup>Cm(<sup>26</sup>Mg, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR RAACA 92 855

**A=267**

<sup>267</sup>Rf      20040G12      RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 70 064609

20040GZZ      RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Comparison with model predictions. REPT

<sup>267</sup>Db      20030GZY      JINR-E7-2004-160,Oganessian  
RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced Q $\alpha$ . <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=268**

<sup>268</sup>Db      20030GZY      RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced Q $\alpha$ . <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

2004DMZZ      RADIOACTIVITY <sup>268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, 3n) and subsequent decay]; measured T<sub>1/2</sub>. REPT JINR-E12-2004-157,Dmitriev

**A=269**

<sup>269</sup>Hs      2004V024      NUCLEAR REACTIONS <sup>248</sup>Cm(<sup>26</sup>Mg, xn), E=144-149 MeV; measured delayed  $\alpha\alpha$ -coin; deduced evidence for <sup>269,270</sup>Hs. Radiochemical analysis. JOUR RAACA 92 855

2004V024      RADIOACTIVITY <sup>269,270</sup>Hs, <sup>265,266</sup>Sg, <sup>257</sup>No( $\alpha$ ); <sup>261,262</sup>Rf(SF) [from <sup>248</sup>Cm(<sup>26</sup>Mg, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR RAACA 92 855

**A=270**

<sup>270</sup>Hs      2004V024      NUCLEAR REACTIONS <sup>248</sup>Cm(<sup>26</sup>Mg, xn), E=144-149 MeV; measured delayed  $\alpha\alpha$ -coin; deduced evidence for <sup>269,270</sup>Hs. Radiochemical analysis. JOUR RAACA 92 855

**A=270 (continued)**

2004V024 RADIOACTIVITY  $^{269,270}\text{Hs}$ ,  $^{265,266}\text{Sg}$ ,  $^{257}\text{No}(\alpha)$ ;  $^{261,262}\text{Rf}(\text{SF})$  [from  $^{248}\text{Cm}(^{26}\text{Mg}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR RAACA 92 855

**A=271**

$^{271}\text{Sg}$  20040G12 RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609

20040GZZ RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. REPT

$^{271}\text{Bh}$  20030GZY JINR-E7-2004-160,Oganessian  
RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=272**

$^{272}\text{Bh}$  20030GZY RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=273**

No references found

**A=274**

No references found

**A=275**

$^{275}\text{Hs}$  20040G12 RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609

**A=275 (continued)**

- 20040GZZ RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- $^{275}\text{Mt}$  20030GZY RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=276**

- $^{276}\text{Mt}$  20030GZY RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=277**

No references found

**A=278**

- $^{278}\text{Ds}$  20040G12 RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=279**

- $^{279}\text{Ds}$  20040G12 RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609

**A=279 (continued)**

	20040GZZ	RADIOACTIVITY $^{271}\text{Sg}$ , $^{275}\text{Hs}$ , $^{279}\text{Ds}$ , $^{282,283,285}112$ , $^{286,287,288,289}114$ , $^{292,293}116(\alpha)$ ; $^{267}\text{Rf}$ , $^{271}\text{Sg}$ , $^{279,281}\text{Ds}$ , $^{284}112$ , $^{286}114(\text{SF})$ [from $^{233,238}\text{U}$ , $^{242}\text{Pu}$ , $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
$^{279}\text{Rg}$	20030GZY	RADIOACTIVITY $^{287,288}115$ , $^{283,284}113$ , $^{279,280}\text{Rg}$ , $^{275,276}\text{Mt}$ , $^{272}\text{Bh}(\alpha)$ [from $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ ; deduced $Q\alpha$ . $^{267,268}\text{Db}(\text{SF})$ [from $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$ and subsequent decay]; measured $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=280**

$^{280}\text{Rg}$	20030GZY	RADIOACTIVITY $^{287,288}115$ , $^{283,284}113$ , $^{279,280}\text{Rg}$ , $^{275,276}\text{Mt}$ , $^{272}\text{Bh}(\alpha)$ [from $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ ; deduced $Q\alpha$ . $^{267,268}\text{Db}(\text{SF})$ [from $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$ and subsequent decay]; measured $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
-------------------	----------	--

**A=281**

$^{281}\text{Ds}$	20040G12	RADIOACTIVITY $^{271}\text{Sg}$ , $^{275}\text{Hs}$ , $^{279}\text{Ds}$ , $^{282,283,285}112$ , $^{286,287,288,289}114$ , $^{292,293}116(\alpha)$ ; $^{267}\text{Rf}$ , $^{271}\text{Sg}$ , $^{279,281}\text{Ds}$ , $^{284}112$ , $^{286}114(\text{SF})$ [from $^{233,238}\text{U}$ , $^{242}\text{Pu}$ , $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609
	20040GZZ	RADIOACTIVITY $^{271}\text{Sg}$ , $^{275}\text{Hs}$ , $^{279}\text{Ds}$ , $^{282,283,285}112$ , $^{286,287,288,289}114$ , $^{292,293}116(\alpha)$ ; $^{267}\text{Rf}$ , $^{271}\text{Sg}$ , $^{279,281}\text{Ds}$ , $^{284}112$ , $^{286}114(\text{SF})$ [from $^{233,238}\text{U}$ , $^{242}\text{Pu}$ , $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=282**

$^{282}112$	20030GZZ	RADIOACTIVITY $^{294}118$ , $^{290}116(\alpha)$ , $^{286}114(\alpha)$ , (SF) [from $^{249}\text{Cf}(^{48}\text{Ca}, 3\text{n})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ , fission fragment spectra. Comparison with model predictions. REPT UCRL-ID-151619,Oganessian
	20040G12	RADIOACTIVITY $^{271}\text{Sg}$ , $^{275}\text{Hs}$ , $^{279}\text{Ds}$ , $^{282,283,285}112$ , $^{286,287,288,289}114$ , $^{292,293}116(\alpha)$ ; $^{267}\text{Rf}$ , $^{271}\text{Sg}$ , $^{279,281}\text{Ds}$ , $^{284}112$ , $^{286}114(\text{SF})$ [from $^{233,238}\text{U}$ , $^{242}\text{Pu}$ , $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609
	20040GZZ	RADIOACTIVITY $^{271}\text{Sg}$ , $^{275}\text{Hs}$ , $^{279}\text{Ds}$ , $^{282,283,285}112$ , $^{286,287,288,289}114$ , $^{292,293}116(\alpha)$ ; $^{267}\text{Rf}$ , $^{271}\text{Sg}$ , $^{279,281}\text{Ds}$ , $^{284}112$ , $^{286}114(\text{SF})$ [from $^{233,238}\text{U}$ , $^{242}\text{Pu}$ , $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian



**A=283**

- <sup>283</sup>112      2003YA22      NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, 3n), E ≈ 233 MeV; measured radiochemical yield; deduced chemical properties. JOUR RAACA 91 433
- 20040G12      RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ      RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- <sup>283</sup>113      20030GZY      RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh(α) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>; deduced Qα. <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=284**

- <sup>284</sup>112      20040G12      RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ      RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- <sup>284</sup>113      20030GZY      RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh(α) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>; deduced Qα. <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=285**

- <sup>285</sup>112      20040G12      RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ      RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=286**

<sup>286</sup> 114	20030GZZ	RADIOACTIVITY <sup>294</sup> 118, <sup>290</sup> 116( $\alpha$ ), <sup>286</sup> 114( $\alpha$ ), (SF) [from <sup>249</sup> Cf( <sup>48</sup> Ca, 3n) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> , fission fragment spectra. Comparison with model predictions. REPT UCRL-ID-151619,Oganessian
	20040G12	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116( $\alpha$ ); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . Comparison with model predictions. JOUR PRVCA 70 064609
	20040GZZ	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116( $\alpha$ ); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=287**

<sup>287</sup> 114	20040G12	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116( $\alpha$ ); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . Comparison with model predictions. JOUR PRVCA 70 064609
	20040GZZ	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116( $\alpha$ ); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
<sup>287</sup> 115	20030GZY	NUCLEAR REACTIONS <sup>243</sup> Am( <sup>48</sup> Ca, 3n), ( <sup>48</sup> Ca, 4n), E=253 MeV; measured (recoil) $\alpha$ -, $\alpha\alpha$ -coin following residual nucleus decay; deduced production $\sigma$ . REPT JINR-E7-2003-178,Oganessian
	20030GZY	RADIOACTIVITY <sup>287,288</sup> 115, <sup>283,284</sup> 113, <sup>279,280</sup> Rg, <sup>275,276</sup> Mt, <sup>272</sup> Bh( $\alpha$ ) [from <sup>243</sup> Am( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> ; deduced Q $\alpha$ . <sup>267,268</sup> Db(SF) [from <sup>243</sup> Am( <sup>48</sup> Ca, xn) and subsequent decay]; measured T <sub>1/2</sub> . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=288**

<sup>288</sup> 114	20040G12	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116( $\alpha$ ); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . Comparison with model predictions. JOUR PRVCA 70 064609
	20040GZZ	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116( $\alpha$ ); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=288 (continued)**

<sup>288</sup> 115	20030GZY	NUCLEAR REACTIONS <sup>243</sup> Am( <sup>48</sup> Ca, 3n), ( <sup>48</sup> Ca, 4n), E=253 MeV; measured (recoil) $\alpha$ -, $\alpha\alpha$ -coin following residual nucleus decay; deduced production $\sigma$ . REPT JINR-E7-2003-178,Oganessian
	20030GZY	RADIOACTIVITY <sup>287,288</sup> 115, <sup>283,284</sup> 113, <sup>279,280</sup> Rg, <sup>275,276</sup> Mt, <sup>272</sup> Bh( $\alpha$ ) [from <sup>243</sup> Am( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> ; deduced Q $\alpha$ . <sup>267,268</sup> Db(SF) [from <sup>243</sup> Am( <sup>48</sup> Ca, xn) and subsequent decay]; measured T <sub>1/2</sub> . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
	2004DMZZ	NUCLEAR REACTIONS <sup>243</sup> Am( <sup>48</sup> Ca, 3n), E=247 MeV; measured delayed fission fragment and neutron spectra following radiochemical separation; deduced $\sigma$ , evidence for Z=115 and Z=113 production. REPT JINR-E12-2004-157,Dmitriev

**A=289**

<sup>289</sup> 114	20040G12	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116( $\alpha$ ); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . Comparison with model predictions. JOUR PRVCA 70 064609
	20040GZZ	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116( $\alpha$ ); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=290**

<sup>290</sup> 116	20030GZZ	RADIOACTIVITY <sup>294</sup> 118, <sup>290</sup> 116( $\alpha$ ), <sup>286</sup> 114( $\alpha$ ), (SF) [from <sup>249</sup> Cf( <sup>48</sup> Ca, 3n) and subsequent decay]; measured E $\alpha$ , T <sub>1/2</sub> , fission fragment spectra. Comparison with model predictions. REPT UCRL-ID-151619,Oganessian
--------------------	----------	---

**A=291**

<sup>291</sup> 116	20040G12	NUCLEAR REACTIONS <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, 2n), ( <sup>48</sup> Ca, 3n), ( <sup>48</sup> Ca, 4n), ( <sup>48</sup> Ca, 5n), E* $\approx$ 25-55 MeV; measured excitation functions. Comparison with model predictions. JOUR PRVCA 70 064609
	20040GZZ	NUCLEAR REACTIONS <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, 2n), ( <sup>48</sup> Ca, 3n), ( <sup>48</sup> Ca, 4n), ( <sup>48</sup> Ca, 5n), E* $\approx$ 25-55 MeV; measured excitation functions. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=292**

<sup>292</sup> 116	20040G12	NUCLEAR REACTIONS <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, 2n), ( <sup>48</sup> Ca, 3n), ( <sup>48</sup> Ca, 4n), ( <sup>48</sup> Ca, 5n), E* ≈ 25-55 MeV; measured excitation functions. Comparison with model predictions. JOUR PRVCA 70 064609
	20040G12	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116(α); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured Eα, T <sub>1/2</sub> . Comparison with model predictions. JOUR PRVCA 70 064609
	20040GZZ	NUCLEAR REACTIONS <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, 2n), ( <sup>48</sup> Ca, 3n), ( <sup>48</sup> Ca, 4n), ( <sup>48</sup> Ca, 5n), E* ≈ 25-55 MeV; measured excitation functions. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
	20040GZZ	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116(α); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured Eα, T <sub>1/2</sub> . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=293**

<sup>293</sup> 116	20040G12	NUCLEAR REACTIONS <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, 2n), ( <sup>48</sup> Ca, 3n), ( <sup>48</sup> Ca, 4n), ( <sup>48</sup> Ca, 5n), E* ≈ 25-55 MeV; measured excitation functions. Comparison with model predictions. JOUR PRVCA 70 064609
	20040G12	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116(α); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured Eα, T <sub>1/2</sub> . Comparison with model predictions. JOUR PRVCA 70 064609
	20040GZZ	NUCLEAR REACTIONS <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, 2n), ( <sup>48</sup> Ca, 3n), ( <sup>48</sup> Ca, 4n), ( <sup>48</sup> Ca, 5n), E* ≈ 25-55 MeV; measured excitation functions. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
	20040GZZ	RADIOACTIVITY <sup>271</sup> Sg, <sup>275</sup> Hs, <sup>279</sup> Ds, <sup>282,283,285</sup> 112, <sup>286,287,288,289</sup> 114, <sup>292,293</sup> 116(α); <sup>267</sup> Rf, <sup>271</sup> Sg, <sup>279,281</sup> Ds, <sup>284</sup> 112, <sup>286</sup> 114(SF) [from <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, xn) and subsequent decay]; measured Eα, T <sub>1/2</sub> . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=294**

<sup>294</sup> 116	20040G12	NUCLEAR REACTIONS <sup>233,238</sup> U, <sup>242</sup> Pu, <sup>248</sup> Cm( <sup>48</sup> Ca, 2n), ( <sup>48</sup> Ca, 3n), ( <sup>48</sup> Ca, 4n), ( <sup>48</sup> Ca, 5n), E* ≈ 25-55 MeV; measured excitation functions. Comparison with model predictions. JOUR PRVCA 70 064609
--------------------	----------	--

**A=294 (*continued*)**

	20040GZZ	NUCLEAR REACTIONS $^{233,238}\text{U}$ , $^{242}\text{Pu}$ , $^{248}\text{Cm}$ ( $^{48}\text{Ca}$ , 2n), ( $^{48}\text{Ca}$ , 3n), ( $^{48}\text{Ca}$ , 4n), ( $^{48}\text{Ca}$ , 5n), $E^* \approx 25\text{-}55$ MeV; measured excitation functions. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
$^{294}\text{118}$	20030GZZ	NUCLEAR REACTIONS $^{249}\text{Cf}$ ( $^{48}\text{Ca}$ , 3n), $E=245$ MeV; measured $E\alpha$ , fission fragment spectra following residual nucleus decay; deduced evidence for $^{294}\text{118}$ . Gas-filled recoil separator. REPT UCRL-ID-151619,Oganessian
	20030GZZ	RADIOACTIVITY $^{294}\text{118}$ , $^{290}\text{116}(\alpha)$ , $^{286}\text{114}(\alpha)$ , (SF) [from $^{249}\text{Cf}$ ( $^{48}\text{Ca}$ , 3n) and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ , fission fragment spectra. Comparison with model predictions. REPT UCRL-ID-151619,Oganessian

## References

- 2002AH06 I.Ahmad - J.Nucl.Radiochem.Sci. 3, No 1, 179 (2002)  
Structure and Spectroscopy of Transcurium Nuclei
- 2002AS08 M.Asai, M.Sakama, K.Tsukada, S.Ichikawa, H.Haba, I.Nishinaka, Y.Nagame, S.Goto, K.Akiyama, A.Toyoshima, Y.Kojima, Y.Oura, H.Nakahara, M.Shibata, K.Kawade - J.Nucl.Radiochem.Sci. 3, No 1, 187 (2002)  
Decay Studies of Neutron-deficient Am, Cm, and Bk Nuclei Using an On-line Isotope Separator
- 2002B066 V.A.Bondarenko, J.Honzatko, V.A.Khitrov, A.M.Sukhovej, I.Tomandl - Fizika(Zagreb) B 11, 83 (2002)  
Cascade  $\gamma$ -decay of the  $^{193}\text{Os}$  compound nucleus and some aspects of dynamics of change in nuclear properties below  $B_n$
- 2002B067 V.A.Bondarenko, J.Honzatko, V.A.Khitrov, A.M.Sukhovej, I.Tomandl - Fizika(Zagreb) B 11, 201 (2002)  
Two-step cascades of the  $^{185}\text{W}$  compound nucleus  $\gamma$ -decay
- 2002DU22 Ch.E.Dullmann, B.Eichler, R.Eichler, H.W.Gaggeler, D.T.Jost, D.Piguet, A.Turler - Nucl.Instrum.Methods Phys.Res. A479, 631 (2002)  
IVO, a device for In situ Volatilization and On-line detection of products from heavy ion reactions
- 2002GU33 J.S.Guo, Z.Qin, Z.G.Gan, H.M.Fan, Y.B.Xu, J.J.He, X.G.Lei, X.L.Wu, H.Y.Liu, X.H.Zhou, S.G.Yuan, G.M.Jin - J.Nucl.Radiochem.Sci. 3, No 1, 183 (2002)  
Preparation of Thick Americium Targets and Synthesis of  $^{259}\text{Db}$
- 2002LI68 C.J.Lin, H.Q.Zhang, Z.H.Liu, J.C.Xu, F.Yang - J.Nucl.Radiochem.Sci. 3, No 1, 27 (2002)  
The Effects of Deformed Projectile in Threshold Anomaly and Fusion Reaction for  $^{19}\text{F} + ^{208}\text{Pb}$  System
- 2002NA37 Y.Nagame, M.Asai, H.Haba, S.Goto, K.Tsukada, I.Nishinaka, K.Nishio, S.Ichikawa, A.Toyoshima, K.Akiyama, H.Nakahara, M.Sakama, M.Schadel, J.V.Kratz, H.W.Gaggeler, A.Turler - J.Nucl.Radiochem.Sci. 3, No 1, 85 (2002)  
Production Cross Sections of  $^{261}\text{Rf}$  and  $^{262}\text{Db}$  in Bombardments of  $^{248}\text{Cm}$  with  $^{18}\text{O}$  and  $^{19}\text{F}$  Ions
- 2002SU35 K.Subotic, Yu.Ts.Oganessian, V.K.Utyonkov, Yu.V.Lobanov, F.Sh.Abdullin, A.N.Polyakov, Yu.S.Tsyganov, O.V.Ivanov - Nucl.Instrum.Methods Phys.Res. A481, 71 (2002)  
Evaporation residue collection efficiencies and position spectra of the Dubna gas-filled recoil separator

## REFERENCES

---

- 2003ASZY M.Asai, K.Tsukada, S.Ichikawa, M.Sakama, H.Haba, Y.Nagame, I.Nishinaka, K.Akiyama, A.Toyoshima, T.Kaneko, Y.Oura, Y.Kojima, M.Shibata - Japan Atomic Energy Res.Inst.Tandem VDG Ann.Rept., 2002, p.29 (2003); JAERI-Review 2003-028 (2003)  
EC Decay of the New Isotope  $^{241}\text{Bk}$
- 2003G041 O.K.Gorpinich, O.M.Povoroznyk, O.O.Yachmenov - Ukr.J.Phys. 48, 1035 (2003)  
About the evidence for high excited levels of  $^5\text{Li}$  above the  $t+2p$  threshold in the  $^3\text{He}(\alpha, dt)^2\text{He}$  reaction
- 2003HI23 J.C.Hill, for the NA53 Collaboration - Ukr.J.Phys. 48, 1165 (2003)  
Electromagnetic dissociation of relativistic heavy ions
- 2003KI26 N.Kinoshita, A.Yokoyama, T.Nakanishi - J.Nucl.Radiochem.Sci. 4, No 1, 5 (2003)  
Half-Life of Samarium-147
- 2003MB03 V.M.Mazur, V.A.Zheltonozhsky, Z.M.Bigan - Ukr.J.Phys. 48, 403 (2003)  
Excitation mechanism of isomer states of  $^{197}\text{Pt}$  and  $^{197}\text{Hg}$  nuclei in photoneutron reactions in the energy region of a giant E1-resonance
- 2003GZYZ Yu.Ts.Oganessian, V.K.Utyonkov, Yu.V.Lobanov, F.Sh.Abdullin, A.N.Polyakov, I.V.Shirokovsky, Yu.S.Tsyganov, G.G.Gulbekian, S.L.Bogomolov, A.N.Mezentsev, S.Iliev, V.G.Subbotin, A.M.Sukhov, A.A.Voinov, G.V.Buklanov, K.Subotic, V.I.Zagrebaev, M.G.Itkis, J.B.Patin, K.J.Moody, J.F.Wild, M.A.Stoyer, N.J.Stoyer, D.A.Shaughnessy, J.M.Kenneally, R.W.Lougheed - JINR-E7-2003-178 (2003)  
Experiments on the synthesis of element 115 in the reaction  $^{243}\text{Am}(^{48}\text{Ca}, xn)^{291-x}115$
- 2003GZZ Y.T.Oganessian, V.K.Utyonkov, Y.V.Lobanov, F.S.Abdullin, A.N.Polyakov, I.V.Shirokovsky, Y.S.Tsyganov, A.N.Mezentsev, S.Iliev, V.G.Subbotin, A.M.Sukhov, O.V.Ivanov, A.A.Voinov, K.Subotic, V.I.Zagrebaev, M.G.Itkis, K.J.Moody, J.F.Wild, M.A.Stoyer, N.J.Stoyer, C.A.Laue, D.A.Shaughnessy, J.B.Patin, R.W.Lougheed - UCRL-ID-151619 (2003)  
Results from the First  $^{249}\text{Cf} + ^{48}\text{Ca}$  Experiment
- 2003YA22 A.B.Yakushev, I.Zvara, Yu.Ts.Oganessian, A.V.Belozerov, S.N.Dmitriev, B.Eichler, S.Hubener, E.A.Sokol, A.Turler, A.V.Yeremin, G.V.Buklanov, M.L.Chelnokov, V.I.Chepigin, V.A.Gorshkov, A.V.Gulyaev, V.Ya.Lebedev, O.N.Malyshev, A.G.Popeko, S.Soverna, Z.Szeglowski, S.N.Timokhin, S.P.Tretyakova, V.M.Vasko, M.G.Itkis - Radiochim.Acta 91, 433 (2003)  
Chemical identification and properties of element 112
- 2004ADZW J.Adam, A.R.Balabekyan, V.S.Barashenkov, R.Brandt, V.M.Golovatyuk, V.G.Kalinnikov, K.Katovsky, M.I.Krivopustov, V.Kumar, H.Kumawat, R.Odoj, V.S.Pronskikh, A.A.Solnyshkin, V.I.Stegailov, V.M.Tsoupko-Sitnikov, W.Westmeier - JINR-E1-2004-16 (2004)  
Spallation Neutron Spectrum on a Massive Lead / Paraffin Target Irradiated with 1 GeV Protons

## REFERENCES

---

- 2004AHZW M.Ahmed, M.Blackston, A.S.Crowell, C.R.Howell, K.Joshi, N.Kalantar, S.O.Nelson, R.M.Prior, B.Perdue, A.L.Sabourov, K.Sabourov, M.Spraker, A.P.Tonchev, H.R.Weller - Triangle Univ.Nuclear Lab., Ann.Rept., p.28 (2004); TUNL-XLIII (2004)  
Measurement of the  ${}^7\text{Li}(\text{d}(\text{pol}), \text{n}){}^8\text{Be}$  Reaction at Low Energies
- 2004AHZY I.Ahmad, E.F.Moore, R.R.Chasman, J.P.Greene, M.P.Carpenter, C.J.Lister, R.V.F.Janssens, T.Lauritsen, D.Seweryniak, F.G.Kondev, R.W.Hoff, J.E.Evans, R.W.Lougheed, C.E.Porter, L.K.Felker - ANL-04/22 (Physics Division Ann.Rept., 2003), p.45 (2004)  
Proton Single-Particle States in  ${}^{249}\text{Bk}$
- 2004AHZZ I.Ahmad, J.P.Greene, D.J.Henderson, C.L.Jiang, R.C.Pardo, T.Pennington, K.E.Rehm, R.Scott, S.Sinha, X.Tang, R.Vondrasek, H.Nassar, M.Paul, S.Ghelberg, S.Dababneh, M.Heil, F.Kappeler, R.Plug, R.Reifarh, A.Heger, H.Koivisto, P.Collon, S.O'Brien, M.Bettan, D.Berkovits, N.Patronis - ANL-04/22 (Physics Division Ann.Rept., 2003), p.15 (2004)  
Stellar  ${}^{62}\text{Ni}(\text{n}, \gamma){}^{63}\text{Ni}$  Reaction
- 2004AL35 A.Algora, E.Nacher, B.Rubio, D.Cano-Ott, J.L.Tain, A.Gadea, J.Agramunt, M.Karny, Z.Janas, K.Rykaczewski, R.Collatz, M.Hellstrom, Z.Hu, R.Kirchner, E.Roeckl, M.Shibata, L.Batist, F.Moroz, V.Wittmann - Phys.Rev. C 70, 064301 (2004)  
 $\beta$  decay of  ${}^{148}\text{Dy}$ : Study of the Gamow-Teller giant state by means of total absorption spectroscopy
- 2004AS13 N.I.Ashwood, M.Freer, J.C.Angelique, V.Bouchat, W.N.Catford, N.M.Clarke, N.Curtis, O.Dorvaux, F.Hanappe, Y.Kerckx, M.Labiche, J.L.Lecouey, F.M.Marques, T.Materna, A.Ninane, G.Normand, N.A.Orr, S.Pain, N.Soic, L.Stuttge, C.Timis, A.Unshakova, V.A.Ziman - Phys.Rev. C 70, 064607 (2004)  
Measurements of the breakup and neutron removal cross sections for  ${}^{16}\text{C}$
- 2004AZZX L.S.Azhgirey, S.V.Afanas'ev, V.N.Zhmyrov, L.S.Zolin, V.I.Ivanov, A.Yu.Isupov, V.P.Ladygin, A.G.Litvinenko, V.F.Leresedov, A.N.Khrenov, N.L.Yudin - JINR-P1-2004-118 (2004)  
Tensor Analyzing Power of the Relativistic Deuteron Fragmentation as a Means of Study of Deuteron Structure in the Framework of Light-Front Dynamics
- 2004BEZP E.Becheva - IPNO-T-04-17 (2004)  
Etude de la reaction  ${}^{22}\text{O}(\text{p}, \text{p}') avec le detecteur Must + Developpement de l'etage CsI(Tl) de l'ensemble MUST II$
- 2004BUZY B.D.Buck, B.J.Crowe III, A.S.Crowell, J.H.Esterline, C.R.Howell, J.H.Kelley, R.A.Macri, R.S.Pedroni, W.Tornow, R.L.Walter, G.J.Weisel, H.Witala - Triangle Univ.Nuclear Lab., Ann.Rept., p.20 (2004); TUNL-XLIII (2004)  
Neutron-Deuteron Analyzing Power Data at 19.0 MeV



## REFERENCES

---

- 2004CAZW M.P.Carpenter, F.G.Kondev, R.V.F.Janssens, I.Ahmad, C.N.Davids, N.Hammond, T.L.Khoo, T.Lauritsen, C.J.Lister, G.Mukherjee, D.Seweryniak, S.Sinha, D.J.Jenkins, P.Raddon, R.Wadsworth, S.F.Freeman, S.M.Fischer, G.Jones, A.J.Larabee, A.Liechty - ANL-04/22 (Physics Division Ann.Rept., 2003), p.43 (2004)  
Alpha Decay of  $^{181}\text{Pb}$
- 2004C026 C.Cozzini, G.Angloher, C.Bucci, F.von Feilitzsch, D.Hauff, S.Henry, Th.Jagemann, J.Jochum, H.Kraus, B.Majorovits, V.Mikhailik, J.Ninkovic, F.Petricca, W.Potzel, F.Probst, Y.Ramachers, W.Rau, M.Razeti, W.Seidel, M.Stark, L.Stodolsky, A.J.B.Tolhurst, W.Westphal, H.Wulandari - Phys.Rev. C 70, 064606 (2004)  
Detection of the natural  $\alpha$  decay of tungsten
- 2004CRZZ B.J.Crowe III, A.S.Crowell, J.H.Esterline, C.R.Howell, R.A.Macri, R.S.Pedroni, S.Tajima, W.Tornow, G.J.Weisel - Triangle Univ.Nuclear Lab., Ann.Rept., p.23 (2004); TUNL-XLIII (2004)  
Neutron-Helion Analyzing Power Data at 4.02 and 5.54 MeV
- 2004DAZX C.N.Davids, D.Seweryniak, B.Blank, M.P.Carpenter, N.Hammond, R.V.F.Janssens, G.Mukherjee, S.Sinha, A.Robinson, P.J.Woods, T.Davinson, Z.Liu, S.J.Freeman, N.Hoteling, J.Shergur, W.B.Walters, A.Woehr, A.A.Sonzogni - ANL-04/22 (Physics Division Ann.Rept., 2003), p.29 (2004)  
Recoil-Decay Tagging Study of  $^{146}\text{Tm}$
- 2004DMZZ S.N.Dmitriev, Yu.Ts.Oganessian, V.K.Utyonkov, S.V.Shishkin, A.V.Yeremin, Yu.V.Lobanov, Yu.S.Tsyganov, V.I.Chepigin, E.A.Sokol, G.K.Vostokin, N.V.Aksenov, M.Hussonnois, M.G.Itkis, H.W.Gaggeler, D.Schumann, H.Bruchertseifer, R.Eichler, D.A.Shaughnessy, P.A.Wilk, J.M.Kenneally, M.A.Stoyer, J.F.Wild - JINR-E12-2004-157 (2004)  
Results of the experiment on chemical identification of Db as a decay product of element 115
- 2004F009 B.Fornal, S.Zhu, R.V.F.Janssens, M.Honma, R.Broda, P.F.Mantica, B.A.Brown, M.P.Carpenter, P.J.Daly, S.J.Freeman, Z.W.Grabowski, N.J.Hammond, F.G.Kondev, W.Krolas, T.Lauritsen, S.N.Liddick, C.J.Lister, E.F.Moore, T.Otsuka, T.Pawlat, D.Seweryniak, B.E.Tomlin, J.Wrzesinski - Phys.Rev. C 70, 064304 (2004)  
Development of shell closures at  $N = 32, 34$ . II. Lowest yrast excitations in even-even Ti isotopes from deep-inelastic heavy-ion collisions
- 2004F0ZY C.Fox, C.Iliadis, A.E.Champagne, A.Coc, J.Jose, R.Longland, J.Newton, J.Pollanen, R.Runkle - Triangle Univ.Nuclear Lab., Ann.Rept., p.32 (2004); TUNL-XLIII (2004)  
Explosive Hydrogen Burning of  $^{17}\text{O}$  in Classical Nova
- 2004F0ZZ R.D.Foster, C.R.Gould, D.G.Haase, J.H.Kelley, D.M.Markoff, W.Tornow - Triangle Univ.Nuclear Lab., Ann.Rept., p.18 (2004); TUNL-XLIII (2004)  
Longitudinal  $(n(\text{pol})-d(\text{pol}))$  Total Cross-Section Difference
- 2004FR34 M.Freer, M.P.Nicoli, S.M.Singer, C.A.Bremner, S.P.G.Chappell, W.D.M.Rae, I.Boztosun, B.R.Fulton, D.L.Watson, B.J.Greenhalgh, G.K.Dillon, R.L.Cowin, D.C.Weisser - Phys.Rev. C 70, 064311 (2004)

## REFERENCES

---

$^8\text{Be}+^8\text{Be}$  decay of excited states in  $^{16}\text{O}$

- 2004FU30 K.Furutaka, H.Harada, S.Raman - J.Nucl.Sci.Technol.(Tokyo) 41, 1033 (2004)  
Prompt Gamma Rays Emitted in Thermal-neutron Capture Reaction by  $^{99}\text{Tc}$  and Its Reaction Cross Section
- 2004FUZX T.Fukuchi, Y.Gono, A.Odahara, H.Watanabe, S.Tanaka, M.Inoue, Y.Wakabayashi, T.Sasaki, M.Kibe, N.Hokoiwa, T.Shinozuka, M.Fujita, A.Yamazaki, T.Sonoda, C.S.Lee, Y.K.Kwon, J.H.Lee - CNS-REP-64, p.109 (2004)  
High-Spin Isomer in  $^{93}\text{Mo}$
- 2004GA57 Yu.P.Gangrsky, N.N.Kolesnikov, V.G.Lukashik, L.M.Melnikova - Bull.Rus.Acad.Sci.Phys. 68, 187 (2004)  
Isomeric ratios in crossing reactions yielding odd-odd  $^{184}\text{Re}$ ,  $^{190}\text{Ir}$ , and  $^{196}\text{Au}$  nuclei
- 2004GAZV Yu.L.Gangrsky, V.I.Zhemenik, G.V.Myshinsky, Yu.E.Lenionzhkevich - JINR-P15-2004-119 (2004)  
Independent Yields of Kr and Xe Fragments at Photofission of Odd Nuclei  $^{237}\text{Np}$  and  $^{243}\text{Am}$
- 2004G054 M.S.Golovkov, L.V.Grigorenko, A.S.Fomichev, S.A.Krupko, Yu.Ts.Oganessian, A.M.Rodin, S.I.Sidorchuk, R.S.Slepnev, S.V.Stepantsov, G.M.Ter-Akopian, R.Wolski, M.G.Itkis, A.A.Bogatchev, N.A.Kondratiev, E.M.Kozulin, A.A.Korshennikov, E.Yu.Nikolskii, P.Roussel-Chomaz, W.Mittig, R.Palit, V.Bouchat, V.Kinnard, T.Materna, F.Hanappe, O.Dorvaux, L.Stuttge, C.Angulo, V.Lapoux, R.Raabe, L.Nalpas, A.A.Yukhimchuk, V.V.Perevozchikov, Yu.I.Vinogradov, S.K.Grishechkin, S.V.Zlatoustovsky - Phys.Rev.Lett. 93, 262501 (2004)  
Observation of Excited States in  $^5\text{H}$
- 2004G056 O.K.Gorpinich, O.M.Povoroznyk, O.O.Yachmenov - Ukr.J.Phys. 49, 16 (2004)  
Investigation of excited levels of  $^6\text{Li}$  nucleus from the three-particle  $^3\text{H}(\alpha, d\alpha)n$  reaction
- 2004G0ZZ J.TM.Goon - Thesis, University of Tennessee, Knoxville (2004)  
Alpha and Gamma-ray Spectroscopic Studies of Au, Pt, and Ir Nuclei Near the Proton Dripline
- 2004HA59 B.Hadinia, B.Cederwall, K.Lagergren, J.Blomqvist, T.Back, S.Eeckhaudt, T.Grahn, P.Greenlees, A.Johnson, D.T.Joss, R.Julin, S.Juutinen, H.Kettunen, M.Leino, A.-P.Leppanen, R.J.Liotta, P.Nieminen, M.Nyman, J.Pakarinen, E.S.Paul, P.Rahkila, C.Scholey, J.Uusitalo, R.Wadsworth, D.R.Wiseman - Phys.Rev. C 70, 064314 (2004)  
First identification of  $\gamma$ -ray transitions in  $^{107}\text{Te}$
- 2004HAZR Y.Hayashi, T.Tamae, K.Abe, R.Hashimoto, K.Hirose, T.Ishikawa, H.Kanda, O.Konno, K.Maeda, H.Miyase, M.Nanao, I.Nishikawa, T.Ohtsuki, Y.Sato, K.Takahashi, T.Takahashi, H.Tsubota, M.Wakamatsu, H.Yamazaki - Res.Rep.Lab.Nucl.Sci., Tohoku Univ. 37, 1 (2004)

## REFERENCES

---

- Comparison of the  $^{16}\text{O}(\text{e}, \text{e}'\text{p})$  Cross Section at Low Momentum Transfer with Relativistic Calculations Including MEC
- 2004HIZZ K.Hilgers, I.Spahn, Ye.Skakun, F.Tarkanyi, S.Takacs, S.M.Qaim, H.H.Coenen - NEA/NSC/DOC(2004)14 (Jul-4151), p.15 (2004)  
Cross sections for production of the therapeutic radionuclides  $^{103}\text{Pd}$ ,  $^{140}\text{Nd}$ ,  $^{169}\text{Yb}$  and  $^{192}\text{Ir}$
- 2004ISZX T.Ishii, M.Asai, A.Makishima, M.Matsuda, S.Ichikawa, T.Kohno, M.Ogawa - CNS-REP-64, p.27 (2004)  
Nano-second isomer spectroscopy of the  $^{48}\text{Ca}$  region through deep-inelastic collisions
- 2004J019 K.L.Jones, R.L.Kozub, C.Baktash, D.W.Bardayan, J.C.Blackmon, W.N.Catford, J.A.Cizewski, R.P.Fitzgerald, M.S.Johnson, R.J.Livesay, Z.Ma, C.D.Nesaraja, D.Shapira, M.S.Smith, J.S.Thomas, D.W.Visser - Phys.Rev. C 70, 067602 (2004)  
Study of the  $^{124}\text{Sn}(\text{d}, \text{p})$  reaction in inverse kinematics close to the Coulomb barrier
- 2004KA62 L.Kaubler, H.Schnare, R.Schwengner, H.Prade, F.Donau, P.von Brentano, J.Eberth, J.Enders, A.Fitzler, C.Fransen, M.Grinberg, R.-D.Herzberg, H.Kaiser, P.von Neumann-Cosel, N.Pietralla, A.Richter, G.Rusev, Ch.Stoyanov, I.Wiedenhover - Phys.Rev. C 70, 064307 (2004)  
Dipole and quadrupole excitations in  $^{88}\text{Sr}$  up to 6.8 MeV
- 2004KE15 A.Kelic, K.-H.Schmidt, T.Enqvist, A.Boudard, P.Armbruster, J.Benlliure, M.Bernas, S.Czajkowski, R.Legrain, S.Leray, B.Mustapha, M.Pravikoff, F.Rejmund, C.Stephan, J.Taieb, L.Tassan-Got, C.Volant, W.Wlazlo - Phys.Rev. C 70, 064608 (2004)  
Isotopic and velocity distributions of  $^{83}\text{Bi}$  produced in charge-pickup reactions of  $^{208}\text{Pb}$  at 1A GeV
- 2004KHZX T.L.Khoo, T.Lauritsen, I.Ahmad, I.Calderin, M.P.Carpenter, G.Hackman, R.V.F.Janssens, A.Lopez-Martens, T.Dossing, B.Herskind, M.Matsuo, K.Yoshida, F.Hannachi, A.Korichi - ANL-04/22 (Physics Division Ann.Rept., 2003), p.61 (2004)  
Narrow Spreading Widths of Excited Bands in a Superdeformed Well
- 2004KHZY T.L.Khoo, R.Blinstrup, D.Seweryniak, I.Ahmad, M.P.Carpenter, C.N.Davids, S.Freeman, J.Greene, N.Hammond, R.V.F.Janssens, F.G.Kondey, T.Lauritsen, C.J.Lister, G.Mukherjee, P.A.Butler, P.Chowdhury, J.A.Cizewski, R.Gramer, R.D.Herzberg, A.Heinz, P.Ikin, M.Johnson, G.D.Jones, E.Ngijoi-Yogo, P.Reiter - ANL-04/22 (Physics Division Ann.Rept., 2003), p.47 (2004)  
Electrons from a 0.3s Isomer in  $^{254}\text{No}$
- 2004KI23 H.Kim, J.K.Ahn, G.Kim, T.-I.Ro, W.-C.Chung, M.Igashira, T.Ohsaki, S.Mizuno - J.Korean Phys.Soc. 45, 1474 (2004)  
Measurement of Neutron Capture Cross-Sections and Capture  $\gamma$ -ray Spectra of  $^{161,162,163,164}\text{Dy}$  at 550 keV

## REFERENCES

---

- 2004KM01 M.Kmiecik, A.Maj, B.Million, M.Brekiesz, W.Krolas, W.Meczynski, J.Styczen, M.Zieblinski, A.Bracco, F.Camera, G.Benzoni, S.Leoni, O.Wieland, S.Brambilla, B.Herskind, M.Kicinska-Habior, N.Dubray, J.Dudek, N.Schunck - Phys.Rev. C 70, 064317 (2004)  
Probing nuclear shapes close to the fission limit with the giant dipole resonance in  $^{216}\text{Rn}$
- 2004KMZZ M.Kmiecik, A.Maj, J.Styczen, P.Bednarczyk, M.Brekiesz, J.Grebosz, M.Lach, W.Meczynski, M.Zieblinski, K.Zuber, A.Bracco, F.Camera, G.Benzoni, B.Million, S.Leoni, O.Wieland, B.Herskind, D.Curien, N.Dubray, J.Dudek, N.Schunck, K.Mazurek - nucl-ex/0412046, 12/21/2004 (2004)  
GDR Feeding of the Highly-Deformed Band in  $^{42}\text{Ca}$
- 2004K064 A.Korff, P.Haefner, C.Baumer, A.M.van den Berg, N.Blasi, B.Davids, D.De Frenne, R.de Leo, D.Frekers, E.-W.Grewe, M.N.Harakeh, F.Hofmann, M.Hunyadi, E.Jacobs, B.C.Junk, A.Negret, P.von Neumann-Cosel, L.Popescu, S.Rakers, A.Richter, H.J.Wortche - Phys.Rev. C 70, 067601 (2004)  
Deuteron elastic and inelastic scattering at intermediate energies from nuclei in the mass range  $6 \leq A \leq 116$
- 2004KRZX M.I.Krivopustov, J.Adam, A.R.Balabekyan, Yu.A.Batusov, M.Bielewicz, R.Brandt, P.Chaloun, D.Chultem, K.K.Dwivedi, A.F.Elishev, M.Fragopoulou, V.Henzl, D.Henzlova, V.G.Kalinnikov, M.K.Kievets, A.Krasa, F.Krizek, A.Kugler, M.Manolopoulou, I.I.Mariin, A.Nourreddine, R.Odoj, A.V.Pavliouk, V.S.Pronskikh, H.Robotham, K.Siemon, M.Szuta, V.I.Stegailov, A.A.Solnyshkin, A.N.Sosnin, S.Stoulos, V.M.Tsoupko-Sitnikov, Ts.Tumendelger, A.Wojciechowski, V.Wagner, J.S.Wan, W.Westmeier, M.Zamani-Valassiadou, H.Kumawat, V.Kumar, O.S.Zaveriokha, I.V.Zhuk - JINR-E1-2004-79 (2004)  
Investigation of Neutron Spectra and Transmutation of  $^{129}\text{I}$ ,  $^{237}\text{Np}$  and Other Nuclides with 1.5 GeV Protons from the Dubna Nuclotron Using the Electronuclear Setup <<Energy plus Transmutation>>
- 2004KU30 K.A.Kuterbekov, I.N.Kuchtina, B.M.Sadykov, E.I.Ismatov - Ukr.J.Phys. 49, 841 (2004)  
Phenomenological and semimicroscopic analysis of 50-MeV alpha particles scattering and structure of even tin isotopes
- 2004LAZV G.J.Lane, K.H.Maier, A.P.Byrne, G.D.Dracoulis, R.Broda, B.Fornal, M.P.Carpenter, R.M.Clark, M.Cromaz, R.V.F.Janssens, A.O.Macchiavelli, I.Wiedenhover, K.Vetter - ANU-P/1637 (2004)  
High-Spin Isomers and Three-Neutron Valence Configurations in  $^{211}\text{Pb}$
- 2004LAZW T.Lauritsen, I.Ahmad, M.P.Carpenter, A.M.Heinz, R.V.F.Janssens, D.G.Jenkins, T.L.Khoo, F.G.Kondeev, C.J.Lister, D.Seweryniak, P.Fallon, A.O.Macchiavelli, D.Ward, R.M.Clark, M.Cromaz, A.Larabee, B.Herskind, T.Dossing, A.Lopez-Martens, A.Korichi, S.Siem - ANL-04/22 (Physics Division Ann.Rept., 2003), p.51 (2004)  
Rotational Damping, Ridges, and the Quasicontinuum of  $\gamma$  Rays in  $^{152}\text{Dy}$

## REFERENCES

---

- 2004LI75 S.N.Liddick, P.F.Mantica, R.Broda, B.A.Brown, M.P.Carpenter, A.D.Davies, B.Fornal, T.Glasmacher, D.E.Groh, M.Honma, M.Horoi, R.V.F.Janssens, T.Mizusaki, D.J.Morrissey, A.C.Morton, W.F.Mueller, T.Otsuka, J.Pavan, H.Schatz, A.Stolz, S.L.Tabor, B.E.Tomlin, M.Wiedeking - Phys.Rev. C 70, 064303 (2004)  
Development of shell closures at  $N = 32, 34$ . I.  $\beta$  decay of neutron-rich Sc isotopes
- 2004MB03 B.N.Markov, Z.Blaszczak, Yu.P.Gangrsky, S.G.Zemlyanoi, D.V.Karaivanov, K.P.Marinova, L.M.Melnikova - Bull.Rus.Acad.Sci.Phys. 68, 157 (2004)  
Radii of magnetic moment distribution in atomic nuclei
- 2004MIZR S.Michimasa, S.Shimoura, H.Iwasaki, M.Tamaki, N.Aoi, H.Baba, N.Iwasa, S.Kanno, S.Kubono, K.Kurita, M.Kurokawa, T.Minemura, T.Motobayashi, M.Notani, H.J.Ong, S.Ota, A.Saito, H.Sakurai, S.Takeuchi, E.Takeshita, Y.Yanagisawa, A.Yoshida - CNS-REP-64, p.269 (2004)  
In-beam Gamma-ray Spectroscopy of Neutron-rich Nucleus  $^{23}\text{F}$
- 2004MIZS R.Michel, W.Glasser, D.Kollar, M.A.M.Uosif, U.Herpers, P.Malmberg, A.V.Prokofiev, V.Dangendorf, R.Nolte, H.Schuhmacher, I.Ryzhov, A.N.Smirnov, D.Schumann, R.Weinreich, P.W.Kubik, H.-A.Synal, I.Leya, J.-P.Meulders - NEA/NSC/DOC(2004)14 (Jul-4151), p.28 (2004)  
Production of Residual Nuclides at Medium Energies- Finalizing the HINDAS Project
- 2004NA42 B.S.Nara Singh, M.Hass, Y.Nir-El, G.Haquin - Phys.Rev.Lett. 93, 262503 (2004)  
New Precision Measurement of the  $^3\text{He}(^4\text{He}, \gamma)^7\text{Be}$  Cross Section
- 2004NE13 A.Neusser, H.Hubel, A.Al-Khatib, P.Bringel, A.Burger, N.Nenoff, G.Schonwasser, A.K.Singh, C.M.Petrache, G.Lo Bianco, I.Ragnarsson, G.B.Hagemann, B.Herskind, D.R.Jensen, G.Sletten, P.Fallon, A.Gorgen, P.Bednarczyk, D.Curien, G.Gangopadhyay, A.Korichi, A.Lopez-Martens, B.V.T.Rao, T.S.Reddy, N.Singh - Phys.Rev. C 70, 064315 (2004)  
Superdeformed band at very high spin in  $^{140}\text{Nd}$
- 2004NI18 S.Niccolai, and the CLAS Collaboration - Phys.Rev. C 70, 064003 (2004)  
Complete measurement of three-body photodisintegration of  $^3\text{He}$  for photon energies between 0.35 and 1.55 GeV
- 2004ODZZ A.Odahara, Y.Gono, Y.Wakabayashi, T.Fukuchi, N.Hokoiwa, M.Kibe, T.Teranishi, S.Kubono, M.Notani, Y.Yanagisawa, S.Michimasa, J.J.He, H.Iwasaki, S.Shimoura, H.Watanabe, T.Kishida, E.Ideguchi, H.Baba, S.Nishimura, M.Nishimura, J.Y.Moon, S.Kato, H.Sagawa - CNS-REP-64, p.289 (2004)  
Gamma-Ray Spectroscopy by Secondary Fusion Reactions using CRIB
- 2004OG12 Yu.Ts.Oganessian, V.K.Utyonkov, Yu.V.Lobanov, F.Sh.Abdullin, A.N.Polyakov, I.V.Shirokovsky, Yu.S.Tsyganov, G.G.Gulbekian, S.L.Bogomolov, B.N.Gikal, A.N.Mezentsev, S.Iliev, V.G.Subbotin, A.M.Sukhov, A.A.Voinov, G.V.Buklanov, K.Subotic, V.I.Zagrebaev, M.G.Itkis, J.B.Patin, K.J.Moody, J.F.Wild, M.A.Stoyer, N.J.Stoyer, D.A.Shaughnessy, J.M.Kenneally, P.A.Wilk, R.W.Lougheed, R.I.Ilkaev, S.P.Vesnovskii - Phys.Rev. C 70, 064609 (2004); Erratum Phys.Rev. C 71, 029902 (2005)

## REFERENCES

---

- Measurements of cross sections and decay properties of the isotopes of elements 112, 114, and 116 produced in the fusion reactions  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ , and  $^{248}\text{Cm} + ^{48}\text{Ca}$
- 20040GZZ Yu.Ts.Oganessian, V.K.Utyonkov, Yu.V.Lobanov, F.Sh.Abdullin, A.N.Polyakov, I.V.Shirokovsky, Yu.S.Tsyganov, G.G.Gulbekian, S.L.Bogomolov, B.N.Gikal, A.N.Mezentsev, S.Iliev, V.G.Subbotin, A.M.Sukhov, A.A.Voinov, G.V.Buklanov, K.Subotic, V.I.Zagrebaev, M.G.Itkis, J.B.Patin, K.J.Moody, J.F.Wild, M.A.Stoyer, N.J.Stoyer, D.A.Shaughnessy, J.M.Kenneally, P.A.Wilk, R.W.Lougheed, R.I.Ilkaev, S.P.Vesnovskii - JINR-E7-2004-160 (2004)  
Measurements of cross sections and decay properties of the isotopes of elements 112, 114 and 116 produced in the fusion reactions  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$  and  $^{248}\text{Cm} + ^{48}\text{Ca}$
- 20040NZ T.K.Onishi, A.Gelberg, H.Sakurai, K.Yoneda, N.Aoi, N.Imai, H.Baba, P.von Brentano, N.Fukuda, Y.Ichikawa, M.Ishihara, H.Iwasaki, D.Kameda, T.Kishida, A.F.Lisetskiy, H.J.Ong, M.Osada, T.Otsuka, M.K.Suzuki, K.Ue, Y.Utsuno, H.Watanabe - CNS-REP-64, p.235 (2004)  
Gamow-Teller beta decay of  $^{46}\text{Cr}$
- 2004PA42 Y.Parpottas, S.M.Grimes, S.Al-Quraishi, C.R.Brune, T.N.Massey, J.E.Oldendick, A.Salas, R.T.Wheeler - Phys.Rev. C 70, 065805 (2004); Erratum Phys.Rev. C 73, 049907 (2006)  
Astrophysically important  $^{26}\text{Si}$  states studied with the  $(^3\text{He}, n)$  reaction and the  $^{25}\text{Al}(p, \gamma)^{26}\text{Si}$  reaction rates in explosive hydrogen burning environments
- 2004PE24 B.A.Perdue, M.W.Ahmed, A.P.Tonchev, H.R.Weller, G.Feldman, V.N.Litvinenko, I.V.Pinayev, B.E.Norum, R.M.Prior, M.C.Spraker, B.D.Sawatzky - Phys.Rev. C 70, 064305 (2004)  
Compton scattering of polarized  $\gamma$  rays by  $^{16}\text{O}$  for  $E_\gamma = 25\text{-}40$  MeV
- 2004PYZZ Yu.V.Pyatkov, D.V.Kamanin, W.Trzaska, S.R.Yamaletdinov, E.A.Sokol, A.N.Tyukavkin, A.A.Aleksandrov, I.A.Aleksandrova, S.V.Denisov, V.P.Kraynov, S.V.Khlebnikov, T.E.Kuzmina, E.A.Kuznetsova, S.V.Mitrofanov, Yu.E.Penionzhkevich, Yu.V.Ryabov, V.G.Tishchenko, B.V.Florko - JINR-E15-2004-65 (2004)  
New Results in Study of the Collinear Cluster Tripartition of the  $^{252}\text{Cf}$  Nucleus
- 2004QAZZ S.M.Qaim, S.Sudar, Ye.Skakun, A.Fessler - NEA/NSC/DOC(2004)14 (Jul-4151), p.11 (2004)  
Fundamental Studies on Isomeric Cross Sections
- 2004RA28 P.M.Raddon, D.G.Jenkins, C.D.O'Leary, A.J.Simons, R.Wadsworth, A.N.Andreyev, R.D.Page, M.P.Carpenter, F.G.Kondey, T.Enqvist, P.T.Greenlees, P.M.Jones, R.Julin, S.Juutinen, H.Kettunen, M.Leino, A.-P.Leppanen, P.Nieminen, J.Pakarinen, P.Rahkila, J.Uusitalo, D.T.Joss - Phys.Rev. C 70, 064308 (2004)  
 $\alpha$  decay and recoil decay tagging studies of  $^{183}\text{Tl}$
- 2004RA29 U.Ratzel, C.Arlandini, F.Kappeler, A.Couture, M.Wiescher, R.Reifarth, R.Gallino, A.Mengoni, C.Travaglio - Phys.Rev. C 70, 065803 (2004)  
Nucleosynthesis at the termination point of the s process

## REFERENCES

---

- 2004REZY K.E.Rehm, C.L.Jiang, J.P.Greene, D.Henderson, R.V.F.Janssens, E.F.Moore, G.Mukherjee, R.C.Pardo, T.Pennington, J.P.Schiffer, S.Sinha, X.D.Tang, R.H.Siemssen, L.Jissona, R.E.Segel, A.H.Wuosmaa - ANL-04/22 (Physics Division Ann.Rept., 2003), p.3 (2004)  
Studies of the  $^8\text{B}(\alpha, p)^{11}\text{C}$  Reaction
- 2004SA61 K.Sabourov, M.W.Ahmed, R.S.Canon, B.Crowley, K.Joshi, J.H.Kelley, S.O.Nelson, B.A.Perdue, E.C.Schreiber, A.Sabourov, A.Tonchev, H.R.Weller, E.A.Wulf, R.M.Prior, M.C.Spraker, H.M.Hofmann, M.Trini - Phys.Rev. C 70, 064601 (2004)  
Experimental and theoretical study of the  $^2\text{H}(\text{d}(\text{pol}), \gamma)^4\text{He}$  reaction below  $E_{c.m.}=60\text{keV}$
- 2004SCZU B.Scholten, H.E.Hassan, S.Spellerberg, D.Steyn, N.van der Walt, S.Takacs, F.Tarkanyi, S.M.Qaim, H.H.Coenen - NEA/NSC/DOC(2004)14 (Jul-4151), p.13 (2004)  
Cross sections and yields of nuclear processes for the production of the positron emitters  $^{76}\text{Br}$ ,  $^{124}\text{I}$  and  $^{82}\text{Sr}$  ( $^{82}\text{Rb}$ )
- 2004SEZW D.Seweryniak, C.N.Davids, M.P.Carpenter, N.Hammond, R.V.F.Janssens, T.-L.Khoo, G.Mukherjee, S.Sinha, A.Robinson, P.J.Woods, B.Blank, T.Davinson, S.J.Freeman, N.Hoteling, Z.Liu, J.Shergur, A.A.Sonzogni, W.B.Walters, A.Woehr - ANL-04/22 (Physics Division Ann.Rept., 2003), p.27 (2004)  
Ground-State Bands in the Proton Emitters  $^{145,147}\text{Tm}$
- 2004SEZX D.Seweryniak, M.P.Carpenter, N.Hammond, A.Heinz, R.V.F.Janssens, T.L.Khoo, C.J.Lister, G.Mukherjee, E.Rehm, S.Sinha, P.J.Woods, B.Blank, T.Davinson, S.J.Freeman, J.Goerres, N.Hoteling, D.G.Jenkins, H.Mahmud, Z.Liu, F.Sarazin, J.Shergur, M.Shawcross, A.Woehr - ANL-04/22 (Physics Division Ann.Rept., 2003), p.12 (2004)  
The Level Structured and Mass of  $^{22}\text{Mg}$
- 2004SHZZ V.I.Sharov, N.G.Anischenko, V.G.Antonenko, S.A.Averichev, L.S.Azhgirey, V.D.Bartenev, N.A.Bazhanov, A.A.Belyaev, N.A.Blinov, N.S.Borisov, S.B.Borzakov, Yu.T.Borzunov, Yu.P.Bushuev, L.P.Chernenko, E.V.Chernykh, V.F.Chumakov, S.A.Dolgii, A.N.Fedorov, V.V.Fimushkin, M.Finger, M.Finger, Jr., L.B.Golovanov, G.M.Gurevich, A.Janata, A.D.Kirillov, V.G.Kolomiets, E.V.Komogorov, A.D.Kovalenko, A.I.Kovalev, V.A.Krasnov, P.Krstonoshich, E.S.Kuzmin, V.P.Ladygin, A.B.Lazarev, F.Lehar, A.de Lesquen, M.Yu.Liburg, A.N.Livanov, A.A.Lukhanin, P.K.Maniakov, V.N.Matafonov, E.A.Matyushevsky, V.D.Moroz, A.A.Morozov, A.B.Neganov, G.P.Nikolaevsky, A.A.Nomofilov, Tz.Panteleev, Yu.K.Pilipenko, I.L.Pisarev, Yu.A.Plis, Yu.P.Polunin, A.N.Prokofiev, V.Yu.Prytkov, P.A.Rukoyatkin, V.A.Schedrov, O.N.Schevelev, S.N.Shilov, R.A.Shindin, M.Slunicka, V.Slunickova, A.Yu.Starikov, G.D.Stoletov, L.N.Strunov, A.L.Svetov, Yu.A.Usov, T.Vasiliev, V.I.Volkov, E.I.Vorobiev, I.P.Yudin, I.V.Zaitsev, A.A.Zhdanov, V.N.Zhmyrov - JINR-E1-2004-87 (2004)  
Measurements of the Total Cross-Section Difference  $\Delta\sigma_L(\text{np})$  at 1.39, 1.69, 1.89 and 1.99 GeV



## REFERENCES

---

- 2004SIZX S.Sinha, J.Greene, D.Henderson, R.V.F.Janssens, C.L.Jiang, E.F.Moore, R.C.Pardo, K.E.Rehm, J.P.Schiffer, X.Tang, A.Chen, L.Jissona, R.Segel, R.H.Siemssen, A.H.Wuosmaa - ANL-04/22 (Physics Division Ann.Rept., 2003), p.8 (2004)  
Study of the Breakout Reaction  $^{18}\text{Ne}(\alpha, p)^{21}\text{Na}$
- 2004TAZW X.Tang, K.E.Rehm, I.Ahmad, J.Greene, A.Hecht, D.Henderson, C.L.Jiang, E.F.Moore, M.Notani, R.C.Pardo, G.Savard, J.P.Schiffer, S.Sinha, M.Paul, R.E.Segel, L.Jissona, C.Brune, A.Wuosmaa - ANL-04/22 (Physics Division Ann.Rept., 2003), p.5 (2004)  
Measurement of the  $\beta$ -Delayed  $\alpha$  Spectrum of  $^{16}\text{N}$  with a New Technique
- 2004V021 A.N.Vodin, A.S.Kachan, L.P.Korda, V.M.Mishchenko, R.P.Slabospitsky, I.V.Ushakov, G.K.Khomyakov - Bull.Rus.Acad.Sci.Phys. 68, 210 (2004)  
Isobar-analogue resonances in  $^{22}\text{Ne}(p\gamma)^{23}\text{Na}$  reaction
- 2004V022 A.N.Vodin, A.S.Kachan, L.P.Korda, V.M.Mishchenko, R.P.Slabospitsky, I.V.Ushakov, G.K.Khomyakov - Bull.Rus.Acad.Sci.Phys. 68, 218 (2004)  
Fine structure of analogue  $d_{5/2}$  resonance in  $^{31}\text{P}$  nucleus
- 2004V024 A.von Zweidorf, R.Angert, W.Bruchle, S.Burger, K.Eberhardt, R.Eichler, H.Hummrich, E.Jager, H.-O.Kling, J.V.Kratz, B.Kuczewski, G.Langrock, M.Mendel, U.Rieth, M.Schadel, B.Schausten, E.Schimpf, P.Thorle, N.Trautmann, K.Tsukada, N.Wiehl, G.Wirth - Radiochim.Acta 92, 855 (2004)  
Evidence for the formation of sodium hassate(VIII)
- 2004WA35 H.L.Wang, Y.H.Zhang, X.H.Zhou, M.M.Ndontchueng, Y.X.Guo, X.G.Lei, M.L.Liu, L.Peng, C.Y.Xie, L.T.Song, H.P.Yu, Y.Zheng, W.T.Guo, S.X.Wen, L.H.Zhu, X.G.Wu, F.R.Xu - Phys.Rev. C 70, 064306 (2004)  
Observation of the  $\pi h_{11/2}$  (X)  $\nu i_{13/2}$  band in odd-odd  $^{170}\text{Re}$
- 2004WAZW H.Watanabe, H.Ueno, A.Yoshimi, Y.Kobayashi, T.Haseyama, T.Kishida, K.Asahi, D.Kameda, H.Miyoshi, K.Shimada, S.Emori, G.Kato, Y.Gono, A.Odahara - CNS-REP-64, p.243 (2004)  
g-Factor measurements of high-spin isomers and condensed matter studies with  $\gamma$ -TDPAD method
- 2004WIZX A.N.Wilson, G.D.Dracoulis, P.M.Davidson, A.P.Byrne, R.M.Clark, P.Fallon, A.Gorgen, G.J.Lane, A.O.Macchiavelli, D.Ward - ANU-P/1610 (2004)  
Quadrupole Moment of the Yrast Superdeformed Band in  $^{192}\text{Pb}$
- 2004WU08 C.Y.Wu, H.Hua, D.Cline, A.B.Hayes, R.Teng, R.M.Clark, P.Fallon, A.Goergen, A.O.Macchiavelli, K.Vetter - Phys.Rev. C 70, 064312 (2004)  
Multifaceted yrast structure and the onset of deformation in  $^{96,97}\text{Sr}$  and  $^{98,99}\text{Zr}$
- 2004YU11 K.L.Yurkewicz, D.Bazin, B.A.Brown, C.M.Campbell, J.A.Church, D.-C.Dinca, A.Gade, T.Glasmacher, M.Honma, T.Mizusaki, W.F.Mueller, H.Olliver, T.Otsuka, L.A.Riley, J.R.Terry - Phys.Rev. C 70, 064321 (2004)  
E2 excitation strength in  $^{55}\text{Ni}$ : Coupling of the  $^{56}\text{Ni}$   $2_1^+$  collective core vibration to the  $f_{7/2}$  odd neutron hole



## REFERENCES

---

- 2004ZH42 X.Zheng, and the Jefferson Lab Hall A Collaboration - Phys.Rev. C 70, 065207 (2004)  
Precision measurement of the neutron spin asymmetries and spin-dependent structure functions in the valence quark region
- 2005AB01 M.Abdel-Bary, A.Budzanowski, A.Chatterjee, J.Ernst, P.Hawranek, F.Hinterberger, V.Jha, K.Kilian, S.Kliczewski, D.Kirillov, D.Kolev, M.Kravcikova, T.Kutsarova, M.Lesiak, J.Lieb, H.Machner, A.Magiera, R.Maier, G.Martinska, S.Nedev, J.Niskanen, N.Piskunov, D.Prasuhn, D.Protic, P.von Rossen, B.J.Roy, I.Sitnik, R.Siudak, M.Smiechowicz, R.Tsenov, M.Ulicny, J.Urban, G.Vankova, C.Wilkin, and the GEM Collaboration - Phys.Lett. B 610, 31 (2005)  
Detailed comparison of the  $pp \rightarrow \pi^+ pn$  and  $pp \rightarrow \pi^+ d$  reactions at 951 MeV
- 2005AD01 J.Adam, A.R.Balabekyan, V.S.Barashenkov, R.Brandt, V.M.Golovatyuk, V.G.Kalinnikov, K.Katovsky, M.I.Krivopustov, V.Kumar, H.Kumawat, R.Odoj, V.S.Pronskikh, A.A.Solnyshkin, V.I.Stegailov, V.M.Tsoupko-Sitnikov, W.Westmeier - Eur.Phys.J. A 23, 61 (2005)  
Spallation neutron spectrum on a massive lead / paraffin target irradiated with 1 GeV protons
- 2005AH01 J.Ahrens, V.M.Alexeev, J.R.M.Annand, H.J.Arends, R.Beck, G.Caselotti, S.N.Cherepnya, D.Drechsel, L.V.Filkov, K.Fohl, I.Giller, P.Grabmayr, T.Hehl, D.Hornidge, V.L.Kashevarov, M.Kotulla, D.Krambrich, B.Krusche, M.Lang, J.C.McGeorge, I.J.D.MacGregor, V.Metag, M.Moinester, R.Novotny, M.Pfeiffer, M.Rost, S.Schadmand, S.Scherer, A.Thomas, C.Unkmeir, Th.Walcher - Eur.Phys.J. A 23, 113 (2005)  
Measurement of the  $\pi^+$ -meson polarizabilities via the  $\gamma p \rightarrow \gamma \pi^+ n$  reaction
- 2005AL01 M.Altmeier, F.Bauer, J.Bisplinghoff, K.Busser, M.Busch, T.Colberg, L.Demirors, H.P.Engelhardt, P.D.Eversheim, K.O.Eyser, O.Felden, R.Gebel, M.Glende, J.Greiff, F.Hinterberger, E.Jonas, H.Krause, T.Lindemann, J.Lindlein, B.Lorentz, R.Maier, R.Maschuw, A.Meinerzhagen, D.Prasuhn, H.Rohdjess, D.Rosendaal, P.von Rossen, N.Schirm, V.Schwarz, W.Scobel, H.-J.Trelle, K.Ulbrich, E.Weise, A.Wellinghausen, R.Ziegler, and the EDDA Collaboration - Eur.Phys.J. A 23, 351 (2005)  
Excitation functions of the analyzing power in elastic proton-proton scattering from 0.45 to 2.5 GeV
- 2005AL03 J.J.S.Alves, P.R.S.Gomes, J.Lubian, L.C.Chamon, D.Pereira, R.M.Anjos, E.S.Rossi, Jr., C.P.Silva, M.A.G.Alvarez, G.P.A.Nobre, L.R.Gasques - Nucl.Phys. A748, 59 (2005)  
Consistent analysis of peripheral reaction channels and fusion for the  $^{16,18}\text{O} + ^{58}\text{Ni}$  systems
- 2005AM02 H.Amro, G.B.Hagemann, W.C.Ma, R.M.Diamond, J.Domscheit, P.Fallon, B.Herskind, H.Hubel, D.R.Jensen, Y.Li, A.O.Macchiavelli, D.Roux, G.Sletten, J.Thompson, I.Wiedenhover, J.N.Wilson, J.A.Winger - Phys.Rev. C 71, 011302 (2005)  
Competing modes of excitations and the decay out of the triaxial strongly deformed well in  $^{167}\text{Lu}$

## REFERENCES

---

- 2005AM04 Y.Amelin, W.J.Davis - Geochim.Cosmochim.Act. 69, 465 (2005)  
Geochemical test for branching decay of  $^{176}\text{Lu}$
- 2005AM05 M.Ambrogiani, and the Fermilab E835 Collaboration - Phys.Lett. B 610, 177 (2005)  
Measurement of the angular distribution in  $(\bar{p})p \rightarrow \psi(2S) \rightarrow e^+e^-$
- 2005AN01 A.Andrighetto, O.Bajeat, A.E.Barzakh, S.Essabaa, D.V.Fedorov, A.M.Ionan, V.S.Ivanov, R.Leroy, G.Lhersonneau, K.A.Mezilev, F.V.Moroz, S.Yu.Orlov, V.N.Panteleev, L.Stroe, L.B.Tecchio, A.Villari, Yu.M.Volkov, X.F.Wang - Eur.Phys.J. A 23, 257 (2005)  
On-line production of Rb and Cs isotopes from uranium carbide targets
- 2005AN03 L.-L.Andersson, E.K.Johansson, J.Ekman, D.Rudolph, R.du Rietz, C.Fahlander, C.J.Gross, P.A.Hausladen, D.C.Radford, G.Hammond - Phys.Rev. C 71, 011303 (2005)  
Identification of excited states in  $^{61}_{31}\text{Ga}_{30}$ : Mirror nuclei in the upper fp shell
- 2005AN04 K.Andgren, Zs.Podolyak, A.Dewald, F.R.Xu, A.Algora, M.Axiotis, D.Bazzacco, P.G.Bizzeti, A.M.Bizzeti-Sona, B.Cederwall, G.de Angelis, E.Farnea, A.Fitzler, A.Gadea, W.Gelletly, S.Lunardi, O.Moller, N.Marginean, T.Martinez, T.Pissulla, C.Rusu, C.A.Ur, R.Venturelli, P.M.Walker, C.Wheldon - Phys.Rev. C 71, 014312 (2005)  
Lifetime measurements of normal deformed states in  $^{165}_{71}\text{Lu}$
- 2005AS01 M.Asai, M.Sakama, K.Tsukada, S.Ichikawa, H.Haba, I.Nishinaka, Y.Nagame, S.Goto, Y.Kojima, Y.Oura, H.Nakahara, M.Shibata, K.Kawade - Eur.Phys.J. A 23, 395 (2005)  
Proton-neutron configurations in  $^{236g,m}\text{Am}$  and its EC-decay daughter  $^{236}\text{Pu}$
- 2005BA01 A.S.Barabash, and the NEMO Collaboration - Nucl.Phys. B(Proc.Supp.) S138, 207 (2005)  
Nemo-3 double beta decay experiment: Present status
- 2005BA02 D.Bandyopadhyay, N.Warr, C.Fransen, N.Boukharouba, V.Werner, S.W.Yates, J.L.Weil, M.T.McEllistrem - Nucl.Phys. A747, 206 (2005)  
Three-phonon excitations in  $^{124}\text{Sn}$
- 2005BA10 G.Basar, G.Basar, I.K.Ozturk, F.G.Acar, S.Kroger - Phys.Scr. 71, 159 (2005)  
Hyperfine Structure of High Lying Levels of Tm I
- 2005BA11 E.Kh.Bazarov, V.V.Glagolev, K.G.Gulamov, S.L.Lutpullaev, K.Olimov, A.A.Yuldashev, E.I.Ismatov, D.A.Karshiev, Kh.Sh.Khamidov, B.S.Yuldashev - Ukr.J.Phys. 50, 16 (2005)  
Fragmentation of oxygen nuclei into  $\alpha$ -particles and  $^{12}\text{C}$  nuclei in  $^{16}\text{O}$ -collisions at 3.25A GeV / c
- 2005BA13 M.D.L.Barbosa, T.Borello-Lewin, L.B.Horodyski-Matsushigue, J.L.M.Duarte, C.L.Rodrigues, M.R.D.Rodrigues, G.M.Ukita - Phys.Rev. C 71, 024303 (2005)  
Coulomb-nuclear interference with  $^6\text{Li}$ : Isospin character of the  $2^+_1$  excitation in  $^{70,72,74}\text{Ge}$

## REFERENCES

---

- 2005BA14 C.Baumer, A.M.van den Berg, B.Davids, D.Frekers, D.De Frenne, E.-W.Grewe, P.Haefner, M.N.Harakeh, F.Hofmann, S.Hollstein, M.Hunyadi, M.A.de Huu, E.Jacobs, B.C.Junk, A.Korff, K.Langanke, G.Martinez-Pinedo, A.Negret, P.von Neumann-Cosel, L.Popescu, S.Rakers, A.Richter, H.J.Wortche - Phys.Rev. C 71, 024603 (2005); Erratum Phys.Rev. C 71, 029903 (2005)  
Determination of the Gamow-Teller strength distribution from the odd-odd nucleus  $^{50}\text{V}$  measured through  $^{50}\text{V}(\text{d}, ^2\text{He})^{50}\text{Ti}$  and astrophysical implications
- 2005BA18 A.R.Balabekyan, A.S.Danagulyan, J.R.Drnoyan, N.A.Demekhina, J.Adam, V.G.Kalinnikov, M.I.Krivopustov, V.S.Pronskikh, V.I.Stegailov, A.A.Solnyshkin, P.Chaloun, V.M.Tsoupko-Sitnikov, G.Musulmanbekov - Yad.Fiz. 68, 195 (2005); Phys.Atomic Nuclei 68, 171 (2005)  
Investigation of Spallation Reactions on  $^{120}\text{Sn}$  and (d, xn), (d, pxn), (p, xn), and (p, pxn) Reactions on Enriched Tin Isotopes
- 2005BA25 S.Baunack, for the A4 Collaboration - Eur.Phys.J. A 24, Supplement 2, 35 (2005)  
Transverse spin asymmetry at the A4 experiment: Experimental results
- 2005BE03 R.Bernabei, P.Belli, F.Cappella, F.Montecchia, F.Nozzoli, A.d'Angelo, A.Incicchitti, D.Prospieri, R.Cerulli, C.J.Dai, H.H.Kuang, J.M.Ma, Z.P.Ye - Eur.Phys.J. A 23, 7 (2005)  
Search for spontaneous transition of nuclei to a superdense state
- 2005BE12 F.Benmokhtar, for the Jefferson Lab Hall A Collaboration - Phys.Rev.Lett. 94, 082305 (2005)  
Measurement of the  $^3\text{He}(\text{e}, \text{e}'\text{p})\text{pn}$  Reaction at High Missing Energies and Momenta
- 2005BE17 R.Bernabei, P.Belli, F.Cappella, F.Montecchia, F.Nozzoli, A.d'Angelo, A.Incicchitti, D.Prospieri, R.Cerulli, C.J.Dai, H.L.He, H.H.Kuang, J.M.Ma, Z.P.Ye, V.I.Tretyak - Eur.Phys.J. A 24, 51 (2005)  
A search for spontaneous emission of heavy clusters in the  $^{127}\text{I}$  nuclide
- 2005BH06 T.Bhattacharjee, S.Chanda, S.Bhattacharyya, S.K.Basu, R.K.Bhowmik, S.Muralithar, R.P.Singh, N.S.Pattabiraman, S.S.Ghugre, U.Datta Pramanik, S.Bhattacharya - Nucl.Phys. A750, 199 (2005)  
Structure of odd-odd  $^{136}\text{La}$  at high spin
- 2005BI02 D.C.Biswas, A.G.Smith, R.M.Wall, D.Patel, G.S.Simpson, D.M.Cullen, J.L.Durell, S.J.Freeman, J.C.Lisle, J.F.Smith, B.J.Varley, T.Yousef, G.Barreau, M.Petit, Ch.Theisen, E.Bouchez, M.Houry, R.Lucas, B.Cahan, A.Le Coguie, B.J.P.Gall, O.Dorvaux, N.Schulz - Phys.Rev. C 71, 011301 (2005); Erratum Phys.Rev. C 71, 019901 (2005)  
Lifetimes of excited states in octupole-collective  $^{142,144}\text{Ba}$  nuclei
- 2005B010 M.L.Bonardi, F.Groppi, H.S.Mainardi, V.M.Kokhanyuk, E.V.Lapshina, M.V.Mebel, B.L.Zhuikov - J.Radioanal.Nucl.Chem. 264, 101 (2005)  
Cross section studies on  $^{64}\text{Cu}$  with zinc target in the proton energy range from 141 down to 31 MeV

## REFERENCES

---

- 2005BR04 C.Broggini, and the LUNA Collaboration - Nucl.Phys. B(Proc.Supp.) S143, 60 (2005)  
Neutrino Cross Sections for Astrophysics
- 2005BU02 D.G.Burke - Nucl.Phys. A747, 131 (2005)  
Single-proton-transfer studies of  $^{153}\text{Eu}$  levels
- 2005BU05 A.A.Burlon, A.J.Kreiner, A.A.Valda, D.M.Minsky, H.R.Somacal, M.E.Debray, P.Stoliar - Nucl.Instrum.Methods Phys.Res. B229, 144 (2005)  
Optimization of a neutron production target and a beam shaping assembly based on the  $^7\text{Li}(p, n)^7\text{Be}$  reaction for BNCT
- 2005BU07 D.G.Burke, G.Lovhoiden - Nucl.Phys. A750, 185 (2005)  
(t, p) reaction studies of  $^{165}\text{Dy}$  and  $^{179}\text{Hf}$
- 2005CA02 M.Caamano, P.M.Walker, P.H.Regan, M.Pfutzner, Zs.Podolyak, J.Gerl, M.Hellstrom, P.Mayet, M.N.Mineva, A.Aprahamian, J.Benlliure, A.M.Bruce, P.A.Butler, D.Cortina Gil, D.M.Cullen, J.Doring, T.Enqvist, C.Fox, J.Garces Narro, H.Geissel, W.Gelletly, J.Giovinazzo, M.Gorska, H.Grawe, R.Grzywacz, A.Kleinbohl, W.Korten, M.Lewitowicz, R.Lucas, H.Mach, C.D.O'Leary, F.De Oliveira, C.J.Pearson, F.Rejmund, M.Rejmund, M.Sawicka, H.Schaffner, C.Schlegel, K.Schmidt, K.-H.Schmidt, P.D.Stevenson, Ch.Theisen, F.Vives, D.D.Warner, C.Wheldon, H.J.Wollersheim, S.Wooding, F.Xu, O.Yordanov - Eur.Phys.J. A 23, 201 (2005)  
Isomers in neutron-rich  $A \approx 190$  nuclides from  $^{208}\text{Pb}$  fragmentation
- 2005CA03 C.M.Cattadori, M.De Deo, M.Laubenstein, L.Pandola, V.I.Tretyak - Nucl.Phys. A748, 333 (2005)  
Observation of  $\beta$  decay of  $^{115}\text{In}$  to the first excited level of  $^{115}\text{Sn}$
- 2005CA06 G.Canchel, B.Blank, M.Chartier, F.Delalee, P.Dendooven, C.Dossat, J.Giovinazzo, J.Huikari, A.S.Lalleman, M.J.Lopez Jimenez, V.Madec, J.L.Pedroza, H.Penttila, J.C.Thomas - Eur.Phys.J. A 23, 409 (2005)  
Precision measurement of the half-life and the decay branches of  $^{62}\text{Ga}$
- 2005CA14 S.A.Catlow, G.L.Troyer, D.R.Hansen, R.A.Jones - J.Radioanal.Nucl.Chem. 263, 599 (2005)  
Half-life measurement of  $^{126}\text{Sn}$  isolated from Hanford nuclear defense waste
- 2005CE02 J.Cerny, Z.Dlouhy, Z.Dolezal, M.P.Ivanov, P.Kubik, E.A.Kuznetsova, Yu.E.Penionzhkevich, E.A.Sokol, J.Svejda, I.Wilhelm - Nucl.Instrum.Methods Phys.Res. A540, 430 (2005)  
Neutron response function for a detector with  $^3\text{He}$  counters for the 0.39-1.54 MeV neutron energy range
- 2005C002 L.Corradi, B.R.Behera, E.Fioreto, A.Gadea, A.Latina, A.M.Stefanini, S.Szilner, M.Trotta, Y.Wu, S.Beghini, G.Montagnoli, F.Scarlassara, R.N.Sagaidak, S.N.Atutov, B.Mai, G.Stancari, L.Tomassetti, E.Mariotti, A.Khanbekyan, S.Veronesi - Phys.Rev. C 71, 014609 (2005)  
Excitation functions for  $^{208-211}\text{Fr}$  produced in the  $^{18}\text{O} + ^{197}\text{Au}$  fusion reaction

## REFERENCES

---

- 2005DA03 F.A.Danevich, P.G.Bizzeti, T.F.Fazzini, A.Sh.Georgadze, V.V.Kobychev, B.N.Kropivnyansky, P.R.Maurenzig, A.S.Nikolaiko, V.I.Tretyak, S.Yu.Zdesenko, Yu.G.Zdesenko - Nucl.Phys. B(Proc.Supp.) S138, 230 (2005)  
Double  $\beta$  decay of  $^{116}\text{Cd}$ . Final results of the Solotvina experiment and CAMEO project
- 2005DE01 H.De Witte, A.N.Andreyev, S.Dean, S.Franchoo, M.Huyse, O.Ivanov, U.Koster, W.Kurcewicz, J.Kurpeta, A.Plochocki, K.Van de Vel, J.Van de Walle, P.Van Duppen - Eur.Phys.J. A 23, 243 (2005)  
Alpha-decay of neutron-deficient  $^{200}\text{Fr}$  and heavier neighbours
- 2005DE02 A.Y.Deo, S.K.Tandel, S.B.Patel, P.V.Madhusudhana Rao, S.Muralithar, R.P.Singh, R.Kumar, R.K.Bhowmik, Amita - Phys.Rev. C 71, 017303 (2005)  
Lifetime measurements in  $^{112}\text{Sb}$
- 2005DI03 P.Di Nezza - Eur.Phys.J. A 24, Supplement 1, 23 (2005)  
Spin structure of the nucleon
- 2005ER01 K.N.Ermakov, T.S.Oposhnyan, V.L.Rappoport, O.V.Rogachevsky, V.V.Sarantsev, S.G.Sherman - Eur.Phys.J. A 23, 345 (2005)  
Study of the  $\pi^- n \rightarrow \pi^- \pi^-$  reaction at 430 MeV energy
- 2005FI01 R.Fitzgerald, E.Abbotoy, D.W.Bardayan, J.C.Blackmon, A.E.Champagne, A.A.Chen, U.Greife, D.W.Hill, A.N.James, R.L.Kozub, T.A.Lewis, R.Livesay, Z.Ma, S.L.Mahan, J.W.McConnell, W.T.Milner, B.H.Moazen, P.D.Parker, D.E.Pierce, M.E.Roettger, L.Sahin, D.Shapira, M.S.Smith, F.Strieder, K.B.Swartz, J.S.Thomas, D.W.Visser - Nucl.Phys. A748, 351 (2005)  
Studies of  $(p, \gamma)$  reactions with the Daresbury Recoil Separator at ORNL'S HRIBF
- 2005GA01 L.Gaudefroy, O.Sorlin, C.Donzaud, J.C.Angelique, F.Azaiez, C.Bourgeois, V.Chiste, Z.Dlouhy, S.Grevy, D.Guillemaud-Mueller, F.Ibrahim, K.-L.Kratz, M.Lewitowicz, S.M.Lukyanov, I.Matea, J.Mrazek, F.Nowacki, F.de Oliveira Santos, Yu.-E.Penionzhkevich, B.Pfeiffer, F.Pougheon, M.G.Saint-Laurent, M.Stanoiu - Eur.Phys.J. A 23, 41 (2005)  
Beta-decay studies of neutron-rich Sc-Cr nuclei
- 2005GA09 F.Garibaldi, on behalf of the Hall A Collaboration - Eur.Phys.J. A 24, Supplement 1, 91 (2005)  
High resolution hypernuclear spectroscopy
- 2005GI03 G.Giorginis, V.Khriatchkov - Nucl.Instrum.Methods Phys.Res. A538, 550 (2005)  
The effect of particle leaking and its implications for measurements of the  $(n, \alpha)$  reaction on light elements by using ionisation chambers

## REFERENCES

---

- 2005GL03 D.I.Glazier, M.Seimetz, J.R.M.Annand, H.Arenhovel, M.A.Antelo, C.Ayerbe, P.Bartsch, D.Baumann, J.Bermuth, R.Bohm, D.Bosnar, M.Ding, M.O.Distler, D.Elsner, J.Friedrich, S.Hedicke, P.Jennewein, G.J.Manas, F.H.Klein, F.Klein, M.Kohl, K.W.Krygier, K.Livingston, I.J.D.MacGregor, M.Makek, H.Merkel, P.Merle, D.Middleton, U.Muller, R.Neuhausen, L.Nungesser, M.Ostrick, R.Perez Benito, J.Pochodzalla, Th.Pospischil, M.Potokar, A.Reiter, G.Rosner, J.Sanner, H.Schmieden, A.Sule, Th.Walcher, D.P.Watts, M.Weis, and the A1 Collaboration - Eur.Phys.J. A 24, 101 (2005)  
Measurement of the electric form factor of the neutron at  $Q^2 = 0.3\text{--}0.8 \text{ (GeV / c)}^2$
- 2005GYZZ Gy.Gyurky, Z.Elekes, Zs.Fulop, G.G.Kiss, E.Somorjai, A.Palumbo, M.Wiescher - nucl-ex/0503012,3/18/2005 (2005)  
Precise half-life measurement of  $^{110}\text{Sn}$  and  $^{109}\text{In}$  isotopes
- 2005HA03 M.Hagemann, C.Baumer, A.M.van den Berg, D.De Frenne, D.Frekers, V.M.Hannen, M.N.Harakeh, J.Heyse, M.A.de Huu, E.Jacobs, K.Langanke, G.Martinez-Pinedo, A.Negret, L.Popescu, S.Rakers, R.Schmidt, H.J.Wortche - Phys.Rev. C 71, 014606 (2005)  
Spin-isospin excitations in the medium-mass nucleus  $^{58}\text{Co}$  investigated with the  $(d, ^2\text{He})$  reaction
- 2005HA05 D.J.Hartley, M.K.Djongolov, L.L.Riedinger, G.B.Hagemann, R.V.F.Janssens, F.G.Kondeev, E.F.Moore, M.A.Riley, A.Aguilar, C.R.Bingham, D.B.Campbell, M.P.Carpenter, P.Chowdhury, M.Cromaz, D.M.Cullen, M.Danchev, G.D.Dracoulis, P.Fallon, J.Goon, R.A.Kaye, T.L.Khoo, R.W.Laird, T.Lauritsen, A.O.Macchiavelli, B.McClain, G.Mukherjee, E.Ngijoi-Yogo, H.I.Park, G.Sletten, S.K.Tandel, P.M.Walker, J.-Y.Zhang - Phys.Lett. B 608, 31 (2005)  
Wobbling excitations in strongly deformed Hf nuclei?
- 2005HA07 R.Hartke, D.R.Symes, F.Buersgens, L.E.Ruggles, J.L.Porter, T.Ditmire - Nucl.Instrum.Methods Phys.Res. A540, 464 (2005)  
Fusion neutron detector calibration using a table-top laser generated plasma neutron source
- 2005HAZZ T.Hayakawa, T.Shizuma, T.Arima, T.Kajino, S.Chiba, N.Shinohara, H.Utsunomiya - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.208 (2005)  
 $^{186}\text{Re}$  isomer contribution to  $^{187}\text{Re}$ - $^{187}\text{Os}$  cosmochronometer
- 2005HE03 A.Herlert, D.Beck, K.Blaum, F.Carrel, P.Delahaye, S.George, C.Guenaut, F.Herfurth, A.Kellerbauer, H.-J.Kluge, D.Lunney, M.Mukherjee, L.Schweikhard, C.Yazidjian - New Journal of Physics 7, 44 (2005)  
Mass spectrometry of atomic ions produced by in-trap decay of short-lived nuclides
- 2005HE04 M.Heil, S.Dababneh, A.Juseviciute, F.Kappeler, R.Plug, R.Reifarth, S.O'Brien - Phys.Rev. C 71, 025803 (2005)  
Quasistellar spectrum for neutron activation measurements at  $kT = 5 \text{ keV}$

## REFERENCES

---

- 2005HE05     A.Hermanne, F.Tarkanyi, S.Takacs, Yu.N.Shubin - Nucl.Instrum.Methods Phys.Res. B229, 321 (2005)  
Experimental determination of cross section of alpha-induced reactions on  $^{nat}\text{Pd}$
- 2005HE08     P.Heckman, B.B.Back, T.Baumann, M.P.Carpenter, I.Dioszegi, D.J.Hofman, T.L.Khoo, S.Mitsuoka, V.Nanal, T.Pennington, J.P.Seitz, M.Thoennessen, E.Tryggestad, R.L.Varner - Nucl.Phys. A750, 175 (2005)  
Temperature and spin dependence of the giant dipole resonance width
- 2005HEZZ     J.J.He, S.Kubono, T.Teranishi, M.Notani, S.Michimasa, H.Baba, S.Nishimura, M.Nishimura, Y.Yanagisawa, N.Hokoima, M.Kibe, Y.Gono, J.Y.Moon, J.H.Lee, C.S.Lee, H.Iwasaki, S.Kato - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.481 (2005)  
Investigation of resonant states in  $^{23}\text{Al}$  using a radioactive beam of  $^{22}\text{Mg}$  on a proton target
- 2005HI03     Y.Hirayama, T.Shimoda, H.Izumi, A.Hatakeyama, K.P.Jackson, C.D.P.Levy, H.Miyatake, M.Yagi, H.Yano - Phys.Lett. B 611, 239 (2005)  
Study of  $^{11}\text{Be}$  structure through  $\beta$ -delayed decays from polarized  $^{11}\text{Li}$
- 2005HIZZ     S.F.Hicks, G.K.Alexander, C.A.Aubin, M.C.Burns, C.J.Collard, M.W.Walbran, J.R.Vanhoy, E.Jensen, P.E.Garrett, M.Kadi, A.Martin, N.Warr, S.W.Yates - Priv.Comm. (2005)  
Intruder Structures in  $^{122}\text{Te}$  through inelastic neutron scattering
- 2005H008     P.T.Hosmer, H.Schatz, A.Aprahamian, O.Arndt, R.R.C.Clement, A.Estrade, K.-L.Kratz, S.N.Liddick, P.F.Mantica, W.F.Mueller, F.Montes, A.C.Morton, M.Ouellette, E.Pellegrini, B.Pfeiffer, P.Reeder, P.Santi, M.Steiner, A.Stolz, B.E.Tomlin, W.B.Walters, A.Wohr - Phys.Rev.Lett. 94, 112501 (2005)  
Half-Life of the Doubly Magic r-Process Nucleus  $^{78}\text{Ni}$
- 2005II01     H.Iimura, M.Asai, S.Ichikawa, J.Katakura, M.Magara, A.Osa, M.Oshima, N.Shinohara, H.Yamamoto - Eur.Phys.J. A 23, 33 (2005)  
Levels in  $^{127}\text{La}$  fed by the  $^{127}\text{Ce}$  beta-decay
- 2005ISZZ     H.Ishiyama, H.Miyatake, M.-H.Tanaka, Y.Watanabe, N.Yoshikawa, S.Jeong, Y.Matsuyama, Y.Fuchi, I.Katayama, T.Nomura, T.Hashimoto, T.Ishikawa, K.Nakai, S.K.Das, P.K.Saha, T.Fukuda, K.Nishio, S.Mitsuoka, H.Ikezoe, M.Matsuda, S.Ichikawa, T.Furukawa, H.Izumi, T.Shimoda, Y.Mizoi, M.Terasawa - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.316 (2005)  
Direct measurements of the astrophysical ( $\alpha$ , n) and (p, n) reactions by using low-energy light neutron-rich RNB
- 2005JA03     Z.Janas, C.Mazzocchi, L.Batist, A.Blazhev, M.Gorska, M.Kavatsyuk, O.Kavatsyuk, R.Kirchner, A.Korgul, M.La Commara, K.Miernik, I.Mukha, A.Plochocki, E.Roeckl, K.Schmid - Eur.Phys.J. A 23, 197 (2005)  
Measurements of  $^{110}\text{Xe}$  and  $^{106}\text{Te}$  decay half-lives



## REFERENCES

---

- 2005JA06      Z.Janas, L.Batist, J.Doring, M.Gierlik, R.Kirchner, J.Kurcewicz, H.Mahmud, C.Mazzocchi, A.Plochocki, E.Roeckl, K.Schmidt, P.J.Woods, J.Zylicz - Eur.Phys.J. A 23, 401 (2005)  
Total absorption spectroscopy of the  $\beta$ -delayed proton emitter  $^{117}\text{Ba}$
- 2005JE01      H.B.Jeppesen, and the ISOLDE and REX-ISOLDE Collaborations - Nucl.Phys. A748, 374 (2005)  
Low energy reactions with radioactive ions at REX-ISOLDE-the  $^9\text{Li} + ^2\text{H}$  case
- 2005J002      C.Johansson, J.Blomgren, A.Atac, B.Bergenwall, S.Dangtip, K.Elmgren, A.Hildebrand, O.Jonsson, J.Klug, P.Mermod, P.Nadel-Turonski, L.Nilsson, N.Olsson, S.Pomp, A.V.Prokofiev, P.-U.Renberg, U.Tippawan, M.Osterlund - Phys.Rev. C 71, 024002 (2005)  
Forward-angle neutron-proton scattering at 96 MeV
- 2005J003      M.S.Johnson, J.A.Cizewski, M.B.Smith, J.S.Thomas, J.A.Becker, L.A.Bernstein, A.Schiller, D.P.McNabb, P.Fallon, A.O.Macchiavelli - Phys.Rev. C 71, 024317 (2005)  
Population of superdeformed excitations in  $^{198}\text{Po}$
- 2005J004      P.Joshi, A.R.Wilkinson, T.Koike, D.B.Fossan, S.Finnigan, E.S.Paul, P.M.Raddon, G.Rainovski, K.Starosta, A.J.Simons, C.Vaman, R.Wadsworth - Eur.Phys.J. A 24, 23 (2005)  
First evidence for chirality in Tc isotopes: Spectroscopy of  $^{100}\text{Tc}$
- 2005JU03      A.R.Junghans, E.C.Mohrmann, K.A.Snover, T.D.Steiger, E.G.Adelberger, J.M.Casandjian, H.E.Swanson, L.R.Buchmann, A.Laird, S.Park, A.Y.Zyuzin - Nucl.Phys. B(Proc.Supp.) S138, 112 (2005)  
The new Seattle-TRIUMF  $^7\text{Be}(p, \gamma)^8\text{B}$  S-factor determination
- 2005KA06      R.Kanungo, Z.Elekes, H.Baba, Zs.Dombradi, Zs.Fulop, J.Gibelin, A.Horvath, Y.Ichikawa, E.Ideguchi, N.Iwasa, H.Iwasaki, S.Kawai, Y.Kondo, T.Motobayashi, M.Notani, T.Ohnishi, A.Ozawa, H.Sakurai, S.Shimoura, E.Takeshita, S.Takeuchi, I.Tanihata, Y.Togano, C.Wu, Y.Yamaguchi, Y.Yanagisawa, A.Yoshida, K.Yoshida - Phys.Lett. B 608, 206 (2005)  
Excited states in neutron rich boron isotopes
- 2005KI01      S.Kishimoto, Y.Yoda, Y.Kobayashi, S.Kitao, R.Haruki, M.Seto - Nucl.Phys. A748, 3 (2005)  
Evidence for nuclear excitation by electron transition on  $^{193}\text{Ir}$  and its probability
- 2005KI03      P.M.King, for the  $G^0$  Collaboration - Eur.Phys.J. A 24, Supplement 2, 39 (2005)  
Normal beam spin asymmetries during the  $G^0$  forward angle measurement
- 2005KL02      H.V.Klapdor-Kleingrothaus, for the Heidelberg-Moscow / HDMS / Genius-TF Collaborations - Nucl.Phys. B(Proc.Supp.) S143, 229 (2005)  
First evidence for neutrinoless double beta decay, with enriched  $^{76}\text{Ge}$  in Gran Sasso 1990-2003



## REFERENCES

---

- 2005K001 Tz.Kokalova, W.von Oertzen, S.Torilov, S.Thummerer, M.Milin, A.Tumino, G.de Angelis, E.Farnea, A.Gadea, D.R.Napoli, Th.Kroll, N.Marginean, T.Martinez, M.Axiotis, S.M.Lenzi, C.Ur, P.Papka, M.Rousseau - Eur.Phys.J. A 23, 19 (2005)  
Emission of unbound  $^8\text{Be}$  and  $^{12}\text{C}^*$  ( $0_2^+$ ) clusters in compound nucleus reactions
- 2005K002 K.Kobayashi, Y.Itow, M.Shiozawa, M.Yosoi, H.Toyokawa, H.Akimune, H.Ejiri, H.Fujimura, M.Fujiwara, K.Hara, K.Y.Hara, T.Ishikawa, M.Itoh, T.Kawabata, M.Nakamura, H.Sakaguchi, Y.Sakemi, H.Takeda, , M.Uchida, T.Yamada, Y.Yasuda, H.P.Yoshida, R.G.T.Zegers - Nucl.Phys. B(Proc.Supp.) S139, 72 (2005)  
Detection of nuclear de-excitation gamma-rays in water Cherenkov detector
- 2005KU01 T.Kutsarova, C.Schuck, E.Gueorguieva, A.Minkova, I.Zartova, F.Hannachi, A.Korichi, A.Lopez-Martens - Eur.Phys.J. A 23, 69 (2005)  
Coexisting oblate and strongly triaxial structures in  $^{191}\text{Pt}$
- 2005KU06 P.Kuusiniemi, F.P.Hessberger, D.Ackermann, S.Hofmann, I.Kojouharov - Eur.Phys.J. A 23, 417 (2005)  
Decay studies of  $^{210-214}\text{Fr}$  using  $\alpha$ - $\gamma$ -coincidences
- 2005KU10 R.Kumar, K.Singh, D.Mehta, N.Singh, S.S.Malik, E.S.Paul, A.Gorgen, S.Chmel, R.P.Singh, S.Muralithar - Eur.Phys.J. A 24, 13 (2005)  
Collective structures of the  $^{131}\text{Cs}$  nucleus
- 2005LA01 G.J.Lane, K.H.Maier, A.P.Byrne, G.D.Dracoulis, R.Broda, B.Fornal, M.P.Carpenter, R.M.Clark, M.Cromaz, R.V.F.Janssens, A.O.Macchiavelli, I.Wiedenhover, K.Vetter - Phys.Lett. B 606, 34 (2005)  
High-spin isomers and three-neutron valence configurations in  $^{211}\text{Pb}$
- 2005LE04 I.Leya, R.Wieler, J.-C.David, S.Leray, L.Donadille, J.Cugnon, R.Michel - Nucl.Instrum.Methods Phys.Res. B229, 1 (2005)  
Production of noble gas isotopes by proton-induced reactions on lead
- 2005LI02 Y.Li, S.-F.Shen, S.-H.Shi, J.-H.Gu, J.-Y.Liu, H.Xu - Chinese Physics 14, 95 (2005)  
New levels and transitions in  $^{72}\text{Ge}$  following the decay of  $^{72}\text{Ga}$
- 2005LI09 Y.Li, S.-F.Shen, J.-H.Gu, S.-H.Shi, J.-Y.Liu - Chinese Physics 14, 487 (2005)  
A study on the decay of  $^{72}\text{As}$
- 2005MA03 P.Mason, N.Marginean, S.M.Lenzi, M.Ionescu-Bujor, F.Della Vedova, D.R.Napoli, T.Otsuka, Y.Utsuno, F.Nowacki, M.Axiotis, D.Bazzacco, P.G.Bizzeti, A.Bizzeti-Sona, F.Brandolini, M.Cardona, G.de Angelis, E.Farnea, A.Gadea, D.Hojman, A.Iordachescu, C.Kalfas, Th.Kroll, S.Lunardi, T.Martinez, C.M.Petrache, B.Quintana, R.V.Ribas, C.Rossi Alvarez, C.A.Ur, R.Vlastou, S.Zilio - Phys.Rev. C 71, 014316 (2005)  
High spin structure of  $^{34}\text{S}$  and the proton-neutron coupling of intruder states
- 2005MA10 H.-L.Ma - Chinese Physics 14, 511 (2005)  
Measurement of hyperfine structure and isotope shifts in the 580.56nm line of  $^{142-145,146,148,150}\text{Nd}^+$

## REFERENCES

---

- 2005MA13 F.E.Maas, K.Aulenbacher, S.Baunack, L.Capozza, J.Diefenbach, B.Glaser, Y.Imai, T.Hammel, D.von Harrach, E.-M.Kabuss, R.Kothe, J.H.Lee, A.Sanchez-Lorente, E.Schilling, D.Schwaab, G.Stephan, G.Weber, C.Weinrich, I.Altarev, J.Arviex, M.Elyakoubi, R.Frascaria, R.Kunne, M.Morlet, S.Ong, J.Van de Wiele, S.Kowalski, R.Suleiman, S.Taylor - Phys.Rev.Lett. 94, 082001 (2005)  
Measurement of the Transverse Beam Spin Asymmetry in Elastic Electron-Proton Scattering and the Inelastic Contribution to the Imaginary Part of the Two-Photon Exchange Amplitude
- 2005MA19 F.E.Maas, for the A4 Collaboration - Eur.Phys.J. A 24, Supplement 2, 47 (2005)  
Parity violating electron scattering at the MAMI facility in Mainz The strangeness contribution to the form factors of the nucleon
- 2005MC01 E.A.McCutchan, N.V.Zamfir, R.F.Casten, M.A.Caprio, H.Ai, H.Amro, C.W.Beausang, A.A.Hecht, D.A.Meyer, J.J.Ressler - Phys.Rev. C 71, 024309 (2005)  
 $\gamma$ -ray spectroscopy of  $^{166}\text{Hf}$ : X(5) in  $N > 90$ ?
- 2005ME01 A.K.M.M.H.Meaze, H.Ahmed, G.Kim, D.Son, Y.S.Lee, H.Kang, M-H.Cho, I.S.Ko, W.Namkung, T.-I.Ro, W.-C.Chung, Y.-A.Kim, K.J.Yoo, J.H.Chang - J.Korean Phys.Soc. 46, 401 (2005)  
Measurement of the Total Neutron Cross-Sections and the Resonance Parameters of Natural Hafnium at the Pohang Neutron Facility
- 2005ME03 Z.E.Meziani, for the polarized  $^3\text{He}$  Collaboration - Eur.Phys.J. A 24, Supplement 1, 153 (2005)  
 $Q^2$  evolution of  $^3\text{He}$  spin structure functions moments
- 2005MEZZ A.A.Mehmandoost-Khajeh-Dad, H.R.Amir-Ahmadi, J.C.S.Bacelar, A.M.van den Berg, R.Castelijns, A.Deltuva, E.D.van Garderen, W.Glockle, J.Golak, N.Kalantar-Nayestanaki, H.Kamada, M.Kis, R.Koochi-Fayegh-Dehkordi, H.Lohner, M.Mahjour-Shafiei, H.Mardanpur, J.G.Messchendorp, A.Nogga, P.Sauer, S.V.Shende, R.Skibinski, H.Witala, H.J.Wortche - nucl-ex/0501012,1/17/2005 (2005)  
Spin observables in deuteron-proton radiative capture at intermediate energies
- 2005M004 S.A.Morrow, J.Arneil, E.C.Aschenauer, M.F.van Batenburg, H.P.Blok, D.J.Boersma, D.Branford, T.Davinson, G.DeMeyer, J.E.Ducret, W.H.A.Hesselink, D.Groep, K.Hicks, D.G.Ireland, N.Kalantar-Nayestanaki, L.Lapikas, M.Liang, J.Mackenzie, C.Marchand, R.Medaglia, J.Ryckebusch, M.van Sambeek, R.Starink, G.van der Steenhoven, M.A.van Uden, H.de Vries - Phys.Rev. C 71, 014607 (2005)  
Comparison between the transverse responses of the reactions  $^{12}\text{C}(e, e'p)^{11}\text{B}$  and  $^{12}\text{C}(\gamma, p)^{11}\text{B}$
- 2005M007 K.Morita, H.Miyahara, Y.Ogata, K.Katoh - Nucl.Instrum.Methods Phys.Res. A540, 324 (2005)  
Emission probability measurement of  $\gamma$ -ray of  $^{105}\text{Rh}$

## REFERENCES

---

- 2005M0ZZ J.Y.Moon, C.S.Lee, J.H.Lee, C.C.Yun, J.C.Kim, M.Youn, S.Kubono, T.Teranishi, J.J.He, M.Notani, S.Nishimura, M.Nishimura, V.Guimaraes, R.F.Lichtenthaler, S.Kato - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.505 (2005)  
Study of proton resonances in  $^{26}\text{Si}$  and  $^{27}\text{P}$  by the elastic scattering of  $^1\text{H}(^{25}\text{Al}, \text{p})^{25}\text{Al}$ ,  $^1\text{H}(^{26}\text{Si}, \text{p})^{26}\text{Si}$
- 2005NA05 H.Naik, S.P.Dange, R.J.Singh - Phys.Rev. C 71, 014304 (2005)  
Angular momentum of fission fragments in low energy fission of actinides
- 2005NA08 H.Nassar, M.Paul, I.Ahmad, D.Berkovits, M.Bettan, P.Collon, S.Dababneh, S.Ghelberg, J.P.Greene, A.Heger, M.Heil, D.J.Henderson, C.L.Jiang, F.Kappeler, H.Koivisto, S.O'Brien, R.C.Pardo, N.Patronis, T.Pennington, R.Plug, K.E.Rehm, R.Reifarth, R.Scott, S.Sinha, X.Tang, R.Vondrasek - Phys.Rev.Lett. 94, 092504 (2005)  
Stellar (n,  $\gamma$ ) Cross Section of  $^{62}\text{Ni}$
- 2005NAZZ T.Nakamura, N.Fukuda - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.155 (2005)  
Neutron capture cross section of  $^{14}\text{C}$  studied by intermediate-energy Coulomb dissociation
- 2005NE01 G.Neyens, M.Kowalska, D.Yordanov, K.Blaum, P.Himpe, P.Lievens, S.Mallion, R.Neugart, N.Vermeulen, Y.Utsuno, T.Otsuka - Phys.Rev.Lett. 94, 022501 (2005)  
Measurement of the Spin and Magnetic Moment of  $^{31}\text{Mg}$ : Evidence for a Strongly Deformed Intruder Ground State
- 2005NIZZ S.Nishimura, Y.Nishi, M.Kurata-Nishimura, I.Tanihata, M.A.Famiano, M.E.Howard, D.Reitzner, E.E.Smith, R.N.Boyd - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.304 (2005)  
Half-life measurement of neutron-rich nuclei and future at RIBF
- 2005N001 C.Nociforo, K.L.Jones, L.H.Khiem, P.Adriach, T.Aumann, B.V.Carson, D.Cortina-Gil, U.Datta Pramanik, Th.W.Elze, H.Emling, H.Geissel, M.Hellstrom, J.V.Kratz, R.Kulesa, T.Lange, Y.Leifels, H.Lenske, E.Lubkiewicz, G.Munzenberg, R.Palit, H.Scheit, H.Simon, K.Summerer, S.Typel, E.Wajda, W.Walus, H.Weick, and the LAND-FRS Collaboration - Phys.Lett. B 605, 79 (2005)  
Coulomb breakup of  $^{23}\text{O}$
- 2005N004 E.B.Norman, A.R.Smith, A.F.Barghouty, R.C.Haight, S.A.Wender - Nucl.Phys. B(Proc.Supp.) S143, 508 (2005)  
Cosmic-Ray Production of  $^{60}\text{Co}$  in Double Beta-Decay Source Materials
- 2005OKZZ H.Okada, I.G.Alekseev, A.Bravar, G.Bunce, S.Dhawan, R.Gill, W.Haeberli, O.Jinnouchi, A.Khodinov, A.Kponou, Y.Makdisi, W.Meng, A.Nass, N.Saito, H.Spinka, E.J.Stephenson, D.N.Svirida, T.Wise, A.Zelenski - nucl-ex/0502022,2/25/2005 (2005)

## REFERENCES

---

- Measurement of the analyzing power in pp elastic scattering in the peak CNI region at RHIC
- 2005PA07 A.A.Pasternak, E.O.Podsvirova, R.M.Lieder, S.Chmel, W.Gast, Ts.Venkova, H.M.Jager, L.Mihailescu, G.de Angelis, D.R.Napoli, A.Gadea, D.Bazzacco, R.Menegazzo, S.Lunardi, W.Urban, Ch.Droste, T.Morek, T.Rzaca-Urban, G.Duchene, A.Dewald - Eur.Phys.J. A 23, 191 (2005)  
Investigation of lifetimes in dipole bands of  $^{142}\text{Gd}$
- 2005PEZZ M.G.Pellegriti, C.Spitaleri, A.Musumarra, L.Calabretta, S.Cherubini, A.Di Pietro, P.Figuera, R.G.Pizzone, S.Romano, S.Tudisco, A.Tumino - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.513 (2005)  
Quasi-free proton-proton elastic scattering in the Trojan Horse framework
- 2005PI02 S.Pirro, C.Arnaboldi, D.R.Artusa, F.T.Avignone III, M.Balata, I.Bandac, M.Barucci, J.Beeman, C.Brofferio, C.Bucci, S.Capelli, F.Capozzi, L.Carbone, S.Cebrian, O.Cremonesi, R.J.Creswick, A.de Waard, H.A.Farach, A.Fascilla, E.Fiorini, G.Frossati, A.Giuliani, P.Gorla, E.E.Haller, I.G.Irastorza, R.J.McDonald, A.Morales, E.B.Norman, A.Nucciotti, E.Olivieri, V.Palmieri, E.Pasca, M.Pavan, M.Pedretti, G.Pessina, E.Previtali, C.Pobes, M.Pyle, L.Risegari, C.Rosenfeld, M.Sisti, A.R.Smith, L.Torres, G.Ventura - Nucl.Phys. B(Proc.Supp.) S138, 210 (2005)  
First results of the CUORICINO experiment
- 2005P002 R.Pollanen, T.Siiskonen, P.Vesterbacka - Radiat.Meas. 39, 565 (2005)  
High-resolution alpha spectrometry from thick sources
- 2005P003 M.-G.Porquet, Ts.Venkova, R.Lucas, A.Astier, A.Bauchet, I.Deloncle, A.Prevost, F.Azaiez, G.Barreau, A.Bogachev, N.Buorn, A.Buta, D.Curien, T.P.Doan, L.Donadille, O.Dorvaux, G.Duchene, J.Durell, Th.Ethvignot, B.P.J.Gall, D.Grimwood, M.Houry, F.Khalfallah, W.Korten, S.Lalkovski, Y.Le Coz, M.Meyer, A.Minkova, I.Piqueras, N.Redon, A.Roach, M.Rousseau, N.Schulz, A.G.Smith, O.Stezowski, Ch.Theisen, B.J.Varley - Eur.Phys.J. A 24, 39 (2005)  
High-spin structures of  $^{121,123,125,127}_{51}\text{Sb}$  nuclei: Single proton and core-coupled states
- 2005PR02 D.Protopopescu, and the CLAS Collaboration - Nucl.Phys. A748, 357 (2005)  
Survey of  $A_{LT'}$  asymmetries in semi-exclusive electron scattering on  $^4\text{He}$  and  $^{12}\text{C}$
- 2005RE02 J.J.Ressler, C.W.Beausang, H.Ai, H.Amro, M.Babilon, J.A.Caggiano, R.F.Casten, G.Gurdal, A.Heinz, R.O.Hughes, E.A.McCutchan, D.A.Meyer, C.Plettner, J.Qian, M.J.S.Sciacchitano, N.J.Thomas, E.Williams, N.V.Zamfir - Phys.Rev. C 71, 014302 (2005)  
Isomeric decay of  $^{208}\text{Ra}$
- 2005RE06 E.L.Reber, R.J.Gehrke, R.Aryaeinejad, J.K.Hartwell - J.Radioanal.Nucl.Chem. 264, 243 (2005)  
Measurement of the fission yields of selected prompt and decay fission product gamma-rays of spontaneously fissioning  $^{252}\text{Cf}$  and  $^{244}\text{Cm}$

## REFERENCES

---

- 2005R002 P.Rossi, and the CLAS Collaboration - Phys.Rev.Lett. 94, 012301 (2005)  
Onset of Asymptotic Scaling in Deuteron Photodisintegration
- 2005RU01 C.Ruiz, T.Davinson, F.Sarazin, I.Roberts, A.Robinson, P.J.Woods, L.Buchmann, A.C.Shotter, P.Walden, N.M.Clarke, A.A.Chen, B.R.Fulton, D.Groombridge, J.Pearson, A.S.Murphy - Phys.Rev. C 71, 025802 (2005)  
Multichannel R-matrix analysis of elastic and inelastic resonances in the  $^{21}\text{Na} + \text{p}$  compound system
- 2005RU03 A.A.Rudchik, A.T.Rudchik, A.Budzanowski, A.Szczurek, B.Czech, T.Czosnyka, J.Choinski, L.Glowacka, S.Kliczewski, E.I.Koshchy, S.Yu.Mezhevych, A.V.Mokhnach, O.A.Momotyuk, Val.M.Pirnak, R.Siudak, I.Skwirczynska - Eur.Phys.J. A 23, 445 (2005)  
Mechanism of the  $^{12}\text{C}(^{11}\text{B}, ^{15}\text{N})^8\text{Be}$  reaction and  $^8\text{Be} + ^{15}\text{N}$  optical-model potential
- 2005RU04 R.C.Runkle, A.E.Champagne, C.Angulo, C.Fox, C.Iliadis, R.Longland, J.Pollanen - Phys.Rev.Lett. 94, 082503 (2005)  
Direct Measurement of the  $^{14}\text{N}(\text{p}, \gamma)^{15}\text{O}$  S Factor
- 2005SA03 P.Saha, T.Fukuda, W.Imoto, K.K.Ahn, A.Ajimura, K.Aoki, H.C.Bhang, H.Fujioka, H.Hotchi, J.I.Hwang, T.Itabashi, B.H.Kang, H.D.Kim, M.J.Kim, T.Kishimoto, A.Krutenkova, T.Maruta, Y.Miura, K.Miwa, T.Nagae, H.Noumi, H.Outa, T.Ohtaki, A.Sakaguchi, Y.Sato, M.Sekimoto, Y.Shimizu, H.Tamura, K.Tanida, A.Toyoda, M.Ukai, H.J.Kim - Phys.Rev.Lett. 94, 052502 (2005)  
Production of the Neutron-Rich Hypernucleus  $^1_0\text{Li}$  in the  $(\pi^-, \text{K}^+)$  Double Charge-Exchange Reaction
- 2005SA04 Y.Sato, S.Ajimura, K.Aoki, H.Bhang, T.Hasegawa, O.Hashimoto, H.Hotchi, Y.D.Kim, T.Kishimoto, K.Maeda, H.Noumi, Y.Ohta, K.Omata, H.Outa, H.Park, M.Sekimoto, T.Shibata, T.Takahashi, M.Youn - Phys.Rev. C 71, 025203 (2005)  
Mesonic and nonmesonic weak decay widths of medium-heavy  $\Lambda$  hypernuclei
- 2005SA06 M.Sarsour, T.Peterson, M.Planinic, S.E.Vigdor, C.Allgower, B.Bergenswall, J.Blomgren, T.Hossbach, W.W.Jacobs, C.Johansson, J.Klug, A.V.Klyachko, P.Nadel-Turonski, L.Nilsson, N.Olsson, S.Pomp, J.Rapaport, T.Rinckel, E.J.Stephenson, U.Tippawan, S.W.Wissink, Y.Zhou - Phys.Rev.Lett. 94, 082303 (2005)  
Measurement of the Absolute np Scattering Differential Cross Section at 194 MeV
- 2005SA07 X.Sarazin, on behalf of the NEMO Collaboration - Nucl.Phys. B(Proc.Supp.) S143, 221 (2005)  
Search for neutrinoless double beta decay with the NEMO-3 detector: first results
- 2005SA12 A.Saha, for the Hall A Collaboration - Eur.Phys.J. A 24, Supplement 1, 81 (2005)  
Detailed study of the few nucleon systems with  $(\text{e}, \text{e}'\text{p})$  reactions
- 2005SAZZ D.Savran, S.Muller, A.Zilges, M.Babilon, M.W.Ahmed, J.H.Kelley, A.Tonchev, W.Tornow, H.R.Weller, N.Pietralla, J.Li, I.V.Pinayev, Y.K.Wu - nucl-ex/0501006,1/11/2005 (2005)

## REFERENCES

---

- Parity assignments in  $^{172,174}\text{Yb}$  using polarized photons and the K quantum number in rare earth nuclei
- 2005SC01 R.J.Scott, R.P.Rassool, M.N.Thompson, D.V.Webb - Nucl.Instrum.Methods Phys.Res. A539, 191 (2005)  
A new technique for precise measurement of the half-life of the Fermi  $\beta$ -decay of  $^{26m}\text{Al}$
- 2005SE01 A.Serebrov, V.Varlamov, A.Kharitonov, A.Fomin, Yu.Pokotilovski, P.Geltenbort, J.Butterworth, I.Krasnoschekova, M.Lasakov, R.Taldaev, A.Vassiliev, O.Zherebtsov - Phys.Lett. B 605, 72 (2005)  
Measurement of the neutron lifetime using a gravitational trap and a low-temperature Fomblin coating
- 2005SE02 D.Seweryniak, P.J.Woods, M.P.Carpenter, T.Davinson, R.V.F.Janssens, D.G.Jenkins, T.Lauritsen, C.J.Lister, C.Ruiz, J.Shergur, S.Sinha, A.Woehr - Phys.Rev.Lett. 94, 032501 (2005)  
Level Structure of  $^{22}\text{Mg}$ : Implications for the  $^{21}\text{Na}(p, \gamma)^{22}\text{Mg}$  Astrophysical Reaction Rate and for the  $^{22}\text{Mg}$  Mass
- 2005SE03 J.P.Seitz, B.B.Back, M.P.Carpenter, I.Dioszegi, K.Eisenman, P.Heckman, D.J.Hofman, M.P.Kelly, T.L.Khoo, S.Mitsuoka, V.Nanal, T.Pennington, R.H.Siemssen, M.Thoennessen, R.L.Varner - Nucl.Phys. A750, 245 (2005)  
Observation of the hot GDR in neutron-deficient thorium evaporation residues
- 2005SE04 R.Segel, and the JLab E01-001 Collaboration - Eur.Phys.J. A 24, Supplement 1, 55 (2005)  
Results from the super Rosenbluth separation experiment
- 2005SH03 S.Shen, Y.Li, S.Shi, J.Gu, J.Liu - J.Phys.Soc.Jpn. 74, 299 (2005)  
New Low-Spin Levels in  $^{72}\text{Ge}$  and Discussion of Its Yrast Band Structure
- 2005SHZY Y.Shimizu, K.Hatanaka, G.P.A.Berg, M.Wiescher, H.Schatz, T.Adachi, A.D.Bacher, C.C.Foster, K.Fujita, H.Fujita, Y.Fujita, J.Gorres, Ch.Herman, J.Kamiya, Y.Sakemi, Y.Shimbara, E.J.Stephenson, T.Wakasa, M.Yosoi - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.367 (2005)  
Resonance states in  $^{22}\text{Mg}$ ,  $^{26}\text{Si}$  for reaction rates in the rp-process
- 2005SHZZ T.Shima, H.Makii, K.Mishima, Y.Nagai, M.Segawa, H.Ueda, T.Masaki, M.Igashira, T.Ohsaki, I.Sugai, Y.Takeda - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.217 (2005)  
Direct measurement of the E1 and E2 cross sections of the  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$  reaction at  $E_{c.m.} = 1.3 \sim 1.5$  MeV
- 2005SI02 Z.Siketic, I.Bogdanovic Radovic, H.Muto, M.Jaksic - Nucl.Instrum.Methods Phys.Res. B229, 180 (2005)  
H recoil cross-sections for  $^7\text{Li}$  ions at 30 degrees and 45 degrees in the energy interval from 2.28 to 5.70 MeV

## REFERENCES

---

- 2005S001 L.T.Song, X.H.Zhou, Y.H.Zhang, G.de Angelis, N.Marginean, A.Gadea, D.R.Napoli, M.Axiotis, C.Rusu, T.Martinez, Y.X.Guo, X.G.Lei, Y.Zheng, M.L.Liu - Phys.Rev. C 71, 017302 (2005)  
High-spin level scheme of  $^{183}\text{Au}$
- 2005SP01 N.F.Sparveris, R.Alarcon, A.M.Bernstein, W.Bertozi, T.Botto, P.Bourgeois, J.Calarco, F.Casagrande, M.O.Distler, K.Dow, M.Farkhondeh, S.Georgakopoulos, S.Gilad, R.Hicks, M.Holtrop, A.Hotta, X.Jiang, A.Karabarbounis, J.Kirkpatrick, S.Kowalski, R.Milner, R.Miskimen, I.Nakagawa, C.N.Papanicolas, A.J.Sarty, Y.Sato, S.Sirca, J.Shaw, E.Six, S.Stave, E.Stiliaris, T.Tamae, G.Tsentelovich, C.Tschalaer, W.Turchinets, Z.-L.Zhou, T.Zwart - Phys.Rev.Lett. 94, 022003 (2005)  
Investigation of the Conjectured Nucleon Deformation at Low Momentum Transfer
- 2005SP02 D.T.Spayde, for the SAMPLE Collaboration - Eur.Phys.J. A 24, Supplement 2, 51 (2005)  
Updated results from the SAMPLE experiment
- 2005ST03 F.S.Stephens, M.A.Deleplanque, I.Y.Lee, A.O.Macchiavelli, D.Ward, P.Fallon, M.Cromaz, R.M.Clark, M.Descovich, R.M.Diamond, E.Rodriguez-Vieitez - Phys.Rev.Lett. 94, 042501 (2005)  
Order-to-Chaos Transition in Rotational Nuclei
- 2005ST08 E.A.Stefanova, K.P.Lieb, I.Stefanescu, G.De Angelis, D.Curien, J.Eberth, E.Farnea, A.Gadea, G.Gersch, A.Jungclaus, T.Martinez, R.Schwengner, T.Steinhardt, N.Warr, D.Weisshaar, R.Wyss - Eur.Phys.J. A 24, 1 (2005)  
Observation of negative-parity high-spin states of  $^{68}\text{As}$
- 2005ST09 A.E.Stuchbery, A.N.Wilson, P.M.Davidson, A.D.Davies, T.J.Mertzimekis, S.N.Liddick, B.E.Tomlin, P.F.Mantica - Phys.Lett. B 611, 81 (2005)  
Transient fields for Mg ions traversing gadolinium hosts at velocities above and below the K-shell electron velocity
- 2005SY01 A.Syntfeld, H.Mach, W.Kurcewicz, B.Fogelberg, N.Amzal, J.Galy, K.Gulda, A.Korgul, A.Lindroth, W.A.Plociennik, M.Sanchez-Vega, W.Urban - Eur.Phys.J. A 23, 481 (2005)  
The  $\beta$ -decay of  $^{147}\text{Cs}$  to  $^{147}\text{Ba}$
- 2005TA02 M.J.Taylor, N.Benczer-Koller, L.Bernstein, J.Cooper, K.Hiles, D.S.Judson, G.Kumbartzki, P.Maier-Komor, M.A.McMahan, T.J.Mertzimekis, L.Phair, S.J.Q.Robinson, Y.Y.Sharon, K.-H.Speidel, A.E.Stuchbery, L.Zamick - Phys.Lett. B 605, 265 (2005)  
Shell model configurations in the  $2_1^+$  state in  $^{46}\text{Ca}$  from a g-factor measurement
- 2005TAZZ K.Takahisa, H.Akimune, H.Ejiri, H.Fujimura, M.Fujiwara, K.Hara, H.Hashimoto, K.Hatanaka, T.Itahashi, T.Kawabata, K.Kawase, Y.Koreeda, N.Maehara, S.Mordechai, Y.Nagai, K.Nakanishi, S.Ninomiya, T.Shima, M.Tanaka, S.Umehara, S.Umisedo, H.P.Yoshida, S.Yoshida, M.Yoshimura, M.Yosoi - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.533 (2005)



## REFERENCES

---

- The nuclear responses for double beta neutrinos and double spin isospin resonances by using of double charge exchange heavy ion reaction
- 2005TEZZ T.Teranishi, S.Kubono, J.J.He, M.Notani, T.Fukuchi, S.Michimasa, S.Shimoura, S.Nishimura, M.Nishimura, Y.Wakabayashi, N.Hokoiwa, Y.Gono, A.Odahara, H.Ishiyama, Y.X.Watanabe, T.Hashimoto, T.Ishikawa, M.H.Tanaka, H.Miyatake, J.Y.Moon, J.C.Kim, C.S.Lee, V.Guimaraes, R.F.Lichtenthaler, H.Baba, K.Sato, T.Kawamura, S.Kato - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.361 (2005)  
Elastic resonance scattering of  $^{23}\text{Mg}+\text{p}$
- 2005TH03 J.S.Thomas, D.W.Bardayan, J.C.Blackmon, J.A.Cizewski, U.Greife, C.J.Gross, M.S.Johnson, K.L.Jones, R.L.Kozub, J.F.Liang, R.J.Livesay, Z.Ma, B.H.Moazen, C.D.Nesaraja, D.Shapira, M.S.Smith - Phys.Rev. C 71, 021302 (2005)  
First study of the level structure of the r-process nucleus  $^{83}\text{Ge}$
- 2005TOZZ Y.Togano, T.Gomi, T.Motobayashi, Y.Ando, N.Aoi, H.Baba, K.Demichi, Z.Elekes, N.Fukuda, Zs.Fulop, U.Futakami, H.Hasegawa, Y.Higurashi, K.Ieki, N.Imai, M.Ishihara, K.Ishikawa, N.Iwasa, H.Iwasaki, S.Kanno, Y.Kondo, T.Kubo, S.Kubono, M.Kunibu, K.Kurita, Y.U.Matsuyama, S.Michimasa, T.Minemura, M.Miura, H.Murakami, T.Nakamura, M.Notani, S.Ota, A.Saito, H.Sakurai, M.Serata, S.Shimoura, T.Sugimoto, E.Takeshita, S.Takeuchi, K.Ue, K.Yamada, Y.Yanagisawa, K.Yoneda, A.Yoshida - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.549 (2005)  
Study of the  $^{26}\text{Si}(\text{p}, \gamma)^{27}\text{P}$  reaction by the Coulomb dissociation method
- 2005TUZZ A.Tumino, C.Spitaleri, A.Musumarra, M.G.Pellegriti, R.G.Pizzone, A.Rinollo, S.Romano, L.Pappalardo, C.Bonomo, A.Del Zoppo, A.Di Pietro, P.Figuera, M.La Cognata, L.Lamia, S.Cherubini, C.Rolfs, S.Typel - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.553 (2005)  
The Trojan Horse method applied to the astrophysically relevant proton capture capture reactions on Li isotopes
- 2005UD01 M.S.Uddin, M.Hagiwara, M.Baba, F.Tarkanyi, F.Ditroi - Appl.Radiat.Isot. 62, 533 (2005)  
Experimental studies on excitation functions of the proton-induced activation reactions on silver
- 2005UU01 Y.-N.U, S.J.Zhu, M.Sakhaee, L.M.Yang, C.Y.Gan, L.Y.Zhu, R.Q.Xu, X.L.Che, M.L.Li, Y.J.Chen, S.X.Wen, X.G.Wu, L.H.Zhu, G.S.Li, J.Peng, S.Q.Zhang, J.Meng - J.Phys.(London) G31, B1 (2005)  
Search for the chiral doublet bands in  $^{122}\text{Cs}$
- 2005UU02 J.Uusitalo, M.Leino, T.Enqvist, K.Eskola, T.Grahn, P.T.Greenlees, P.Jones, R.Julin, S.Juutinen, A.Keenan, H.Kettunen, H.Koivisto, P.Kuusiniemi, A.-P.Leppanen, P.Nieminen, J.Pakarinen, P.Rahkila, C.Scholey - Phys.Rev. C 71, 024306 (2005)  
 $\alpha$  decay studies of very neutron-deficient francium and radium isotopes



## REFERENCES

---

- 2005VA04 K.Van de Vel, A.N.Andreyev, D.Ackermann, H.J.Boardman, P.Cagarda, J.Gerl, F.P.Hessberger, S.Hofmann, M.Huyse, D.Karlgren, I.Kojouharov, M.Leino, B.Lommel, G.Munzenberg, C.Moore, R.D.Page, S.Saro, P.Van Duppen, R.Wyss - Eur.Phys.J. A 24, 57 (2005)  
Prolate structures in  $^{189}\text{Po}$  and  $^{185}\text{Pb}$
- 2005WA06 T.J.Wasowicz, R.Drozdzowski, J.Kwela - Phys.Scr. 71, 274 (2005)  
Hyperfine Structure Study of Several Lines of  $^{207}\text{Pb}$  I
- 2005WE01 Y.-B.Wei, Y.-G.Ma, X.-Z.Cai, C.Zhong, J.-G.Chen, H.-Y.Zhang, D.-Q.Fang, K.Wang, G.-L.Ma, W.Guo, W.-D.Tian, W.-Q.Shen, W.-L.Zhan, G.-Q.Xiao, H.-S.Xu, Z.-Y.Sun, J.-X.Li, Z.-Y.Guo, M.Wang, Z.-Q.Chen, Z.-G.Hu, L.-X.Chen, C.Li, R.-S.Mao, J.Bai - Chin.Phys.Lett. 22, 61 (2005)  
Parallel Momentum Distribution of  $^{28}\text{Si}$  Fragments from  $^{29}\text{P}$
- 2005WI01 A.N.Wilson, G.D.Dracoulis, P.M.Davidson, A.P.Byrne, R.M.Clark, P.Fallon, A.Gorgen, G.J.Lane, A.O.Macchiavelli, D.Ward - Nucl.Phys. A748, 12 (2005)  
Quadrupole moment of the yrast superdeformed band in  $^{192}\text{Pb}$
- 2005W001 H.J.Wollersheim, D.E.Appelbe, A.Banu, R.Bassini, T.Beck, F.Becker, P.Bednarczyk, K.-H.Behr, M.A.Bentley, G.Benzoni, C.Boiano, U.Bonnes, A.Bracco, S.Brambilla, A.Brunle, A.Burger, K.Burkard, P.A.Butler, F.Camera, D.Curien, J.Devin, P.Doornenbal, C.Fahlander, K.Fayz, H.Geissel, J.Gerl, M.Gorska, H.Grawe, J.Grebosz, R.Griffiths, G.Hammond, M.Hellstrom, J.Hoffmann, H.Hubel, J.Jolie, J.V.Kalben, M.Kmiecik, I.Kojouharov, R.Kulesa, N.Kurz, I.Lazarus, J.Li, J.Leske, R.Lozeva, A.Maj, S.Mandal, W.Meczynski, B.Million, G.Munzenberg, S.Muralithar, M.Mutterer, P.J.Nolan, G.Neyens, J.Nyberg, W.Prokopowicz, V.F.E.Pucknell, P.Reiter, D.Rudolph, N.Saito, T.R.Saito, D.Seddon, H.Schaffner, J.Simpson, K.-H.Speidel, J.Styczen, K.Summerer, N.Warr, H.Weick, C.Wheldon, O.Wieland, M.Winkler, M.Zieblinski - Nucl.Instrum.Methods Phys.Res. A537, 637 (2005)  
Rare ISotopes INvestigation at GSI (RISING) using gamma-ray spectroscopy at relativistic energies
- 2005WU02 C.Wu, J.Barth, W.Braun, J.Ernst, K.-H.Glander, J.Hannappel, N.Jopen, H.Kalinowsky, F.J.Klein, F.Klein, E.Klempt, R.Lawall, J.Link, D.Menze, W.Neuerburg, M.Ostrick, E.Paul, H.van Pee, I.Schulday, W.J.Schwille, B.Wiegers, F.W.Wieland, J.Wisskirchen - Eur.Phys.J. A 23, 317 (2005)  
Photoproduction of  $\rho^0$ -mesons and  $\Delta$ -baryons in the reaction  $\gamma p \rightarrow p\pi^+\pi^-$  at energies up to  $\sqrt{s} = 2.6$  GeV
- 2005WU03 A.H.Wuosmaa, K.E.Rehm, J.P.Greene, D.J.Henderson, R.V.F.Janssens, C.L.Jiang, L.Jisonna, E.F.Moore, R.C.Pardo, M.Paul, D.Peterson, S.C.Pieper, G.Savard, J.P.Schiffer, R.E.Segel, S.Sinha, X.Tang, R.B.Wiringa - Phys.Rev.Lett. 94, 082502 (2005)  
Neutron Spectroscopic Factors in  $^9\text{Li}$  from  $^2\text{H}(^8\text{Li}, p)^9\text{Li}$

## REFERENCES

---

- 2005YA05 S.Yaschenko, S.Dymov, A.Kacharava, V.Komarov, G.Macharashvili, F.Rathmann, S.Barsov, R.Gebel, M.Hartmann, A.Khoukaz, P.Kulesa, A.Kulikov, V.Kurbatov, N.Lang, I.Lehmann, B.Lorentz, T.Mersmann, S.Merzliakov, S.Mikirtychians, A.Mussgiller, M.Nioradze, H.Ohm, D.Prasuhn, R.Schleichert, H.Seyfarth, E.Steffens, H.J.Stein, H.Stroher, Yu.Uzikov, B.Zalikhonov, N.Zhuravlev - Phys.Rev.Lett. 94, 072304 (2005)  
Measurement of the Analyzing Power in  $(p(\text{pol})d) \rightarrow (pp)n$  with a Fast Forward  $^1\text{S}_0$  Proton Pair
- 2005YE01 Y.L.Ye, D.Y.Pang, D.X.Jiang, T.Zheng, Q.J.Wang, Z.H.Li, X.Q.Li, Y.C.Ge, C.Wu, G.L.Zhang, Q.Y.Hu, J.Wang, Z.Q.Chen, A.Ozawa, Y.Yamaguchi, R.Kanungo, I.Tanihata - Phys.Rev. C 71, 014604 (2005)  
Quasielastic scattering of  $^6\text{He}$  on  $^9\text{Be}$  at 25 MeV / nucleon
- 2005YE02 A.V.Yeremin, A.V.Belozerov, M.L.Chelnokov, V.I.Chepigin, V.A.Gorshkov, A.P.Kabachenko, O.N.Malyshev, A.G.Popeko, R.N.Sagaidak, A.V.Shutov, E.A.Sokol, A.I.Svirikhin - Nucl.Instrum.Methods Phys.Res. A539, 441 (2005)  
Neutron detector at the focal plane of the set up VASSILISSA
- 2005ZD02 Yu.G.Zdesenko, F.T.Avignone III, V.B.Brudanin, F.A.Danevich, V.V.Kobychev, B.N.Kropivnyansky, S.S.Nagorny, V.I.Tretyak, T.S.Vylov - Astropart.Phys. 23, 249 (2005)  
CARVEL experiment with  $^{48}\text{CaWO}_4$  crystal scintillators for the double  $\beta$  decay study of  $^{48}\text{Ca}$
- 2005ZH09 S.-H.Zhou, Z.-Y.Liu, J.Zhou, Q.-Y.Meng, C.-B.Li, G.Lian, B.-X.Wang X.-X.Bai - Chin.Phys.Lett. 22, 565 (2005)  
Large Decay Rate Variation of  $^7\text{Be}$  in Pd and Au
- 2005ZU01 K.Zuber - Nucl.Phys. B(Proc.Supp.) S138, 236 (2005)  
COBRA - A new approach to double beta decay